

GREEN PLATE RIGHT x1

60 x 6 flat bar · 260 long · no cut

REAR shock eye · right side (+z)

PRINT AT 100% / "ACTUAL SIZE"

NOT "Fit to page", NOT "Shrink oversized pages".

A4 PORTRAIT — the whole plate is on this page.

HOW TO USE

1. Cut the paper out on the outline.
 2. Lay it on the bar, long edges on the bar edges, FRONT END at the end that bolts to the rail.
 3. Tape. Punch every red cross. Drill.
- "up" = mm from the BOTTOM edge of the bar (the left edge in this drawing).
- Key: drill Ø10.4, file two flats 8.9 apart, parallel to the bar edges. No slot.
- Rear-pod HUB PLATE: drill Ø8.4 at 44 mm from its top end. Bolt + key, then weld all round.

HOLES (from the front end · up)

Ø13 — M12 into the rail	20.0 · 30.0 up
Ø13 — M12 into the rail	80.0 · 30.0 up
Ø10.4 key — hub axle	188.0 · 19.0 up
Ø8.4 — M8 to hub plate	188.0 · 43.0 up
Ø8.4 — shock top eye	240.1 · 21.4 up

SCALE CHECK — exactly 80 mm



and this 100 mm





Wrong? Do not drill.

Reprint % = 8000 ÷ measured

if 80 reads... reprint at

75.2 mm	106%
76.8 mm	104%
78.4 mm	102%
80.0 mm	correct — go
81.6 mm	98%
83.2 mm	96%





REV 012 · 1:1 TEMPLATE

2/3

GREEN PLATE LEFT x1

60 × 6 flat bar · 208 long · no cut

FRONT shock eye · left side (–z)

PRINT AT 100% / “ACTUAL SIZE”

NOT “Fit to page”, NOT “Shrink oversized pages”.

A4 PORTRAIT — the whole plate is on this page.


HOW TO USE

1. Cut the paper out on the outline.
 2. Lay it on the bar, long edges on the bar edges, FRONT END at the end that bolts to the rail.
 3. Tape. Punch every red cross. Drill.
- “up” = mm from the BOTTOM edge of the bar (the left edge in this drawing).
- Key: drill Ø10.4, file two flats 8.9 apart, parallel to the bar edges. No slot.
- Rear-pod HUB PLATE: drill Ø8.4 at 44 mm from its top end. Bolt + key, then weld all round.


HOLES (from the front end · up)

Ø13 — M12 into the rail	20.0 · 30.0 up
Ø13 — M12 into the rail	80.0 · 30.0 up
Ø8.4 — shock top eye	135.9 · 21.4 up
Ø10.4 key — hub axle	188.0 · 19.0 up
Ø8.4 — M8 to hub plate	188.0 · 43.0 up

SCALE CHECK — exactly 80 mm



and this 100 mm



Wrong? Do not drill.

Reprint % = $8000 \div \text{measured}$


if 80 reads... reprint at

75.2 mm	106%
76.8 mm	104%
78.4 mm	102%
80.0 mm	correct — go
81.6 mm	98%
83.2 mm	96%

100 × 40 × 2 tube · use on BOTH walls of BOTH rails (4 times)


PRINT AT 100% / “ACTUAL SIZE” — NOT “Fit to page”, NOT “Shrink oversized pages”.

A4 PORTRAIT — the whole part is on this page. Check the ruler below BEFORE you drill.



Line up the REAR END and the BOTTOM EDGE every time — the holes are not in the middle.
Best: drill a Ø6 pilot straight through both walls on a drill press, then open each side to Ø25 with a hole saw. Weld a Ø25 × Ø13 × 40 steel sleeve into each pair of holes, flush with both walls. The M12 goes in from OUTSIDE, through the sleeve and the green plate, into the M12 nut welded on the green plate.

SCALE CHECK — this scale must measure exactly 150 mm



and this one 50 mm



If it does not measure right, do not cut — reprint.

Reprint percentage = $15000 \div (\text{the mm you actually measured})$.

Reads LONG = the dialog is enlarging; reads SHORT = shrinking. Either way: Actual size.

if the 150 mm scale reads... reprint at

141 mm	106%
144 mm	104%
147 mm	102%
150 mm	correct — go ahead
153 mm	98%
156 mm	96%

Paper also grows/shrinks with humidity — ±0.3 mm over 150 is normal.