	Course Name: Advanced Web Technology	EXPERIMENT NO. 8
	Course Code: 20CP314P	Branch: CSE
	Faculty: Komal Singh	Semester: VI
Submitted by: Harsh Shah Roll no: 21BCP359		

Objective: Working with forms in React

1. Create a customer review form using react forms for the commercial furniture web-application with multiple fields such as name of the customer(text), the ratings for the customer experience out of 5(a drop-down menu), whether interested in buying again in future (check-box yes or no) and message from the customer(text-area) also ensure that the message should be less than 25 characters.

index.js

```
import React from "react";
import ReactDOM from "react-dom/client";
import App from "./App.jsx";
import "./index.css";
import { BrowserRouter } from "react-router-dom";

ReactDOM.createRoot(document.getElementById("root")).render(
  <React.StrictMode>
    <BrowserRouter>
      <App />
    </BrowserRouter>
  </React.StrictMode>
);
```

App.js

```
import { Route, Navigate, Routes } from "react-router-dom";
import CustomerReviewForm from "./CustomerReviewForm";
import ThankYouPage from "./ThankyouPage";

function App() {
  return (
    <div>
      <Routes>
        <Route path="/" element={ <CustomerReviewForm /> } />
        <Route path="/thankyou" element={ <ThankYouPage /> } />
        <Route path="*" element={ <Navigate to="/" /> } />
      </Routes>
    </div>
  );
}

export default App;
```

CustomerReviewForm.jsx

```
import { useEffect, useState } from "react";
import { useNavigate } from "react-router-dom";

const CustomerReviewForm = () => {
  const navigate = useNavigate();
  const [submitted, setSubmitted] = useState(false);
  const [name, setName] = useState("");
  const [rating, setRating] = useState("");
  const [interested, setInterested] = useState(false);
  const [message, setMessage] = useState("");

  const submitForm = (e) => {
    e.preventDefault();
    setSubmitted(true);
  };

  useEffect(() => {
    if (submitted) {
      console.log("Form submitted: ", name, rating, interested, message);
      navigate("/thankyou", {
        replace: true,
        state: { name, rating, interested, message },
      });
    }
  }, [submitted, name, rating, interested, message, navigate]);

  return (
    <div>
      <h1>Commercial Furniture Web Application</h1>
      <form onSubmit={(e) => submitForm(e)}>
        <table>
          <tbody>
            <tr>
              <td>
                <label>Name:</label>
              </td>
              <td>
                <input
                  type="text"
                  value={name}
                  onChange={(e) => setName(e.target.value)}
                />
              </td>
            </tr>
            <tr>
              <td>
                <label>Rating:</label>
              </td>
              <td>
                <select
                  value={rating}
                  onChange={(e) => setRating(e.target.value)}
                >
                  <option value="">Select</option>
                  <option value="1">1</option>
                  <option value="2">2</option>
                </select>
              </td>
            </tr>
          </tbody>
        </table>
      </form>
    </div>
  );
};
```

```
        <option value="3">3</option>
        <option value="4">4</option>
        <option value="5">5</option>
      </select>
    </td>
  </tr>
  <tr>
    <td>
      <label>
        Interested in buying again in future:
      </label>
    </td>
    <td>
      <label className="checkbox-label">
        <input
          type="checkbox"
          checked={interested}
          onChange={(e) =>
            setInterested(e.target.checked)
          }
        />
        Yes
      </label>
    </td>
  </tr>
  <tr>
    <td>
      <label>Message (Max 25 characters):</label>
    </td>
    <td>
      <textarea
        value={message}
        onChange={(e) => setMessage(e.target.value)}
        maxLength={25}
      />
    </td>
  </tr>
  <tr>
    <td colspan="2">
      <button type="submit">Submit</button>
    </td>
  </tr>
</tbody>
</table>
</form>
</div>
);
};
export default CustomerReviewForm;
```

ThankyouPage.jsx


```
import { useLocation } from "react-router-dom";

const ThankYouPage = () => {
  const location = useLocation();
  const formData = location.state;


  return (
    <div>
      <h2>Thank You! for giving feedback</h2>
      <p>Name: {formData.name}</p>
      <p>Rating: {formData.rating}</p>
      <p>
        Interested in buying again: {formData.interested ? "Yes" : "No"}
      </p>
      <p>Message: {formData.message}</p>
    </div>
  );
};

export default ThankYouPage;
```

Output



A screenshot of a web browser showing a feedback form at localhost:5173/feedback. The form has a dark background with white text. It includes fields for Name (Harsh Shah), Rating (4), Interested in buying again in future (checked Yes), and Message (Max 25 characters: Your service is good). A blue Submit button is at the bottom left.



A screenshot of a web browser showing a thank you message at localhost:5173/thankyou. The message is displayed in a white box on a dark background. It reads: "Thank You! for giving feedback". Below this, it lists the user's input: Name: Harsh Shah, Rating: 4, Interested in buying again: Yes, and Message: Your service is good.

2. Create a react form having fields like name (text), division (drop down menu) and message (text-area) using the useRef hook.

StudentData.jsx

```
import { useRef } from "react";
import { useNavigate } from "react-router-dom";
import "../FormData.css";

const StudentData = () => {
  const nameRef = useRef(null);
  const divisionRef = useRef(null);
  const messageRef = useRef(null);
  const navigate = useNavigate();

  const handleSubmit = (e) => {
    e.preventDefault();

    const name = nameRef.current.value;
    const division = divisionRef.current.value;
    const message = messageRef.current.value;

    navigate("/acknowledge", {
      state: {
        name,
        division,
        message,
      },
    });
  };

  return (
    <div>
      <h1>Student Details Form</h1>
      <form onSubmit={handleSubmit}>
        <table className="form-table">
          <tbody>
            <tr>
              <td>
                <label htmlFor="name">Name:</label>
              </td>
              <td>
                <input type="text" id="name" ref={nameRef} />
              </td>
            </tr>
            <tr>
              <td>
                <label htmlFor="division">Division:</label>
              </td>
              <td>
                <select id="division" ref={divisionRef}>
                  <option value="1">Division 1</option>
                  <option value="2">Division 2</option>
                  <option value="3">Division 3</option>
                  <option value="4">Division 4</option>
                  <option value="5">Division 5</option>
                  <option value="6">Division 6</option>
                </select>
              </td>
            </tr>
          </tbody>
        </table>
      </form>
    </div>
  );
};
```

```

        </tr>
        <tr>
            <td>
                <label htmlFor="message">Message:</label>
            </td>
            <td>
                <textarea
                    id="message"
                    ref={messageRef}
                ></textarea>
            </td>
        </tr>
        <tr>
            <td colspan="2">
                <button type="submit">Submit</button>
            </td>
        </tr>
    </tbody>
</table>
</form>
</div>
);
};

```

```
export default StudentData;
```

Acknowledge.jsx

```

import { useLocation } from "react-router-dom";
import "../ThankYouPage.css";

const Acknowledge = () => {
    const location = useLocation();
    const formData = location.state;

    return (
        <div className="thank-you-container">
            <h2 className="thank-you-heading">Thank You for Your Feedback!</h2>
            <div className="thank-you-details">
                <p>
                    <strong>Name:</strong> {formData.name}
                </p>
                <p>
                    <strong>Division:</strong> {formData.division}
                </p>
                <p>
                    <strong>Message:</strong> {formData.message}
                </p>
            </div>
        </div>
    );
};
export default Acknowledge;

```

FormData.css

```
.form-table {  
  width: 100%;  
  border-collapse: collapse;  
}  
  
.form-table td {  
  padding: 8px;  
}  
  
.form-table label {  
  font-weight: bold;  
}  
  
.form-table input[type="text"],  
.form-table select,  
.form-table textarea {  
  width: 100%;  
  padding: 8px;  
  border: 1px solid #ccc;  
  border-radius: 4px;  
  box-sizing: border-box;  
}  
  
.form-table button {  
  padding: 8px 16px;  
  border: none;  
  border-radius: 4px;  
  background-color: #646cff;  
  color: #fff;  
  cursor: pointer;  
}  
  
.form-table button:hover {  
  background-color: #535bf2;  
}
```

ThankYouPage.css

```
.thank-you-container {  
  max-width: 600px;  
  margin: 0 auto;  
  padding: 20px;  
  background-color: #f9f9f9;  
  border-radius: 8px;  
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);  
  color: black;  
}  
  
.thank-you-heading {  
  text-align: center;  
  color: black;  
}  
  
.thank-you-details {  
  margin-top: 20px;
```

20CP314P

21BCP359

}

```
.thank-you-details p {  
  margin-bottom: 10px;  
}
```

```
.thank-you-details p strong {  
  font-weight: bold;  
}
```

Output

