


	Course Name: Advanced Web Technology	EXPERIMENT NO. 7
	Course Code: 20CP314P	Branch: CSE
	Faculty: Komal Singh	Semester: VI
Submitted by: Harsh Shah Roll no: 21BCP359		

Objective: Working with states in React

1. Create a counter based on react states using both the approaches class component as well as functional component.

Approach 1: Class Component

```
import React from "react";
class App extends React.Component {
  constructor(counter) {
    super(counter);
    this.state = {
      counter: 0,
    };
  }
  increment = () => {
    this.setState((prevState) => ({
      counter: prevState.counter + 1
    }));
  }
  decrement = () => {
    this.setState((prevState) => ({
      counter: prevState.counter - 1
    }));
  }
  render() {
    return (
      <div>
        <h1>{this.state.counter}</h1>
        <button onClick={this.increment}>Increment</button>
        <button onClick={this.decrement}>Decrement</button>
      </div>
    );
  }
}
export default App;
```




Approach 2: Functional Component

```
import { useState } from "react";
function App2() {
  const [count, setCount] = useState(0);

  const increment = () => {
    setCount(count + 1);
  };

  const decrement = () => {
    setCount(count - 1);
  };
  return (
    <div>
      <h1>{count}</h1>
      <button onClick={increment}>Increment</button>
      <button onClick={decrement}>Decrement</button>
    </div>
  );
}
export default App2;
```

**2. In the commercial furniture web-application add a like button under each product in the products page using react states.**

```
import Furniture from './Furniture';

function App3() {
  return (
    <div className="grid-container App-header App">
      <Furniture itemName="Linanas" itemPrice="29990"
itemImg="https://www.ikea.com/in/en/images/products/linanaes-3-seat-sofa-with-chaise-longue-vissle-dark-
grey__1013909_pe829463_s5.jpg?f=xxs" />

      <Furniture />

      <Furniture itemName="Nodeland" itemPrice="15990"
itemImg="https://www.ikea.com/in/en/images/products/nodeland-wardrobe-with-3-doors-medium-
brown__0836934_pe778612_s5.jpg?f=xxs" />

      <Furniture itemName="Nolmyra" itemPrice="3990"
itemImg="https://www.ikea.com/in/en/images/products/renberget-swivel-chair-bomstad-
black__1025981_pe834276_s5.jpg?f=xxs" />



      <Furniture />
    </div>
  );
}
```

```
<Furniture itemName="Knarrevik" itemPrice="899"
itemImg="https://www.ikea.com/in/en/images/products/knarrevik-bedside-table-
black__0858302_pe669481_s5.jpg?f=xxs" />
```

```
<Furniture itemName="Tufjord" itemPrice="42990"
itemImg="https://www.ikea.com/in/en/images/products/knarrevik-bedside-table-
black__0858302_pe669481_s5.jpg?f=xxs" />
```

```
</div>
);
}
export default App3;
```

Output



```
PowerShell 7.4.1
PS D:\DEV\Web Development\PDEU-AWT\Practical_7\practical-7-1> npm run dev

> practical-7-1@0.0.0 dev
> vite

Re-optimizing dependencies because vite config has changed

VITE v5.1.5 ready in 485 ms

➔ Local:   http://localhost:5173/
➔ Network: use --host to expose
➔ press h + enter to show help
11:44:41 am [vite] page reload src/main.jsx
11:44:51 am [vite] page reload src/main.jsx (x2)
11:50:59 am [vite] page reload src/main.jsx (x3)
11:51:37 am [vite] hmr update /src/Furniture.jsx
11:52:24 am [vite] hmr update /src/Furniture.jsx (x2)
11:52:27 am [vite] hmr update /src/Furniture.jsx (x3)
11:53:48 am [vite] hmr update /src/Furniture.jsx (x4)
11:54:00 am [vite] hmr update /src/Furniture.jsx (x5)
```