20CP406P 21BCP359

PRACTICAL 1

Name:	Harsh Shah	Roll No.:	21BCP359
Division:	6	Batch:	G11
Aim:	Implement Doubly Linked List in Append only Mode.		

Program

```
import java.util.Scanner;
public class DLL {
  static Node head;
  static class Block {
     int rollNo;
     String name;
     String branch;
     Block(int roll, String nameIn, String branchIn) {
       rollNo = roll;
       name = nameIn;
       branch = branchIn;
  }
  static class Node {
     Node prev;
     Block data;
    Node next;
    Node(Block std) {
       prev = null;
       data = std;
       next = null;
  public static DLL addBlock(DLL list, Block data) {
     Node newNode = new Node(data);
     if (head == null) {
       head = newNode;
     } else {
       Node temp = head;
       while (temp.next != null) {
          temp = temp.next;
       temp.next = newNode;
       newNode.prev = temp;
```

20CP406P 21BCP359

```
return list;
public static void printList(DLL list) {
  System.out.println("\nThe List is: ");
  Node current = head;
  while (current != null) {
     System.out.println(current.data.rollNo + " - " + current.data.name + " - " + current.data.branch);
     current = current.next;
  }
}
public static void main(String[] args) {
  DLL list = new DLL();
  Scanner sc = new Scanner(System.in);
  Block b1 = new Block(1, "Harsh", "CSE");
  list = DLL.addBlock(list, b1);
  for (int i = 1; i \le 3; i++) {
     System.out.printf("Enter data for student %d:\n'', i + 1);
     int roll = sc.nextInt();
     sc.nextLine();
     String name = sc.nextLine();
     String branch = sc.nextLine();
    Block b = new Block(roll, name, branch);
    list = DLL.addBlock(list, b);
  printList(list);
  sc.close();
```

Output:

```
Enter data for student 2:
2
ajay
chemical
Enter data for student 3:
3
siddharth
ICT
Enter data for student 4:
4
rahul
mech

The List is:
1 - Harsh - CSE
2 - ajay - chemical
3 - siddharth - ICT
4 - rahul - mech
```