EDIS: Own TPIN creation/15525

JPLUS/eDIS

CONCEPT DOCUMENT

FOR INTERNAL PURPOSE ONLY

Index

Revision History 1

1. Introduction 2

2. Functional Requirements 3

3. Non-Functional Requirements 5

4. Out of Scope 5

5. Assumptions & Dependencies 5

6. Technical Requirements 5

7. Conclusion 5

Revision History

Version No.	Description	Prepared by	Date	Reviewer	Review Date
1	EDIS: Own TPIN creation	Nemil Shah	15-10-2025	Brijal Pachchigar	15-10-2025
2					
3					

1. Introduction

1.1 Purpose

- The purpose of this requirement is to implement and develop new functionality called **"Create your own TPIN"**. by developing this functionality, users create their own TPIN for e-DIS and betterment of e-DIS TPIN generation process.

1.2 Scope

The scope includes,

1. Integrate the new URL link for create own TPIN.

2. Improvement of current e-DIS TPIN functionality (Improvement of issue).

1.3 Stakeholder Information

This document is intended for: **BA division**

- Business stakeholders / Product Owners: **Brijal Pachchigar**
- Development team: **Elite Development team.**
- Quality assurance (QA) testers: **Dharmesh Dave & Team**
- UI/UX designers: **NA**

1.4. Abbreviations & Short forms

- e-DIS: Electronic Delivery Instruction Slip

1.5. Parameters / Configurations

SR No	Description	Name	Default Value
1	NA	NA	NA

2. Functional Requirements:

1. Current implementation:

- Currently, if user do e-DIS and verify their sell or select script that user want to do sell, every-time new TPIN generate whether do e-DIS on market, off market.
- **Implementation:** if user click on the reset TPIN and fill up primary details to generate new TPIN then only new TPIN should be generated otherwise OLD TPIN remain works for authentication.
- **How long TPIN remain works for eDIS transaction?**

    i. Once user reset TPIN or regenerate TPIN. it is valid until user change TPIN.
    ii. TPIN not generate every time when performing eDIS.
    iii. User will generate new TPIN only when user forget existing TPIN or user enter wrong TPIN 3 times then only user should have to generate new TPIN.

2. Develop the functionality to create your own TPIN:

Steps to be follow in creating your own TPIN:

1. Placement: This functionality will place before submitting on market, off market and pledge request.
2. Place two action button on final request page that will be 1. continue with TPIN and create your own TPIN.
3. If user clicks on the continue with TPIN button the user will redirect to the CDSL site for TPIN verification and if user clicks on the create your own TPIN then user will redirect to the CDSL site for own TPIN generation.

4. When the user performing e-DIS and select the script that user wants to e-DIS and further the user move to authentication page then give two option continue and create your own TPIN.
5. If user clicks on continue button then user will redirect to CDSL site for OTP authentication.
6. If the user clicks on the create your own TPIN then user will redirect to CDSL site for creating own TPIN.
   a) Where user needs to enter their BOID and PAN Card number.
   b) If both are correct and if user clicks on the NEXT button then user move to OTP verification.
   c) Once OTP verification done, user will move to create new TPIN, where user needs to enter two times TPIN for new TPIN confirmation.
   d) Once the new TPIN generated successfully and user clicks on the continue button from e-DIS authorization page then user will redirect to the CDSL site for TPIN+OTP authentication and there, user needs to enter their own TPIN (Which was generated).

3. API Information:

- **API doc:** eDIS Transaction Interface-Technical-Specification_v1.17.pdf
- Module from API doc: API for BO TPIN generation; pg no: 15

4. Figma:

1. JPLUS web:
https://www.figma.com/design/wVXS4AgV42Y2deVtJJr15y/JPlus_v2_In-house?node-id=21363-92280&t=oNGW5o4jmB4jr5Tp-4

2. JPLUS app:
https://www.figma.com/design/vVW3DEvxP4yN7qA96JXagY/Space-Moblie-V2?node-id=11436-16449&t=pubHMKqAcOBVceS9-4

3. Non-Functional Requirements

3.1 NA

4. Out of Scope

4.1 NA

5. Assumptions & Dependencies

5.1 Assumptions: NA

5.2 Dependencies: NA

6. Technical Requirements

- Data definition: **NA**
- API Information and references : **NA**
- Other components and modules: **NA**

6.2 Key Metrics for Measuring MTV Success

- **NA**

7. Conclusion

- The proposed enhancement aims to streamline and personalize the e-DIS TPIN generation process by introducing a new **"Create your own TPIN"** feature. This initiative will empower users with greater control over their TPIN creation, improving both user experience and system efficiency. The scope includes integrating a dedicated URL for this functionality and refining the existing TPIN mechanism to resolve current issues and ensure smoother operations.