

Submission Worksheet

Submission Data

Course: IT202-008-S2026

Assignment: IT202 Module 3 HTML, CSS, JS Challenges

Student: Deep S. (dns33)

Status: Submitted | **Worksheet Progress:** 100+%

Potential Grade: 10.99/10.00 (109.90%)

Received Grade: 0.00/10.00 (0.00%)

Started: 3/2/2026 2:14:32 PM

Updated: 3/2/2026 2:44:58 PM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-module-3-html-css-js-challenges/grading/dns33>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-module-3-html-css-js-challenges/view/dns33>

Instructions

- Overview Link: <https://youtu.be/Dyl6dg1Xybo> (older but should still help)
- 1. Ensure you read all instructions and objectives before starting.
- 2. Create a new branch from `qa` called `M3-Homework`
 1. `git checkout qa` (ensure proper starting branch)
 2. `git pull origin qa` (ensure history is up to date)
 3. `git checkout -b M3-Homework` (create and switch to branch)
- 3. Copy the template code from here: [GitHub Repository - M3 Homework](#)
 - It includes Challenges 1-3, `util.js`, and `styles.css`. Put all into an `M3` folder or similar inside your `public_html`
 - Immediately record to history
 - ☐ `git add public_html`
 - ☐ `git commit -m "adding M3 HW baseline files"`
 - ☐ `git push origin M3-Homework`
 - ☐ Create a Pull Request from `M3-Homework` to `qa` and keep it open
- 4. Fill out the below worksheet
 - Each Problem requires the following as you work
 - ☐ Ensure there's a comment with your UCID, date, and brief summary of how the problem was solved
 - ☐ Update `ucid` in header tag
 - ☐ Code solution (add/commit periodically as needed) (style and/or script tags)
- 5. Once finished, click "Submit and Export"
- 6. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
 1. `git add .`
 2. `git commit -m "adding PDF"`
 3. `git push origin M3-Homework`
 4. On Github merge the pull request from `M3-Homework` to `qa`
 5. On Github create a pull request from `qa` to `prod` and immediately merge. (This will trigger the prod deployment to the production environment)

2. git pull origin qa

Progress: 100%

Progress: 100%

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- #1 The header and footer should remain FIXED in place (top and bottom of page respectively)
- #2 The content area should SCROLL independently (nothing should be pushed off screen and the browser WINDOW scrollbar shouldn't appear)
- #3 The entire page should always take up the full viewport height
- #4 The borders around header,main,footer should remain intact and visible, this will help show that the challenges were solved correctly
- Add code to solve the problem (add/commit as needed)

Progress: 100%

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1. Ensure url is visible in the browser's address bar

Snippet of relevant code showing solution (with ucid/date comment)

```
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000
```

Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1.
Ensure url is visible in

 Saved: 3/2/2026 2:20:48 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in `.php` , , zero credit if it does not)
- Direct link to the file on Render.com Prod (Grab the qa url you're testing, paste it, change "-qa" to "-prod"), zero credit if

URL #1		URL	
https://github.com/shahdp2/IT202-SP2026/blob/M3-Homework/public_html/M3/challenge1.html		https://github.com/shahdp2/IT202-SP2026/blob/M3-Homework/public_html/M3/challenge1.html	
URL #2		URL	
https://dns33-it202-008-prod.onrender.com/M3/challenge1.html		https://dns33-it202-008-prod.onrender.com/M3/challenge1.html	

 Saved: 3/2/2026 2:20:48 PM

Part 3:

Progress: 100%

Details:

Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

I used a flexbox column layout that fills the full viewport height. The header and footer take only their natural height, and the main section uses flex: 1 with overflow-y: auto, so only the content area scrolls while the page itself stays fixed.



Section #2: (3 pts.) Challenge 2 - Header, Content, And Sidebars

Progress: 100%

☰ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
 - #1: Header is at the top
 - #2: Content takes up the rest of the height
 - #3: Both sidebars docked to the respective side and take up 15% width; Content area should utilize the remaining width
- Using JavaScript complete the following
 - #4: Attach the appropriate event listener to the buttons
 - #5: Individual toggle the respective panel between collapsed and uncollapsed (Don't lose the button in the process)
 - #6: The content should adjust based on the status of the respective sidebars (i.e., take up more left, right, or both space)
- Add code to solve the problem (add/commit as needed)

📁 Part 1:

Progress: 100%

Details:

Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1. Ensure url is visible in the browser's address bar

```

UCID: uc123
DATE: 3/2/2026

<script>
  const leftSidebar = document.getElementById('left-sidebar');
  const rightSidebar = document.getElementById('right-sidebar');
  const contentArea = document.getElementById('content-area');
  const leftToggle = document.getElementById('left-toggle');
  const rightToggle = document.getElementById('right-toggle');

  leftToggle.addEventListener('click', () => {
    leftSidebar.classList.toggle('collapsed');
  });

  rightToggle.addEventListener('click', () => {
    rightSidebar.classList.toggle('collapsed');
  });

  // Adjust content area based on sidebar status
  function adjustContent() {
    const leftWidth = leftSidebar.classList.contains('collapsed') ? 0 : 150px;
    const rightWidth = rightSidebar.classList.contains('collapsed') ? 0 : 150px;
    contentArea.style.width = `calc(100% - ${leftWidth} - ${rightWidth})`;
  }

  adjustContent();
  leftToggle.addEventListener('click', adjustContent);
  rightToggle.addEventListener('click', adjustContent);
</script>

<style>
  body { height: 100%; margin: 0; }
  #content { height: 100%; }
  #left-sidebar { width: 150px; }
  #right-sidebar { width: 150px; }
  #left-sidebar.collapsed { width: 0; }
  #right-sidebar.collapsed { width: 0; }
</style>

```


URL #1

https://github.com/shahdp2/IT202-SP2026/blob/M3-Homework/public_html/M3/challenge2.html



URL

https://github.com/shahdp2/IT202-SP2026/blob/M3-Homework/public_html/M3/challenge2.html



URL #2

<https://dns33-it202-008-prod.onrender.com/M3/challenge2.html>



URL

<https://dns33-it202-008-prod.onrender.com/M3/challenge2.html>



Saved: 3/2/2026 2:27:16 PM

≡ Part 3:

Progress: 100%

Details:

Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

I used a flex layout where the container fills the remaining page height and the left sidebar, content area, and right sidebar sit in a row. The sidebars start at 15% width and the main content uses flex: 1, so it automatically expands into any free space. In JavaScript, I attach click listeners to each sidebar button and toggle a collapsed class; the CSS for that class shrinks the sidebar width to 0, hides the list, and keeps the toggle button visible by positioning it absolutely.



Saved: 3/2/2026 2:27:16 PM

Section #3: (3 pts.) Challenge 3 - Carousel Layout With Swiping

Progress: 100%

≡ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
 - #1 Header should be at the top
 - #2 Carousel should take up full width
 - #3 Buttons should be centered
 - #4 Carousel panels should fill the full height of the carousel
 - #5 Carousel content should be centered (vertical and horizontal)



Saved: 3/2/2026 2:34:24 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in `.php`, , zero credit if it does not)
- Direct link to the file on Render.com Prod (Grab the qa url you're testing, paste it, change "-qa" to "-prod"), zero credit if

URL #1

https://github.com/shahdp2/IT202-SP2026/blob/M3-Homework/public_html/M3/challenge3.html



URL

[https://github.com/shahdp2/IT202-](https://github.com/shahdp2/IT202-SP2026/blob/M3-Homework/public_html/M3/challenge3.html)



URL #2

<https://dns33-it202-008-prod.onrender.com/M3/challenge3.html>



URL

[https://dns33-it202-008-prod.onre](https://dns33-it202-008-prod.onrender.com/M3/challenge3.html)



Saved: 3/2/2026 2:34:24 PM

Part 3:

Progress: 100%

Details:

Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

I keep track of the currently visible panel using an index variable. When the user clicks Previous or Next, I update the index and wrap it using modulo so it loops from the first to last (and vice-versa). Then I update the UI by adding the active class to only the selected panel and hiding all others. The CSS sets a fixed carousel height, centers the active panel using flexbox, and uses left-aligned list styling so the bullet points keep proper indentation and structure.



Saved: 3/2/2026 2:34:24 PM

Task #2 (+ 0.99 pts.) - Extra Credit - Challenge 7

Progress: 100%

Details:

- Allow mouse swipe on the carousel to cycle through the panels, similar to how the buttons

I keep track of the currently visible panel using an index variable. When the user clicks Previous or Next, I update the index and wrap it using modulo so it loops from the first to last (and vice-versa). Then I update the UI by adding the active class to only the selected panel and hiding all others. The CSS sets a fixed carousel height, centers the active panel using flexbox, and uses left-aligned list styling so the bullet points keep proper indentation and structure.



Saved: 3/2/2026 2:35:28 PM

Section #4: (1 pt.) Misc

Progress: 100%

☰ Task #1 (0.33 pts.) - Github Details


Progress: 100%

📁 Part 1:

Progress: 100%

Details:

From the Commits tab of the Pull Request screenshot the commit history



From the Commits tab of the Pull Request screenshot the commit history



Saved: 3/2/2026 2:41:34 PM

🔗 Part 2:

Progress: 100%

Details:

Include the link to the Pull Request (should end in `/pull/#`)

URL #1

<https://github.com/shahdp2/IT202-SP2026/pull/5>



URL

<https://github.com/shahdp2/IT202-SP2026/pull/5>



Saved: 3/2/2026 2:41:34 PM

📁 Task #2 (0.33 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard

- Click **Projects** and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- **Note:** The duration isn't relevant for the grade and the visual graphs aren't necessary

Files		Branches	
1 hr 28 mins	M3/challenge2.php	3 hrs 11 mins	M3-Homework
34 mins	M3/challenge3.php	8 mins	prod
33 mins	M3/challenge1.php		
17 mins	M3/challenge1.html		
8 mins	M3/challenge2.html		
8 mins	M2/scenario3.php		
5 mins	M3/util.js		
1 min	M3/styles.css		
48 secs	M3/challenge3.html		

Waketime



Waketime



Waketime



Saved: 3/2/2026 2:43:31 PM

Task #3 (0.33 pts.) - Reflection

Progress: 100%

Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

I learned how to build common page layouts using CSS flexbox, especially full-height pages where only the content area scrolls. I also learned how to control layout changes by toggling CSS classes with JavaScript event listeners, like collapsing sidebars without breaking the layout. Finally, I got more comfortable testing changes on QA vs prod deployments and keeping my work organized with branches and pull requests.



Saved: 3/2/2026 2:44:43 PM

⇒ Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part was Challenge 1 because it was mostly a straightforward flexbox setup: header and footer stay fixed while the main section scrolls. Once the page was set to full viewport height and the main area had overflow-y: auto, the layout behaved exactly as expected. It was easy to verify visually right away.



Saved: 3/2/2026 2:44:51 PM

⇒ Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part was Challenge 2 and 3 because small CSS details affected the UI a lot (like button positioning and hiding sidebars without leaving leftover space). Making the sidebars collapse while keeping the buttons visible took careful CSS positioning and making sure the content resized correctly. For the carousel,

getting the panels to show only one at a time while keeping the bullet list formatting readable also took some tweaking.



Saved: 3/2/2026 2:44:58 PM