

Debate tournament app — screen wireframe

Full scope, multi-tenant version — screens grouped by role

Admin	Adjudicator and team	Public tab site
1. Workspace selector Pick or create tournament by keyword 2. Tournament setup Name, format (BP/AP), rounds 3. Participants Institutions, teams, speakers, adjudicators 4. Venues and rooms Room list, priority, categories 5. Motions Add motions, release per round 6. Draw generation Round view, auto-generate rooms 7. Adjudicator allocation Assign panels, flag conflicts 8. Ballot verification Confirm or reject submitted results 9. Standings and break Team standings, announce break	1. My debates Today's room, side, released motion 2. Ballot entry Form adapts: 2-team or 4-team layout 3. Adjudicator feedback Rate chair or fellow panellists 4. My profile Conflicts, availability, private URL	1. Tournament directory Browse hosted tournaments 2. Draws and results Round-by-round room list 3. Team standings Released rankings only 4. Break announcement Breaking teams by category

Tournament Setup

- **Tournament** — root aggregate; almost everything else FKs into this
- **Round** — belongs to Tournament; carries draw type, stage (prelim/elim), motions-released flag, silent-round flag
- **Institution** — school/club
- **Region** — groups institutions (used for diversity balancing)

2. Participants

- **Team** — belongs to Tournament + Institution; has type (Normal/Bye/Swing/Composite), use-institutional-prefix flag
- **Speaker** — belongs to Team
- **SpeakerCategory** — tags (e.g. Novice, ESL)
- **Adjudicator** — belongs to Tournament + Institution; has test score, independent/chair flags
- **Conflict junction objects:** AdjudicatorTeamConflict, AdjudicatorInstitutionConflict, AdjudicatorAdjudicatorConflict (self-referential)

3. Draw / Room Allocation

- **Debate** — one "room" in one round; links to Venue
- **DebateTeam** — junction: Debate $\times$ Team $\times$ side (this is what makes 4-team-vs-2-team configurable — side just has more possible values in BP: OG/OO/CG/CO vs Aff/Neg)
- **DebateAdjudicator** — junction: Debate $\times$ Adjudicator $\times$ role (chair/panellist/trainee)
- **Venue / Room, VenueCategory, VenueConstraint**

4. Motions

- **Motion** — the debate topic
- **RoundMotion** — junction: Motion × Round (a motion can be reused/tracked across rounds)

5. Results & Scoring — *this is where real inheritance shows up*

- **Submission** (abstract base class) — shared fields: confirmed, discarded, version, submitter, ip_address, timestamp
 - → **BallotSubmission** (extends Submission) — one team's/panel's ballot for a debate
 - → **AdjudicatorFeedback** (extends Submission) — a feedback form filed on an adjudicator
- **TeamScore** — points/win/margin per team per ballot
- **SpeakerScore** — per-speaker score per ballot
- **SpeakerScoreByAdj** — per-adjudicator breakdown (for split panels)
- **AdjudicatorFeedbackQuestion** / **AdjudicatorFeedbackAnswer** — configurable feedback forms; answer types (Boolean/Integer/Float/Text) use a small type-per-subclass pattern

6. Break / Standings

- **BreakCategory**, **BreakingTeam** — qualification bracket tracking
- Standings themselves are **computed, not stored** — no persistent class

7. Users

- Django's built-in **User** model, extended with role/permission groups (Tab, Adjudication Core, Equity)