

MySQL Project

E-COMMERCE CUSTOMER CHURN ANALYSIS

Submitted by: SHAHEEKA PK

Tool used: MySQL

INTRODUCTION


In the rapidly growing e-commerce industry, businesses face challenges in understanding customer churn patterns and identifying the underlying factors that lead customers to discontinue their purchases. This E-Commerce Customer Churn Analysis project uses MySQL to analyze customer data and identify important factors related to churn. By examining customer attributes such as tenure, preferred payment mode, order activity, satisfaction score, complaints, cashback, and warehouse-to-home distance, the project provides insights into customer behavior and helps businesses understand the factors contributing to churn. These insights can support effective strategies to improve customer retention and reduce churn.

Project Title: E-Commerce Customer Churn Analysis

Dataset Download:

https://drive.google.com/uc?export=download&id=1iKKCze_Fpk2n_g3BlZBiSjcDFdFcEn3D

Creating Dataset



Project Title: E-Commerce Customer Churn Analysis
Dataset Download:
https://drive.google.com/uc?export=download&id=1iKKCze_Fpk2n_g3BIZBiSjcDFdFcEn3D

Creating Table customer_churn

Navigator

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

eecomm

Tables

Views

Stored Procedures

Functions

employee

new

Administration Schemas

Information

No object selected

Query 1

Limit to 5000 rows

1

#Project Title: E-Commerce Customer Churn Analysis

2

3

CREATE DATABASE ecomm;

4

USE ecomm;

5

6

CREATE TABLE customer_churn(

7

CustomerID INT PRIMARY KEY,

8

Churn BIT,

9

Tenure INT,

10

PreferredLoginDevice VARCHAR(20),

11

CityTier INT,

12

WarehouseToHome INT,

13

PreferredPaymentMode VARCHAR(20),

14

Gender ENUM('Male','Female'),

15

HourSpendOnApp INT,

16

NumberOfDeviceRegistered INT,

17

PreferedOrderCat VARCHAR(20),

18

SatisfactionScore INT,

19

MaritalStatus VARCHAR(10),

20

NumberOfAddress INT,

21

Complain BIT,

Output

Action Output

#

Time

Action

Message

Columns : CustomerID INT PRIMARY KEY,Churn BIT,Tenure INT,PreferredLoginDevice VARCHAR(20), CityTier INT, WarehouseToHome INT' PreferredPaymentMode VARCHAR(20) ,Gender ENUM('Male','Female'),HourSpendOnApp INT, NumberOfDeviceRegistered INT,PreferedOrderCat VARCHAR(20), SatisfactionScore INT,MaritalStatus VARCHAR(10),NumberOfAddress INT,Complain BIT,OrderAmountHikeFromlastYear INT,CouponUsed INT,OrderCount INT,DaySinceLastOrder INT,CashbackAmount INT.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

Tables

customer_churn

Columns

CustomerID

Churn

Tenure

PreferredLoginDe

CityTier

WarehouseToHon

PreferredPayment

Gender

HourSpendOnApp

NumberOfDeviceR

PreferedOrderCat

SatisfactionScore

MaritalStatus

Administration

Schemas

Information

No object selected

Query 1

Limit to 5000 rows

5

6 CREATE TABLE customer_churn(

7 CustomerID INT PRIMARY KEY,

8 Churn BIT,

9 Tenure INT,

10 PreferredLoginDevice VARCHAR(20),

11 CityTier INT,

12 WarehouseToHome INT,

13 PreferredPaymentMode VARCHAR(20),

14 Gender ENUM('Male','Female'),

15 HourSpendOnApp INT,

16 NumberOfDeviceRegistered INT,

17 PreferedOrderCat VARCHAR(20),

18 SatisfactionScore INT,

19 MaritalStatus VARCHAR(10),

20 NumberOfAddress INT,

21 Complain BIT,

22 OrderAmountHikeFromlastYear INT,

23 CouponUsed INT,

24 OrderCount INT,

25 DaySinceLastOrder INT,

26 CashbackAmount INT

27);

Output

Action Output

#	Time	Action	Message	Duration / Fetch
---	------	--------	---------	------------------

Object Info

Session

Data Cleaning: (5 marks)

Handling Missing Values and Outliers:

➤ Impute mean for the following columns, and round off to the nearest integer if required: WarehouseToHome, HourSpendOnApp, OrderAmountHikeFromlastYear, DaySinceLastOrder.

Mean Imputation for the "Warehouse to Home Column":

Navigator

SCHEMAS

Filter objects

customer_churn

Columns

CustomerID

Churn

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HourSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

Complain

OrderAmountHikeFromlastYear

Administration

Schemas

Information

Schema: ecomm

Object Info

Session

SQL File 1*

Limit to 1000 rows

5664 #Q-1 Handling Missing Values and Outliers:Impute mean for the following columns,WarehouseToHome, HourSpendOnApp, Order

5665 #DaySinceLastOrder.

5666

5667 • USE ecomm;

5668 • UPDATE customer_churn SET WarehouseToHome =

5669 (SELECT ROUND(AVG(Z.WarehouseToHome)) FROM (SELECT WarehouseToHome FROM customer_churn)AS Z)

5670 WHERE WarehouseToHome IS NULL;

5671 • SELECT * FROM customer_churn;

5672

5673

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	CustomerID	Churn	Tenure	PreferredLoginDevice	CityTier	WarehouseToHome	PreferredPaymentMode	Gender	HourSpendOnApp	NumberOfDeviceRegistered	PreferredOrder
▶	50001	1	4	Mobile Phone	3	6	Debit Card	Female	3	3	Laptop & Acces
	50002	1	NULL	Phone	1	8	UPI	Male	3	4	Mobile
	50003	1	NULL	Phone	1	30	Debit Card	Male	2	4	Mobile
	50004	1	0	Phone	3	15	Debit Card	Male	2	4	Laptop & Acces
	50005	1	0	Phone	1	12	CC	Male	NULL	3	Mobile
	50006	1	0	Computer	1	22	Debit Card	Female	3	5	Mobile Phone
	50007	1	NULL	Phone	3	11	Cash on Delivery	Male	2	3	Laptop & Acces

tomar_churn 1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	15:29:19	UPDATE customer_churn SET WarehouseToHome = ROUND(AVG(WarehouseTo...	Error Code: 1111. Invalid use of group function	0.000 sec
10	15:42:58	UPDATE customer_churn SET WarehouseToHome = (SELECT ROUND(AVG(Z.W...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corr...	0.000 sec
11	15:44:58	UPDATE customer_churn SET WarehouseToHome = (SELECT ROUND(AVG(Z.W...	251 row(s) affected Rows matched: 251 Changed: 251 Warnings: 0	0.063 sec

Data Cleaning: (5 marks)

Handling Missing Values and Outliers:

➤ **Impute mean for the following columns, and round off to the nearest integer if required: WarehouseToHome, HourSpendOnApp, OrderAmountHikeFromlastYear, DaySinceLastOrder.**

Mean Imputation for the " OrderAmountHikeFromLastYear Column":

Navigator

SCHEMAS

Filter objects

CustomerID

Churn

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HourSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

Complain

OrderAmountHikeFromlastYear

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

Administration

Schemas

Information

Schema: ecomm

SQL File 1*

Limit to 1000 rows

WHERE HourSpendOnApp IS NULL;

#IMPUTE OrderAmountHikeFromlastyear

UPDATE Customer_churn SET OrderAmountHikeFromlastyear=

(SELECT ROUND(AVG(Z.OrderAmountHikeFromlastyear)) FROM (SELECT OrderAmountHikeFromlastyear FROM Customer_churn) AS Z)

WHERE OrderAmountHikeFromlastyear IS NULL;

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	PreferedOrderCat	SatisfactionScore	MaritalStatus	NumberOfAddress	Complain	OrderAmountHikeFromlastYear	CouponUsed	OrderCount	DaySinceLastOrder	CashbackAmount
▶	laptop & Accessory	2	Single	9	1	11	1	1	5	160
	obile	3	Single	7	1	15	0	1	0	121
	obile	3	Single	6	1	14	0	1	3	120
	laptop & Accessory	5	Single	8	0	23	0	1	3	134
	obile	5	Single	3	0	11	1	1	3	130
	obile Phone	5	Single	2	1	22	4	6	7	139
	laptop & Accessory	2	Divorced	4	0	14	0	1	0	121

customer_churn 4

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
17	16:31	UPDATE Customer_chum SET OrderAmountHikeFromlastyear= (SELECT ROUN...	265 row(s) affected Rows matched: 265 Changed: 265 Warnings: 0	0.032 sec
18	16:31:40	SELECT * FROM customer_chum LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Data Cleaning: (5 marks)

Handling Missing Values and Outliers:

➤ Impute mean for the following columns, and round off to the nearest integer if required: WarehouseToHome, HourSpendOnApp, OrderAmountHikeFromlastYear, DaySinceLastOrder.

Mean Imputation for the "HourSpendOnApp" Column:

Navigator

SCHEMAS

Filter objects

customer_churn

Columns

CustomerID

Churn

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HourSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

Complain

OrderAmountHikeFromlastYear

Administration

Schemas

Information

Schema: ecomm

Object Info

Session

SQL File 1*

Limit to 1000 rows

WHERE WarehouseToHome IS NULL;

SELECT * FROM customer_churn;

#IMPUTE HourSpendOnApp

UPDATE customer_churn SET HourSpendOnApp=

(SELECT ROUND(AVG(Z.HourSpendOnApp)) FROM (SELECT HourSpendOnApp FROM Customer_churn)AS Z)

WHERE HourSpendOnApp IS NULL;

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	CustomerID	Churn	Tenure	PreferredLoginDevice	CityTier	WarehouseToHome	PreferredPaymentMode	Gender	HourSpendOnApp	NumberOfDeviceRegistered	PreferredOrder
	50001	1	4	Mobile Phone	3	6	Debit Card	Female	3	3	Laptop & Acces
	50002	1	NULL	Phone	1	8	UPI	Male	3	4	Mobile
	50003	1	NULL	Phone	1	30	Debit Card	Male	2	4	Mobile
	50004	1	0	Phone	3	15	Debit Card	Male	2	4	Laptop & Acces
	50005	1	0	Phone	1	12	CC	Male	3	3	Mobile
	50006	1	0	Computer	1	22	Debit Card	Female	3	5	Mobile Phone
	50007	1	NULL	Phone	3	11	Cash on Delivery	Male	2	3	Laptop & Acces

customer_churn 3

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	16:24:37	UPDATE customer_churn SET HourSpendOnApp= (SELECT ROUND(AVG(Z.HourSpendOnApp)) FROM (SELECT HourSpendOnApp FROM Customer_churn)AS Z) WHERE HourSpendOnApp IS NULL;	255 row(s) affected Rows matched: 255 Changed: 255 Warnings: 0	0.047 sec
15	16:24:48	SELECT * FROM customer_churn LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Data Cleaning: (5 marks)

Handling Missing Values and Outliers:

➤ Impute mean for the following columns, and round off to the nearest integer if required: WarehouseToHome, HourSpendOnApp, OrderAmountHikeFromlastYear, DaySinceLastOrder.

Mean Imputation for the "DaySinceLastOrder" Column:

SCHEMAS

Filter objects

CustomerID

Churn

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HourSpendOnApp

NumberOfDeviceRegistered

PreferedOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

Complain

OrderAmountHikeFromlastYear

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

Administration

Schemas

Information

Schema: ecomm

Object Info

Session

Limit to 1000 rows

5680

•

UPDATE Customer_churn SET OrderAmountHikeFromlastyear=

5681

(SELECT ROUND(AVG(Z.OrderAmountHikeFromlastyear)) FROM (SELECT OrderAmountHikeFromlastyear FROM Customer_churn) AS Z)

5682

WHERE OrderAmountHikeFromlastyear IS NULL;

5683

#IMPUTE DAYSINCE LAST ORDER

5684

•

UPDATE Customer_churn SET DaySinceLastOrder=

5685

(SELECT ROUND(AVG(Z.DaySinceLastOrder)) FROM (SELECT DaySinceLastOrder FROM Customer_churn)AS Z)

5686

WHERE DaySinceLastOrder IS NULL;

5687

5688

5689

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	PreferedOrderCat	SatisfactionScore	MaritalStatus	NumberOfAddress	Complain	OrderAmountHikeFromlastYear	CouponUsed	OrderCount	DaySinceLastOrder	CashbackAmount
▶	laptop & Accessory	2	Single	9	1	11	1	1	5	160
	obile	3	Single	7	1	15	0	1	0	121
	obile	3	Single	6	1	14	0	1	3	120
	laptop & Accessory	5	Single	8	0	23	0	1	3	134
	obile	5	Single	3	0	11	1	1	3	130
	obile Phone	5	Single	2	1	22	4	6	7	139
	laptop & Accessory	2	Divorced	4	0	14	0	1	0	121

customer_churn 5

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	16:38:32	UPDATE Customer_churn SET DaySinceLastOrder= (SELECT ROUND(AVG(Z.D...	307 row(s) affected Rows matched: 307 Changed: 307 Warnings: 0	0.062 sec
20	16:38:41	SELECT * FROM customer_churn LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec

Data Cleaning: (5 marks)

Handling Missing Values and Outliers:

➤ **Impute mode for the following columns: Tenure, CouponUsed, OrderCount.**

Mode Imputation for the "Tenur Column":

Navigator

SCHEMAS

Filter objects

CustomerID

Churn

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HourSpendOnApp

NumberOfDeviceRegistered

PreferedOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

Complain

OrderAmountHikeFromlastYear

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

Administration

Schemas

Information

Schema: ecomm

Object Info

Session

SQL File 1*

Limit to 1000 rows

5687 WHERE DaySinceLastOrder IS NULL;

5688

5689 #Impute mode for the following columns: Tenure, CouponUsed, OrderCount.

5690

5691 #IMPUTE Tenure WITH MODE

5692 UPDATE customer_churn SET Tenure=

5693 (SELECT Tenure FROM (SELECT Tenure FROM Customer_churn WHERE Tenure IS NOT NULL

5694 GROUP By Tenure ORDER BY COUNT(*) DESC LIMIT 1)AS Z)

5695 WHERE Tenure is NULL;

5696

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	CustomerID	Churn	Tenure	PreferredLoginDevice	CityTier	WarehouseToHome	PreferredPaymentMode	Gender	HourSpendOnApp	NumberOfDeviceRegistered	PreferedOrder
▶	50001	1	4	Mobile Phone	3	6	Debit Card	Female	3	3	Laptop & Acces
	50002	1	1	Phone	1	8	UPI	Male	3	4	Mobile
	50003	1	1	Phone	1	30	Debit Card	Male	2	4	Mobile
	50004	1	0	Phone	3	15	Debit Card	Male	2	4	Laptop & Acces
	50005	1	0	Phone	1	12	CC	Male	3	3	Mobile
	50006	1	0	Computer	1	22	Debit Card	Female	3	5	Mobile Phone
	50007	1	1	Phone	3	11	Cash on Delivery	Male	2	3	Laptop & Acces

customer_churn 6

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	17:02:11	UPDATE customer_churn SET Tenure= (SELECT Tenure FROM (SELECT Tenu...	264 row(s) affected Rows matched: 264 Changed: 264 Warnings: 0	0.016 sec
24	17:02:55	SELECT * FROM customer_churn LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Data Cleaning: (5 marks)

Handling Missing Values and Outliers:

➤ **Impute mode for the following columns: Tenure, CouponUsed, OrderCount.**

Mode Imputation for the "CouponUsed Column":

Navigator

SCHEMAS

Filter objects

CustomerID

Churn

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HourSpendOnApp

NumberOfDeviceRegistered

PreferedOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

Complain

OrderAmountHikeFromlastYear

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

Administration

Schemas

Information

Schema: ecomm

SQL File 1*

Limit to 1000 rows

5694 GROUP By Tenure ORDER BY COUNT(*) DESC LIMIT 1)AS Z)

5695 WHERE Tenure is NULL;

5696

5697 #IMPUTE CouponUsed WITH MODE

5698 UPDATE Customer_churn SET CouponUsed=

5699 (SELECT CouponUsed FROM(SELECT CouponUsed FROM Customer_churn WHERE CouponUsed IS NOT NULL

5700 GROUP BY CouponUsed ORDER BY COUNT(*) DESC LIMIT 1)AS Z)

5701 WHERE CouponUsed IS NULL;

5702 SELECT*FROM customer_churn;

5703

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	PreferedOrderCat	SatisfactionScore	MaritalStatus	NumberOfAddress	Complain	OrderAmountHikeFromlastYear	CouponUsed	OrderCount	DaySinceLastOrder	CashbackAmount
▶	laptop & Accessory	2	Single	9	1	11	1	1	5	160
	obile	3	Single	7	1	15	0	1	0	121
	obile	3	Single	6	1	14	0	1	3	120
	laptop & Accessory	5	Single	8	0	23	0	1	3	134
	obile	5	Single	3	0	11	1	1	3	130
	obile Phone	5	Single	2	1	22	4	6	7	139
	laptop & Accessory	2	Divorced	4	0	14	0	1	0	121

customer_churn 7

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
25	17:07:59	UPDATE Customer_chum SET CouponUsed= (SELECT CouponUsed FROM(SE...	256 row(s) affected Rows matched: 256 Changed: 256 Warnings: 0	0.062 sec
26	17:08:37	SELECT*FROM customer_churn LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec



Data Cleaning: (5 marks)

Handling Missing Values and Outliers:

➤ **Impute mode for the following columns: Tenure, CouponUsed, OrderCount.**

Mode Imputation for the "OrderCount Column":

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

customer_returns

Views

Stored Procedures

Functions

eecommm

employee

new

sys

testdb

Administration

Schemas

Information

No object selected

Object Info

Session

Limit to 5000 rows

#IMPUTE_OrderCount with MODE

UPDATE Customer_churn SET OrderCount=

(SELECT OrderCount FROM (SELECT OrderCount FROM Customer_churn WHERE

OrderCount IS NOT NULL

GROUP BY OrderCount ORDER BY COUNT(*) DESC LIMIT 1) AS Z)

WHERE OrderCount IS NULL;

COMMIT;

Result Grid

Filter Rows:

Edit:

Export/Import:

Fetch rows:

	SatisfactionScore	MaritalStatus	NumberOfAddress	OrderAmountHikeFromlastYear	CouponUsed	OrderCount	DaySinceLastOrder	CashbackAmount	ChurnStatus	ComplaintRecieved
2		Single	9	11	1	1	5	160	Churned	YES
3		Single	7	15	0	1	0	121	Churned	YES
3		Single	6	14	0	1	3	120	Churned	YES
5		Single	8	23	0	1	3	134	Churned	No
5		Single	3	11	1	1	3	130	Churned	No
5		Single	2	22	4	6	7	139	Churned	YES
2		Divorced	4	14	0	1	0	121	Churned	No
2		Divorced	3	16	2	2	0	123	Churned	YES
3		Divorced	2	14	0	1	2	127	Churned	YES
3		Single	2	12	1	1	1	123	Churned	No
3		Divorced	2	16	9	15	8	295	Churned	No

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	20:25:02	UPDATE Customer_churn SET OrderCount= (SELECT OrderCount FROM (SEL...	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.031 sec
2	20:25:21	SELECT*FROM customer_churn LIMIT 0, 5000	5000 row(s) returned	0.000 sec / 0.000 sec

Data Cleaning: (5 marks)

Handling Missing Values and Outliers:

➤ **Handle outliers in the 'WarehouseToHome' column by deleting rows where the values are greater than 100.**

Navigation

SCHEMAS

Filter objects

data

ecommm

Tables

customer_churn

Columns

CustomerID

Churn

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HourSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCategory

SatisfactionScore

MaritalStatus

NumberOfAddress

Administration

Schemas

Information

Schema: ecomm

Object Info

Session

SQL File 1*

Limit to 5000 rows

OrderCount IS NOT NULL

GROUP BY OrderCount ORDER BY COUNT(*) DESC LIMIT 1) AS Z)

WHERE OrderCount IS NULL;

#Handle outliers in the 'WarehouseToHome' column by deleting rows where the values are greater than 100.

DELETE FROM Customer_churn

WHERE WarehouseToHome >100;

Result Grid

Filter Rows:

Edit

Export/Import

Wrap Cell Content

Fetch rows:

	CustomerID	Churn	Tenure	PreferredLoginDevice	CityTier	WarehouseToHome	PreferredPaymentMode	Gender	HourSpendOnApp	NumberOfDeviceRegistered	PreferredOrderCategory
▶	51307	0	5	Mobile Phone	3	6	E wallet	Female	2	3	Fashion
	51308	0	10	Mobile Phone	1	16	Debit Card	Female	2	1	Fashion
	51309	0	0	Phone	3	14	UPI	Female	2	3	Laptop & Accessories
	51311	0	17	Phone	1	16	CC	Male	2	3	Mobile
	51312	0	0	Phone	3	16	CC	Male	2	3	Mobile
	51313	0	12	Computer	1	15	Debit Card	Male	2	3	Others

customer_churn 3

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	22:55:17	SELECT*FROM customer_churn WHERE WarehouseToHome >100 LIMIT 0, 1000	2 row(s) returned	0.016 sec / 0.000 sec
✓ 2	22:57:13	DELETE FROM Customer_churn WHERE WarehouseToHome >100	2 row(s) affected	0.047 sec
✓ 3	22:57:53	SELECT*FROM customer_churn LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec

Query Completed

Dealing with Inconsistencies:

- Replace occurrences of “Phone” in the 'PreferredLoginDevice' column and “Mobile” in the 'PreferedOrderCat' column with “Mobile Phone” to ensure uniformity.

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

Columns

CustomerID

Churn

Tenure

PreferredLo

CityTier

WarehouseT

PreferredPay

Gender

HourSpendC

NumberOfD

PreferredOrd

Satisfaction!

Query 1

Limit to 5000 rows

5710

5711

5712

5713

5714

5715

5716

5717

5718

5719

5720

#Replace occurrences of “Phone” in the 'PreferredLoginDevice' column and

#“Mobile” in the 'PreferedOrderCat' column with “Mobile Phone” to ensure uniformity.

UPDATE Customer_churn SET PreferredLoginDevice=

REPLACE(PreferredLoginDevice , 'Phone', 'Mobile Phone')

WHERE PreferredLoginDevice='Phone';

Result Grid

Filter Rows:

50001

50002

50003

50004

50005

50006

50007

CustomerID

Churn

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HourSpendOnApp

NumberOfDeviceRegistered

PreferredOrder

Mobile Phone

Mobile Phone

Mobile Phone

Mobile Phone

Mobile Phone

Computer

Mobile Phone

3

1

1

1

3

1

3

6

8

30

15

12

22

11

Debit Card

UPI

Debit Card

Debit Card

CC

Debit Card

Cash on Delivery

Female

Male

Male

Male

Male

Female

Male

3

3

2

2

3

5

2

3

4

4

3

5

3

Laptop & Acces

Mobile

Mobile

Laptop & Acces

Mobile

Mobile Phone

Laptop & Acces

customer_churn 2

Apply

Revert

Output

Action Output

#

Time

Action

Message

Duration / Fetch

20

00:23:29

UPDATE Customer_chum SET PreferredLoginDevice= REPLACE(PreferredLoginD...

1231 row(s) affected Rows matched: 1231 Changed: 1231 Warnings: 0

0.032 sec

21

00:23:39

SELECT*FROM customer_chum LIMIT 0, 5000

5000 row(s) returned

0.015 sec / 0.000 sec

Administration

Schemas

Information

Schema: eecomm

Object Info

Session

➤ **Standardize payment mode values: Replace "COD" with "Cash on Delivery" and "CC" with "Credit Card" in the PreferredPaymentMode column.**

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

Columns

CustomerID

Churn

Tenure

PreferredLo

CityTier

WarehouseT

PreferredPay

Gender

HourSpendC

NumberOfD

PreferredOrd

Satisfaction!

Query 1

Limit to 5000 rows

5722

5723 #Standardize payment mode values: Replace "COD" with "Cash on Delivery" and

5724 #"CC" with "Credit Card" in the PreferredPaymentMode column.

5725 #USED Nested Subqueries

5726

5727 UPDATE Customer_churn SET PreferredPaymentMode=

5728 REPLACE(REPLACE(PreferredPaymentMode,'COD','Cash on Delivery'),

5729 'CC','Credit Card');

5730 SELECT * FROM Customer_churn;

5731

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	redLoginDevice	CityTier	WarehouseToHome	PreferredPaymentMode	Gender	HourSpendOnApp	NumberOfDeviceRegistered	PreferedOrderCat	SatisfactionScore	MaritalStatus
	er	3	14	E wallet	Female	2	3	Fashion	2	Single
	er	1	6	Cash on Delivery	Male	2	3	Laptop & Accessory	3	Divorced
	Phone	1	13	Credit Card	Male	2	4	Laptop & Accessory	3	Divorced
	Phone	1	15	Credit Card	Female	3	4	Mobile Phone	4	Divorced
	Phone	3	10	E wallet	Male	3	4	Fashion	2	Divorced
	er	3	8	E wallet	Female	3	3	Mobile Phone	3	Divorced
	Phone	1	16	Credit Card	Male	3	3	Mobile Phone	2	Divorced

Customer_churn 4

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 25	00:37:24	UPDATE Customer_chum SET PreferredPaymentMode= REPLACE(REPLACE(Pref...	638 row(s) affected Rows matched: 5628 Changed: 638 Warnings: 0	0.032 sec
✓ 26	00:37:54	SELECT * FROM Customer_chum LIMIT 0, 5000	5000 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Column Renaming:

➤ **Rename the column "PreferedOrderCat" to "PreferredOrderCat".**

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

Columns

CustomerID

Churn

Tenure

PreferredLoginDevi

CityTier

WarehouseToHome

PreferredPaymentMc

Gender

HourSpendOnApp

NumberOfDeviceReg

PreferredOrderCat

SatisfactionScore

Administration Schemas

Information

No object selected

Object Info Session

Limit to 5000 rows

SQL Editor

5730

•

SELECT * FROM Customer_churn;

5731

•

COMMIT;

5732

•

#Data Transformation:

5733

•

#Rename the column "PreferedOrderCat" to "PreferredOrderCat".

5734

•

ALTER TABLE customer_churn RENAME COLUMN PreferedOrderCat TO PreferredOrderCat ;

5735

•

#Rename the column "HourSpendOnApp" to "HoursSpentOnApp".

5736

•

#Create a new column named "Complain" with value "Yes" if the corresponding value in the "Complain"

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

Top	NumberOfDeviceRegistered	PreferredOrderCat	SatisfactionScore	MaritalStatus	NumberOfAddress	Complain	OrderAmountHikeFromlastYear	CouponUsed	OrderCount	Day
3		Laptop & Accessory	2	Single	9	1	11	1	1	5
4		Mobile Phone	3	Single	7	1	15	0	1	0
4		Mobile Phone	3	Single	6	1	14	0	1	3
4		Laptop & Accessory	5	Single	8	0	23	0	1	3
3		Mobile Phone	5	Single	3	0	11	1	1	3
5		Mobile Phone	5	Single	2	1	22	4	6	7
3		Laptop & Accessory	2	Divorced	4	0	14	0	1	0

customer_churn 1

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	01:53:43	ALTER TABLE customer_churn RENAME COLUMN PreferedOrderCat TO Preferred...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.219 sec
2	01:53:50	SELECT * FROM Customer_churn LIMIT 0, 5000	5000 row(s) returned	0.000 sec / 0.015 sec

➤ Rename the column "HourSpendOnApp" to "HoursSpentOnApp".

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

Columns

CustomerID

Churn

Tenure

PreferredLoginDevio

CityTier

WarehouseToHome

PreferredPaymentMc

Gender

HourSpendOnApp

NumberOfDeviceReg

PreferredOrderCat

SatisfactionScore

Administration

Schemas

Information

No object selected

Object Info

Session

Limit to 5000 rows

5735 • ALTER TABLE customer_churn RENAME COLUMN PreferedOrderCat TO PreferredOrderCat ;

5736

5737 #Rename the column "HourSpendOnApp" to "HoursSpentOnApp".

5738 • ALTER TABLE Customer_churn RENAME COLUMN HourSpendOnapp TO HoursSpendOnApp;

5739

5740

5741 #Create a new column named 'ComplaintReceived' with values "Yes" if the corresponding value in the 'Complain'

5742 # Create a new column named 'ChurnStatus'. Set its value to "Churned" if the corresponding value in the 'Chur

5743 #Drop the columns "Churn" and "Complain" from the table.

5744

Result Grid

Filter Rows:

Export/Import:

Wrap Cell Content:

Fetch rows:

	useToHome	PreferredPaymentMode	Gender	HoursSpendOnApp	NumberOfDeviceRegistered	PreferredOrderCat	SatisfactionScore	MaritalStatus	NumberOfAddress	Complain
		Debit Card	Female	3	3	Laptop & Accessory	2	Single	9	1
		UPI	Male	3	4	Mobile Phone	3	Single	7	1
		Debit Card	Male	2	4	Mobile Phone	3	Single	6	1
		Debit Card	Male	2	4	Laptop & Accessory	5	Single	8	0
		Credit Card	Male	3	3	Mobile Phone	5	Single	3	0
		Debit Card	Female	3	5	Mobile Phone	5	Single	2	1
		Cash on Delivery	Male	2	3	Laptop & Accessory	2	Divorced	4	0

Customer_churn 2

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	02:00:22	ALTER TABLE Customer_chum RENAME COLUMN HourSpendOnapp TO Hours...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.032 sec
4	02:00:46	SELECT * FROM Customer_chum LIMIT 0, 5000	5000 row(s) returned	0.000 sec / 0.016 sec

Creating New Columns:

➤ Create a new column named 'ComplaintReceived' with values "Yes" if the corresponding value in the 'Complain' is 1, and "No" otherwise.

Navigator

SCHEMAS

Filter objects

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

Complain

OrderAmountHikeFromlastYear

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ComplaintRecieved

ChurnStatus

Indexes

Foreign Keys

Triggers

Administration

Schemas

Information

Schema: ecomm

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

5743 • SELECT DISTINCT `Complain` FROM customer_churn;

5744

5745

5746 #Create a new column named 'ComplaintReceived' with values "Yes" if the corresponding value in the 'Complain' is 1, and "No" otherwise.

5747 • ALTER TABLE `customer\_churn` ADD COLUMN `ComplaintRecieved` VARCHAR(3);

5748 • UPDATE Customer_churn SET `ComplaintRecieved` =CASE WHEN `Complain`=1 THEN 'YES' ELSE 'No' END;

5749

5750

5751 # Create a new column named 'ChurnStatus'. Set its value to "Churned" if the corresponding value in the 'Churn' column is 1, and "Not Churned" otherwise.

5752 • ALTER TABLE `Customer\_churn` ADD COLUMN `ChurnStatus` VARCHAR(10);

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	MaritalStatus	NumberOfAddress	Complain	OrderAmountHikeFromlastYear	CouponUsed	OrderCount	DaySinceLastOrder	CashbackAmount	ChurnStatus	ComplaintRecieved
▶	Single	9	1	11	1	1	5	160	Churned	YES
	Single	7	1	15	0	1	0	121	Churned	YES
	Single	6	1	14	0	1	3	120	Churned	YES
	Single	8	0	23	0	1	3	134	Churned	No
	Single	3	0	11	1	1	3	130	Churned	No
	Single	2	1	22	4	6	7	139	Churned	YES

customer_churn 16

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 36	03:00:46	ALTER TABLE `customer_churn` ADD COLUMN `ComplaintRecieved` VARCHAR(3);	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
✓ 37	03:00:53	UPDATE Customer_churn SET `ComplaintRecieved` =CASE WHEN `Complain`=1 THEN 'YES' ELSE 'No' END;	5628 row(s) affected Rows matched: 5628 Changed: 5628 Warnings: 0	0.203 sec
✓ 38	03:01:00	SELECT * FROM customer_churn LIMIT 0, 5000	5000 row(s) returned	0.000 sec / 0.015 sec

Query Completed

➤ Create a new column named 'ChurnStatus'. Set its value to “Churned” if the corresponding value in the 'Churn' column is 1, else assign “Active”.

SCHEMAS

Filter objects

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

Complain

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ComplaintReceived

ChurnStatus

Indexes

Foreign Keys

Triggers

Administration

Schemas

Information

Schema: ecomm

Object Info

Session

Limit to 5000 rows

Create a new column named 'ChurnStatus'. Set its value to “Churned” if the corresponding value in the 'Churn' column is 1, else assign “Active”.

ALTER TABLE `Customer\_churn` ADD COLUMN `ChurnStatus` VARCHAR(10);

UPDATE `customer\_churn` SET `ChurnStatus` = CASE WHEN `Churn` =1 THEN 'Churned' ELSE 'Active' END;

#Drop the columns "Churn" and "Complain" from the table.

ALTER TABLE `Customer\_churn`

DROP COLUMN `ChurnStatus`,

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

Apply

Revert

id	SatisfactionScore	MaritalStatus	NumberOfAddress	Complain	OrderAmountHikeFromlastYear	CouponUsed	OrderCount	DaySinceLastOrder	CashbackAmount	ChurnStatus
1	3	Divorced	4	1	11	1	2	2	146	Churned
2	2	Single	3	0	15	0	1	3	207	Churned
3	5	Single	8	0	22	1	1	4	142	Churned
4	4	Divorced	2	0	13	1	1	6	173	Active
5	3	Divorced	3	1	20	0	4	5	123	Active
6	4	Married	9	0	18	1	1	15	123	Active

customer_churn 15

Output

Action Output

#	Time	Action	Message	Duration / Fetch
33	02:52:59	ALTER TABLE `Customer_chum` ADD COLUMN `ChumStatus` VARCHAR(10)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.078 sec
34	02:53:06	UPDATE `customer_chum` SET `ChumStatus` = CASE WHEN `Chum` =1 THEN 'C...	5628 row(s) affected Rows matched: 5628 Changed: 5628 Warnings: 0	0.137 sec
35	02:53:13	SELECT * FROM customer_chum LIMIT 0, 5000	5000 row(s) returned	0.000 sec / 0.016 sec

Query Completed

Column Dropping:

➤ Drop the columns "Churn" and "Complain" from the table.

SCHEMAS

Filter objects

Columns

- CustomerID
- Tenure
- PreferredLoginDevice
- CityTier
- WarehouseToHome
- PreferredPaymentMode
- Gender
- HoursSpendOnApp
- NumberOfDeviceRegistered
- PreferredOrderCat
- SatisfactionScore
- MaritalStatus
- NumberOfAddress
- OrderAmountHikeFromlast
- CouponUsed
- OrderCount
- DaySinceLastOrder
- CashbackAmount

Administration Schemas

Information

Table:
customer_churn

Columns:
CustomerID
Tenure
PreferredLoginDevice
CityTier
WarehouseToHome

Object Info Session

Limit to 5000 rows

```
5753 • UPDATE `customer_churn` SET `ChurnStatus` = CASE WHEN `Churn` =1 THEN 'Churned' ELSE 'Active' END;
5754
5755
5756 #Drop the columns "Churn" and "Complain" from the table.
5757 • ALTER TABLE `Customer_churn`
5758 DROP COLUMN `Churn`,
5759 DROP COLUMN `Complain`;
5760
5761 • SELECT * FROM customer_churn;
5762
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Fetch rows:

	CustomerID	Tenure	PreferredLoginDevice	CityTier	WarehouseToHome	PreferredPaymentMode	Gender	HoursSpendOnApp	NumberOfDeviceRegistered	PreferredOrderCat
▶	50001	4	Mobile Phone	3	6	Debit Card	Female	3	3	Laptop & Accessory
	50002	1	Mobile Phone	1	8	UPI	Male	3	4	Mobile Phone
	50003	1	Mobile Phone	1	30	Debit Card	Male	2	4	Mobile Phone
	50004	0	Mobile Phone	3	15	Debit Card	Male	2	4	Laptop & Accessory
	50005	0	Mobile Phone	1	12	Credit Card	Male	3	3	Mobile Phone
	50006	0	Computer	1	22	Debit Card	Female	3	5	Mobile Phone

customer_churn 17

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 38	03:01:00	SELECT * FROM customer_churn LIMIT 0, 5000	5000 row(s) returned	0.000 sec / 0.015 sec
✓ 39	03:08:46	ALTER TABLE `Customer_churn` DROP COLUMN `Churn`, DROP COLUMN `Comp...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
✓ 40	03:08:50	SELECT * FROM customer_churn LIMIT 0, 5000	5000 row(s) returned	0.000 sec / 0.015 sec

Query Completed

Data Exploration and Analysis: (17 marks)

➤ **Retrieve the count of churned and active customers from the dataset.**

Navigator

SCHEMAS

Filter objects

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

ComplaintRecieved

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Administration

Schemas

Information

Table:
customer_churn

Columns:
CustomerID
Tenure
PreferredLoginDevice
CityTier
WarehouseToHome

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

5762

5763 #Data Exploration and Analysis: (17 marks)

5764 #➤ Retrieve the count of churned and active customers from the dataset.

5765 #(By using conditional aggregation method)

5766

5767 • **SELECT SUM(`ChurnStatus` = 'churned') AS Churned_customers,**

5768 **SUM(`ChurnStatus`='Active') AS Active_customers**

5769 **FROM `Customer\_churn`;**

5770

5771

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Churned_customers	Active_customers
▶	948	4680

Result 18 x

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
42	03:24:53	SELECT SUM('ChumStatus' = 'chumed') AS Chumed_customers, SUM('ChumedSt...	Error Code: 1054 - Unknown column 'ChumedStatus' in 'field list'	0.000 sec
43	03:25:28	SELECT SUM('ChumStatus' = 'chumed') AS Chumed_customers, SUM('ChumStatu...	1 row(s) returned	0.016 sec / 0.000 sec

Query Completed

➤ Display the average tenure and total cashback amount of customers who churned.

SCHEMAS

Filter objects

CustomerID

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

Administration

Schemas

Information

Table:
customer_churn

Columns:
CustomerID
Tenure
PreferredLoginDevice
CityTier
WarehouseToHome

Object Info

Session

Limit to 5000 rows

5769 FROM `Customer\_churn`;

5770

5771 #> Display the average tenure and total cashback amount of customers who churned.

5772

5773 SELECT AVG(`Tenure`) AS Average_Tenure ,

5774 SUM(`CashbackAmount`) AS Total_cashbackAmount

5775 FROM `Customer\_churn` WHERE `ChurnStatus` = 'churned';

5776

5777 #> Determine the percentage of churned customers who complained.

5778 #> Identify the city tier with the highest number of churned customers whose preferred order category is Laptop & Accessor

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Average_Tenure	Total_cashbackAmount
▶	3.1762	152030

Result 19

Read Only

Output

Action Output

	#	Time	Action	Message	Duration / Fetch
✓	43	03:25:28	SELECT SUM('ChumStatus' = 'chumed') AS Chumed_customers, SUM('ChumStatu...	1 row(s) returned	0.016 sec / 0.000 sec
✓	44	03:33:33	SELECT AVG('Tenure') AS Average_Tenure , SUM('CashbackAmount') AS Total_c...	1 row(s) returned	0.031 sec / 0.000 sec

➤ Determine the percentage of churned customers who complained.

SCHEMAS

Filter objects

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

ComplaintRecieved

Indexes

Foreign Keys

Administration

Schemas

Information

Table:

customer_churn

Columns:

CustomerID

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

Object Info

Session

Limit to 5000 rows

5774

SUM(`CashbackAmount`) AS Total_cashbackAmount

5775

FROM `Customer\_churn` WHERE `ChurnStatus` = 'churned';

5776

#> Determine the percentage of churned customers who complained.

5777

5778

5779

5780

5781

5782

5783

SELECT ROUND(COUNT(CASE WHEN `ComplaintRecieved`='Yes' THEN 1 END)* 100.0/COUNT(*),2)

AS Percentageof_churned_customerswhocomplained

FROM Customer_churn WHERE `ChurnStatus` = 'churned';

#> Identify the city tier with the highest number of churned customers whose preferred order category is Laptop & Accessor

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Percentageof_churned_customerswhocomplained

53.59

Result 22

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
48	03:47:36	SELECT COUNT(CASE WHEN `ComplaintRecieved`='Yes' THEN 1 END)* 100.0/C...	1 row(s) returned	0.000 sec / 0.000 sec
49	03:49:09	SELECT ROUND(COUNT(CASE WHEN `ComplaintRecieved`='Yes' THEN 1 END)*...	1 row(s) returned	0.063 sec / 0.000 sec

Query Completed

➤ Identify the city tier with the highest number of churned customers whose preferred order category is Laptop & Accessory.

SCHEMAS

Filter objects

CustomerID

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

Administration

Schemas

Information

Column: CityTier

Definition: CityTier int

Object Info

Session

Limit to 5000 rows

5782

5783 #➤ Identify the city tier with the highest number of churned customers whose preferred order

5784 #category is Laptop & Accessory.

5785

5786 • SELECT `CityTier`, COUNT(*) AS CityTierWith_Highest_numberof_ChurnedCustomers_whoPreferred_LaptopAndAccessory

5787 FROM `customer\_churn` WHERE `ChurnStatus` = 'churned'AND `PreferredOrderCat`='Laptop & Accessory'

5788 GROUP BY `CityTier` ORDER BY CityTierWith_Highest_numberof_ChurnedCustomers_whoPreferred_LaptopAndAccessory DESC

5789 LIMIT 1;

5790

5791

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	CityTier	CityTierWith_Highest_numberof_ChurnedCustome
▶	3	150

Result 24

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
❌ 51	04:12:39	SELECT `CityTier`, COUNT(*) AS CityTierWith_Highest_numberof_ChurnedCustome...	Error Code: 1054. Unknown column 'City Tier' in 'group statement'	0.000 sec
✅ 52	04:12:53	SELECT `CityTier`, COUNT(*) AS CityTierWith_Highest_numberof_ChurnedCustome...	1 row(s) returned	0.016 sec / 0.000 sec

➤ Identify the most preferred payment mode among active customers.

Navigation

SCHEMAS

Filter objects

customer_churn

Columns

CustomerID

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegister

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromla

CouponUsed

OrderCount

DaySinceLastOrder

Administration

Schemas

Information

Column: PreferredPaymentMode

Collation: utf8mb4_0900_ai_ci

Definition: PreferredPaymentMode

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

5788 GROUP BY `CityTier` ORDER BY CityTierWith_Highest_numberof_ChurnedCustomers_whoPreferred_LaptopAndAccessory DESC

5789 LIMIT 1;

5790

5791 #Identify the most preferred payment mode among active customers.

5792

5793 • SELECT `preferredPaymentMode`,COUNT(*) AS Most_PREFERREDPaymentModeCount

5794 FROM `customer\_churn` WHERE `ChurnStatus` = 'Active'

5795 GROUP BY `preferredPaymentMode` ORDER BY Most_PREFERREDPaymentModeCount DESC LIMIT 1;

5796

5797 #Calculate the total order amount hike from last year for customers who are single and prefer mobile phones for ordering.

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	preferredPaymentMode	Most_PREFERREDPaymentModeCount
▶	Debit Card	1956

Result 3

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	2 19:09:30	SELECT `preferredPaymentMode`,COUNT(*) AS Most_PREFERREDPaymentMode FRO...	1 row(s) returned	0.031 sec / 0.000 sec
✓	3 19:10:29	SELECT `preferredPaymentMode`,COUNT(*) AS Most_PREFERREDPaymentModeCoun...	1 row(s) returned	0.015 sec / 0.000 sec

➤ Calculate the total order amount hike from last year for customers who are single and prefer mobile phones for ordering.

SCHEMAS

Filter objects

Columns

- CustomerID
- Tenure
- PreferredLoginDevice
- CityTier
- WarehouseToHome
- PreferredPaymentMode
- Gender
- HoursSpendOnApp
- NumberOfDeviceRegistered
- PreferredOrderCat
- SatisfactionScore
- MaritalStatus
- NumberOfAddress
- OrderAmountHikeFromLastYear
- CouponUsed
- OrderCount
- DaySinceLastOrder
- CashbackAmount

Administration

Schemas

Information

Column:
PreferredPaymentMode

Collation:
utf8mb4_0900_ai_ci

Definition:
PreferredPaymentMode

Object Info

Session

Limit to 5000 rows

5793 • SELECT `preferredPaymentMode`,COUNT(*) AS Most_PREFERREDPaymentModeCount

5794 FROM `customer\_churn` WHERE `ChurnStatus` = 'Active'

5795 GROUP BY `preferredPaymentMode` ORDER BY Most PreferredPaymentModeCount DESC LIMIT 1;

5796

5797 #Calculate the total order amount hike from last year for customers who are single and prefer mobile phones for ordering.

5798 • SELECT SUM(`OrderAmountHikeFromLastYear`)AS TotalOrderAmount_WhoaresingleAndPreferMobile

5799 FROM `Customer\_churn` WHERE `MaritalStatus` = 'Single' AND `PreferredOrderCat` = 'Mobile Phone';

5800

5801

5802

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

TotalOrderAmount_WhoaresingleAndPreferMobile

12177

Result 4

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	19:10:29	SELECT `preferredPaymentMode`,COUNT(*) AS Most_PREFERREDPaymentModeCoun...	1 row(s) returned	0.015 sec / 0.000 sec
4	19:22:40	SELECT SUM(`OrderAmountHikeFromLastYear`)AS TotalOrderAmount_Whoaresingl...	1 row(s) returned	0.000 sec / 0.000 sec

➤ Find the average number of devices registered among customers who used UPI as their preferred payment mode.

Navigator

SCHEMAS

Filter objects

- CustomerID
- Tenure
- PreferredLoginDevice
- CityTier
- WarehouseToHome
- PreferredPaymentMode
- Gender
- HoursSpendOnApp
- NumberOfDeviceRegistered
- PreferredOrderCat
- SatisfactionScore
- MaritalStatus
- NumberOfAddress
- OrderAmountHikeFromlastYea
- CouponUsed
- OrderCount
- DaySinceLastOrder
- CashbackAmount
- ChurnStatus

Administration

Schemas

Information

Column:
PreferredPaymentMode

Collation:
utf8mb4_0900_ai_ci

Definition:
PreferredPaymentMode

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

#Find the average number of devices registered among customers who used UPI as their preferred payment mode.

SELECT ROUND(AVG(`NumberOfDeviceRegistered`),2) AS Avg_ofdeviceRegisterd

FROM `customer\_churn`

WHERE `PreferredPaymentMode` = 'UPI';

#Determine the city tier with the highest number of customers.

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Avg_ofdeviceRegisterd
▶	3.72

Result 6

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	19:31:15	SELECT AVG('NumberOfDeviceRegistered') AS Avg_ofdeviceRegisterd FROM 'cu...	1 row(s) returned	0.000 sec / 0.000 sec
6	19:32:38	SELECT ROUND(AVG('NumberOfDeviceRegistered'),2) AS Avg_ofdeviceRegisterd...	1 row(s) returned	0.031 sec / 0.000 sec

➤ Determine the city tier with the highest number of customers.

Navigator

SCHEMAS

Filter objects

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlastYea

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

ComplaintRecieved

Administration

Schemas

Information

Column:

PreferredPaymentMode

Collation:

utf8mb4_0900_ai_ci

Definition:

PreferredPaymentMode

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

5803

•

SELECT

ROUND

(

AVG

(

NumberOfDeviceRegistered

)

,

2

)

AS

Avg_ofdeviceRegisterd

FROM

customer_churn

WHERE

PreferredPaymentMode

=

'UPT'

;

5804

5805

5806

5807

5808

5809

5810

5811

#Determine the city tier with the highest number of customers.

SELECT CityTier ,Count(*) AS HighestNumberOfCustomers

FROM Customer_churn GROUP BY CityTier ORDER BY

HighestNumberOfCustomers DESC LIMIT 1;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	CityTier	HighestNumberOfCustomers
▶	1	3666

Result 8

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 8	19:44:07	SELECT 'CityTier' ,Count(*) AS CityWith_HighestNumberOfCustomers FROM 'Custo...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 9	19:44:31	SELECT 'CityTier' ,Count(*) AS HighestNumberOfCustomers FROM 'Customer_chur...	1 row(s) returned	0.015 sec / 0.000 sec

➤ Identify the gender that utilized the highest number of coupons.

Navigator

SCHEMAS

Filter objects

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlastYear

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

ComplaintRecieved

Administration

Schemas

Information

Column:

PreferredPaymentMode

Collation:

utf8mb4_0900_ai_ci

Definition:

PreferredPaymentMode

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

#Identify the gender that utilized the highest number of coupons.

SELECT `Gender`,SUM(CouponUsed) AS HighestNumberOfCouponUsed_Gender

FROM `customer\_churn` GROUP BY `Gender`

ORDER BY HighestNumberOfCouponUsed_Gender

DESC LIMIT 1;

#List the number of customers and the maximum hours spent on the app in each preferred order category.

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

Gender

HighestNumberOfCouponUsed_Gender

Male

5629

Result 9

Read Only

Output

Action Output

#

Time

Action

Message

Duration / Fetch

9

19:44:31

SELECT `CityTier`,Count(*) AS HighestNumberOfCustomers FROM `Customer_chur...

1 row(s) returned

0.015 sec / 0.000 sec

10

19:54:09

SELECT `Gender`,SUM(CouponUsed) AS HighestNumberOfCouponUsed_Gender F...

1 row(s) returned

0.016 sec / 0.000 sec

➤ List the number of customers and the maximum hours spent on the app in each preferred order category.

SCHEMAS

Filter objects

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

ComplaintRecieved

Indexes

Administration Schemas

Information

Column: MaritalStatus

Collation: utf8mb4_0900_ai_ci

Definition: MaritalStatus varchar(10)

Object Info Session

SQLA3Churn*

Limit to 5000 rows

DESC LIMIT 1;

#List the number of customers and the maximum hours spent on the app in each preferred order category.

SELECT `PreferredOrderCat` , COUNT(*) AS `NumberOfCustomers` , MAX(`HoursSpendOnApp`) AS MAX_HoursSpendOnTheApp

FROM `Customer\_churn` GROUP BY `PreferredOrderCat`;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	PreferredOrderCat	NumberOfCustomers	MAX_HoursSpendOnTheApp
▶	Laptop & Accessory	2050	5
	Mobile Phone	2078	5
	Others	264	4
	Fashion	826	5
	Grocery	410	4

Result 1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	14:48:53	SELECT 'PreferredOrderCat' , COUNT(*) AS 'NumberOfCustomers' , MAX('HoursSp...	Error Code: 1054. Unknown column 'PrefferedOrderCat' in 'group statement'	0.000 sec
4	14:49:09	SELECT 'PreferredOrderCat' , COUNT(*) AS 'NumberOfCustomers' , MAX('HoursSp...	5 row(s) returned	0.015 sec / 0.000 sec

➤ Calculate the total order count for customers who prefer using credit cards and have the maximum satisfaction score.

Navigator

SCHEMAS

Filter objects

Columns

CustomerID

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

Administration

Schemas

Information

Column:

PreferredPaymentMode

Collation:

utf8mb4_0900_ai_ci

Definition:

PreferredPaymentMode

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

5824

5825

5826

5827

5828

5829

5830

5831

5832

5833

#Calculate the total order count for customers who prefer using credit cards and

#have the maximum satisfaction score.

#{Used Inner Query}

SELECT SUM(`OrderCount`) AS `TotalOrderCount\_UsingCreditCard` , MAX(`SatisfactionScore`) AS `MAX\_SatisfactionScore`

FROM `Customer\_churn` WHERE `PreferredPaymentMode` = 'Credit Card' AND

`SatisfactionScore` = (SELECT MAX(`SatisfactionScore`) FROM Customer_churn);

SELECT * FROM customer_churn;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	TotalOrderCount_UsingCreditCard	MAX_SatisfactionScore
▶	1122	5

Result 6

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 18	15:14:23	SELECT SUM("OrderCount") AS "TotalOrderCount_UsingCreditCard" FROM "Custo...	1 row(s) returned	0.015 sec / 0.000 sec
✓ 19	15:19:37	SELECT SUM("OrderCount") AS "TotalOrderCount_UsingCreditCard" , MAX("Satisfa...	1 row(s) returned	0.000 sec / 0.000 sec

➤ What is the average satisfaction score of customers who have complained?

Navigator

SCHEMAS

Filter objects

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

ComplaintRecieved

Indexes

Foreign Keys

Triggers

ns

red Procedures

ctions

n

ee

Administration

Schemas

Information

Column:
PreferredPaymentMode

Collation:
utf8mb4_0900_ai_ci

Definition:
PreferredPaymentMode

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

5831`SatisfactionScore` = (SELECT MAX(`SatisfactionScore`) FROM Customer_churn);

5832

5833 • SELECT * FROM customer_churn;

5834

5835 #What is the average satisfaction score of customers who have complained?

5836

5837 • SELECT ROUND(AVG(`SatisfactionScore`),2) AS AVG_OfSatScore_WhoComplained

5838 FROM `Customer\_churn` WHERE `ComplaintRecieved` = 'Yes' ;

5839

5840 # List the preferred order category among customers who used more than 5 coupons.

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

AVG_OfSatScore_WhoComplained

3.00

Result 8

Output

Action Output

#	Time	Action	Message	Duration / Fetch
20	15:30:54	SELECT AVG(`SatisfactionScore`) AS AVG_OfSatScore_WhoComplained FROM `...	1 row(s) returned	0.016 sec / 0.000 sec
21	15:31:54	SELECT ROUND(AVG(`SatisfactionScore`),2) AS AVG_OfSatScore_WhoComplain...	1 row(s) returned	0.015 sec / 0.000 sec

➤ List the preferred order category among customers who used more than 5 coupons.

Navigator

SCHEMAS

Filter objects

data

ecom

Tables

customer_churn

Columns

CustomerID

Tenure

PreferredLo

CityTier

WarehouseT

PreferredPay

Gender

HoursSpend

NumberOfD

PreferredOrc

Satisfaction!

MaritalStatu

NumberOfAc

OrderAmour

Administration

Schemas

Information

No object selected

Object Info

Session

SQLA3Churn

Limit to 5000 rows

5835 #What is the average satisfaction score of customers who have complained?

5836

5837 • SELECT ROUND(AVG(`SatisfactionScore`),2) AS AVG_OfSatScore_WhoComplained

5838 FROM `Customer\_churn` WHERE `ComplaintRecieved`= 'Yes' ;

5839

5840 # List the preferred order category among customers who used more than 5 coupons.

5841

5842 • SELECT `CustomerID`,`PreferredOrderCat`, `CouponUsed` FROM `Customer\_churn` WHERE CouponUsed >5;

5843

5844 #List the top 3 preferred order categories with the highest average cashback amount.

5845

Result Grid

Filter Rows:

CustomerID PreferredOrderCat CouponUsed

50011 Others 9

50021 Laptop & Accessory 6

50022 Fashion 11

50086 Fashion 7

50094 Fashion 12

50127 Fashion 10

50137 Laptop & Accessory 6

50167 Laptop & Accessory 6

Output

Action Output

Time Action Message Duration / Fetch

1 13:32:14 SELECT `CustomerID`,`PreferredOrderCat`, `CouponUsed` FROM `Customer\_churn` ... 303 row(s) returned 0.000 sec / 0.000 sec

➤ List the top 3 preferred order categories with the highest average cashback amount.

Navigator

SCHEMAS

Filter objects

CustomerID

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

Administration

Schemas

Information

Column:
PreferredPaymentMode

Collation:
utf8mb4_0900_ai_ci

Definition:
PreferredPaymentMode

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

5841

5842 • SELECT `PreferredOrderCat`, `CouponUsed` FROM `Customer\_churn` WHERE CouponUsed >5;

5843

5844 #List the top 3 preferred order categories with the highest average cashback amount.

5845

5846 • SELECT `PreferredOrderCat`, ROUND(AVG (`CashBackAmount`),2) AS AVG_CashBack FROM `Customer\_churn`

5847 GROUP BY `PreferredOrderCat` ORDER BY AVG_CashBack DESC LIMIT 3;

5848

5849 #Find the preferred payment modes of customers whose average tenure is 10 months and have placed more than 500 orders.

5850

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	PreferredOrderCat	AVG_CashBack
►	Others	304.45
	Grocery	266.24
	Fashion	210.40

Result 11 x

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 25	15:41:41	SELECT `PreferredOrderCat`, `CouponUsed` FROM `Customer_churn` WHERE Cou...	303 row(s) returned	0.015 sec / 0.000 sec
✓ 26	15:49:24	SELECT `PreferredOrderCat`, ROUND(AVG (`CashBackAmount`),2) AS AVG_CashB...	3 row(s) returned	0.031 sec / 0.000 sec

➤ Find the preferred payment modes of customers whose average tenure is 10 months and have placed more than 500 orders.

SCHEMAS

Filter objects

CustomerID

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

Administration

Schemas

Information

Column: PreferredPaymentMode

Collation: utf8mb4_0900_ai_ci

Definition: PreferredPaymentMode

Object Info

Session

Limit to 5000 rows

5847 GROUP BY `PreferredOrderCat` ORDER BY AVG_CashBack DESC LIMIT 3;

5848

5849 #Find the preferred payment modes of customers whose average tenure is 10 months and have placed more than 500 orders.

5850

5851 • SELECT `PreferredPaymentMode` , ROUND(AVG(`Tenure`),2) AS AVG_Tenure,

5852 SUM(`OrderCount`) AS TotalOrders

5853 FROM `Customer\_churn` GROUP BY `PreferredPaymentMode`

5854 HAVING ROUND(AVG(`Tenure`),0)= 10

5855 AND SUM(`OrderCount`)>500;

5856

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	PreferredPaymentMode	AVG_Tenure	TotalOrders
▶	Debit Card	9.95	6802
	Credit Card	9.78	5409
	E wallet	10.20	1849

Result 18 x

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 33	16:18:13	SELECT `PreferredPaymentMode` , ROUND(AVG(`Tenure`),2) AS AVG_Tenure, SU...	5 row(s) returned	0.015 sec / 0.000 sec
✓ 34	16:24:11	SELECT `PreferredPaymentMode` , ROUND(AVG(`Tenure`),2) AS AVG_Tenure, SU...	3 row(s) returned	0.016 sec / 0.000 sec

➤ Categorize customers based on their distance from the warehouse to home such as 'Very Close Distance' for distances <=5km, 'Close Distance' for <=10km, 'Moderate Distance' for <=15km, and 'Far Distance' for >15km. Then, display the churn status breakdown for each distance category.

SCHEMAS

Filter objects

NumberOfAddress

OrderAmountHikeFromlast

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

ComplaintRecieved

Indexes

Foreign Keys

Triggers

ns

red Procedures

ctions

n

ee

Administration

Schemas

Information

Column: WarehouseToHome

Definition: WarehouseToHome int

Object Info

Session

Limit to 5000 rows

5857

5858

5859

5860

5861

5862

5863

5864

5865

5866

5867

5868

5869

#Categorize customers based on their distance from the warehouse to home such

#as 'Very Close Distance' for distances <=5km, 'Close Distance' for <=10km,

#'Moderate Distance' for <=15km, and 'Far Distance' for >15km. Then, display the churn status breakdown for each distance category.

SELECT CASE WHEN `WarehouseToHome` <=5 THEN 'Very Close Distance'

WHEN `WarehouseToHome` <=10 THEN 'Close Distance'

WHEN `WarehouseToHome` <=15 THEN 'Moderate Distance'

ELSE 'Far Distance'

END AS Distance_Cat, ChurnStatus, COUNT(*) AS Customer_Count

FROM `Customer\_churn`

GROUP BY Distance_Cat, `ChurnStatus`

ORDER BY Distance_Cat, `ChurnStatus`;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	Distance_Cat	ChurnStatus	Customer_Count
▶	Close Distance	Active	1696
	Close Distance	Churned	265
	Far Distance	Active	1871
	Far Distance	Churned	498
	Moderate Distance	Active	1106
	Moderate Distance	Churned	184
	Very Close Distance	Active	7
	Very Close Distance	Churned	1

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	16:41:08	SELECT CASE WHEN 'WarehouseToHome' <=5 THEN 'Very Close Distance' WH...	Error Code: 1146. Table 'ecommm.custoer_chum' doesn't exist	0.000 sec
37	16:41:39	SELECT CASE WHEN 'WarehouseToHome' <=5 THEN 'Very Close Distance' WH...	8 row(s) returned	0.016 sec / 0.000 sec

➤ List the customer’s order details who are married, live in City Tier-1, and their order counts are more than the average number of orders placed by all customers.

SCHEMAS

Filter objects

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

NumberOfDeviceRegistered

PreferredOrderCat

SatisfactionScore

MaritalStatus

NumberOfAddress

OrderAmountHikeFromlastY

CouponUsed

OrderCount

DaySinceLastOrder

CashbackAmount

ChurnStatus

ComplaintRecieved

Administration

Schemas

Information

Column:

OrderAmountHikeFromlastYe

Definition:

OrderAmountHikeFromlastYe

Object Info

Session

SQLA3Churn*

Limit to 5000 rows

#List the customer’s order details who are married, live in City Tier-1, and their

#order counts are more than the average number of orders placed by all customers.

SELECT `CustomerID` , `MaritalStatus` , `CityTier` , `OrderCount`

FROM `Customer\_churn`

WHERE `MaritalStatus` = 'Married' AND `CityTier` = 1

AND `OrderCount` >(SELECT ROUND(AVG(`OrderCount`),2)

FROM `Customer\_churn`);

Result Grid

Filter Rows:

	CustomerID	MaritalStatus	CityTier	OrderCount
▶	50049	Married	1	6
	50119	Married	1	4
	50132	Married	1	7
	50133	Married	1	3
	50152	Married	1	6
	50180	Married	1	3
	50187	Married	1	9
	50229	Married	1	6

Customer_churn 20

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✖ 41	17:03:56	SELECT `CutomerID` , `MaritalStatus` , `CityTier` , `OrderCount` FROM `Customer_ch...	Error Code: 1054. Unknown column 'CutomerID' in field list'	0.000 sec
✔ 42	17:04:08	SELECT `CustomerID` , `MaritalStatus` , `CityTier` , `OrderCount` FROM `Customer_c...	576 row(s) returned	0.016 sec / 0.000 sec

➤ a) Create a 'customer_returns' table in the 'ecomm' database and insert the following data:

ReturnID	CustomerID	ReturnDate	RefundAmount
1001	50022	2023-01-01	2130
1002	50316	2023-01-23	2000
1003	51099	2023-02-14	2290
1004	52321	2023-03-08	2510
1005	52928	2023-03-20	3000
1006	53749	2023-04-17	1740
1007	54206	2023-04-21	3250
1008	54838	2023-04-30	1990

Navigation

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

customer_returns

Columns

ReturnID

CustomerID

ReturnDate

RefundAmount

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

ecomm

employee

new

Administration Schemas

Information

Schema: ecomm

Object Info Session

SQLA3Churn*

Limit to 5000 rows

CREATE TABLE customer_returns (
ReturnID INT PRIMARY KEY,
CustomerID INT,
ReturnDate DATE,
RefundAmount INT,
FOREIGN KEY (CustomerID)
REFERENCES customer_churn(CustomerID));
INSERT INTO customer_returns (ReturnID, CustomerID, ReturnDate, RefundAmount)
VALUES
(1001, 50022, '2023-01-01', 2130),
(1002, 50316, '2023-01-23', 2000),
(1003, 51099, '2023-02-14', 2290),
(1004, 52321, '2023-03-08', 2510),
(1005, 52928, '2023-03-20', 3000),
(1006, 53749, '2023-04-17', 1740),
(1007, 54206, '2023-04-21', 3250),
(1008, 54838, '2023-04-30', 1990);

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	ReturnID	CustomerID	ReturnDate	RefundAmount
▶	1001	50022	2023-01-01	2130
	1002	50316	2023-01-23	2000
	1003	51099	2023-02-14	2290
	1004	52321	2023-03-08	2510
	1005	52928	2023-03-20	3000
	1006	53749	2023-04-17	1740
	1007	54206	2023-04-21	3250
	1008	54838	2023-04-30	1990

customer_returns 2

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 3	14:16:02	CREATE TABLE customer_returns (ReturnID INT PRIMARY KEY, CustomerID INT, ReturnDate DATE, RefundAmount INT, FOREIGN KEY (CustomerID) REFERENCES customer_churn(CustomerID));	0 row(s) affected	0.188 sec
✓ 4	14:16:28	INSERT INTO customer_returns (ReturnID, CustomerID, ReturnDate, RefundAmount) VALUES (1001, 50022, '2023-01-01', 2130), (1002, 50316, '2023-01-23', 2000), (1003, 51099, '2023-02-14', 2290), (1004, 52321, '2023-03-08', 2510), (1005, 52928, '2023-03-20', 3000), (1006, 53749, '2023-04-17', 1740), (1007, 54206, '2023-04-21', 3250), (1008, 54838, '2023-04-30', 1990);	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0	0.016 sec
✓ 5	14:17:04	SELECT * FROM customer_returns LIMIT 0, 5000	8 row(s) returned	0.000 sec / 0.000 sec

used a SELECT query with INFORMATION_SCHEMA.KEY_COLUMN_USAGE to display the key information from both the customer_churn and customer_returns tables. The result shows that CustomerID in the customer_churn table is a Primary Key, and ReturnID in the customer_returns table is also a Primary Key. It also shows that CustomerID in the customer_returns table has the constraint name customer_returns_ibfk_1. The term IBFK refers to the automatically generated name of the Foreign Key constraint created by MySQL, which connects customer_returns.CustomerID to customer_churn.CustomerID.

Navigation

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

customer_returns

Columns

ReturnID

CustomerID

ReturnDate

RefundAmount

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

ecomm

employee

new

SQLA3Churn*

Limit to 5000 rows

5904

5905

5906

5907

5908

5909

5910

5911

5912

5913

5914

5915

5916

SELECT

TABLE_NAME,

COLUMN_NAME,

CONSTRAINT_NAME,

REFERENCED_TABLE_NAME,

REFERENCED_COLUMN_NAME

FROM INFORMATION_SCHEMA.KEY_COLUMN_USAGE

WHERE TABLE_SCHEMA = 'ecomm'

AND TABLE_NAME IN ('Customer_Churn', 'Customer>Returns')

AND COLUMN_NAME IN ('CustomerID', 'ReturnID');

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

TABLE_NAME

COLUMN_NAME

CONSTRAINT_NAME

REFERENCED_TABLE_NAME

REFERENCED_COLUMN_NAME

customer_churn

CustomerID

PRIMARY

customer_returns

ReturnID

PRIMARY

customer_returns

CustomerID

customer_returns_ibfk_1

customer_churn

CustomerID

Administration

Schemas

Information

Schema: ecomm

Object Info

Session

KEY_COLUMN_USAGE 3

Read Only

Output

Action Output

#

Time

Action

Message

Duration / Fetch

7

14:35:21

SELECT

TABLE_NAME,

COLUMN_NAME,

CONSTRAINT_NAME,

R...

Error Code: 1054. Unknown column 'CustomerID' in 'where clause'

0.016 sec

8

14:36:09

SELECT

TABLE_NAME,

COLUMN_NAME,

CONSTRAINT_NAME,

R...

3 row(s) returned

0.000 sec / 0.000 sec

b) Display the return details along with the customer details of those who have churned and have made complaints.

(An Index was created on the CustomerID Coulmn .Because indexing this column in the relevant tables can improve the performance of join operations, especially when working with larger datasets.)

Navigator

SCHEMAS

Filter objects

data

ecomm

Tables

customer_churn

customer_returns

Views

Stored Procedures

Functions

eecomm

employee

new

sys

testdb

SQLA3Churn*

Limit to 5000 rows

5941

5942

5943

5944

5945

5946

5947

5948

5949

5950

5951

5952

5953

5954

5955

5956

5957

5958

5959

5960

5961

5962

5963

5964

5965

5966

5967

5968

5969

5970

5971

5972

5973

5974

5975

5976

5977

5978

5979

5980

5981

5982

5983

5984

5985

5986

5987

5988

5989

5990

5991

5992

5993

5994

5995

5996

5997

5998

5999

6000

6001

6002

6003

6004

6005

6006

6007

6008

6009

6010

6011

6012

6013

6014

6015

6016

6017

6018

6019

6020

6021

6022

6023

6024

6025

6026

6027

6028

6029

6030

6031

6032

6033

6034

6035

6036

6037

6038

6039

6040

6041

6042

6043

6044

6045

6046

6047

6048

6049

6050

6051

6052

6053

6054

6055

6056

6057

6058

6059

6060

6061

6062

6063

6064

6065

6066

6067

6068

6069

6070

6071

6072

6073

6074

6075

6076

6077

6078

6079

6080

6081

6082

6083

6084

6085

6086

6087

6088

6089

6090

6091

6092

6093

6094

6095

6096

6097

6098

6099

6100

6101

6102

6103

6104

6105

6106

6107

6108

6109

6110

6111

6112

6113

6114

6115

6116

6117

6118

6119

6120

6121

6122

6123

6124

6125

6126

6127

6128

6129

6130

6131

6132

6133

6134

6135

6136

6137

6138

6139

6140

6141

6142

6143

6144

6145

6146

6147

6148

6149

6150

6151

6152

6153

6154

6155

6156

6157

6158

6159

6160

6161

6162

6163

6164

6165

6166

6167

6168

6169

6170

6171

6172

6173

6174

6175

6176

6177

6178

6179

6180

6181

6182

6183

6184

6185

6186

6187

6188

6189

6190

6191

6192

6193

6194

6195

6196

6197

6198

6199

6200

6201

6202

6203

6204

6205

6206

6207

6208

6209

6210

6211

6212

6213

6214

6215

6216

6217

6218

6219

6220

6221

6222

6223

6224

6225

6226

6227

6228

6229

6230

6231

6232

6233

6234

6235

6236

6237

6238

6239

6240

6241

6242

6243

6244

6245

6246

6247

6248

6249

6250

6251

6252

6253

6254

6255

6256

6257

6258

6259

6260

6261

6262

6263

6264

6265

6266

6267

6268

6269

6270

6271

6272

6273

6274

6275

6276

6277

6278

6279

6280

6281

6282

6283

6284

6285

6286

6287

6288

6289

6290

6291

6292

6293

6294

6295

6296

6297

6298

6299

6300

6301

6302

6303

6304

6305

6306

6307

6308

6309

6310

6311

6312

6313

6314

6315

6316

6317

6318

6319

6320

6321

6322

6323

6324

6325

6326

6327

6328

6329

6330

6331

6332

6333

6334

6335

6336

6337

6338

6339

6340

6341

6342

6343

6344

6345

6346

6347

6348

6349

6350

6351

6352

6353

6354

6355

6356

6357

6358

6359

6360

6361

6362

6363

6364

6365

6366

6367

6368

6369

6370

6371

6372

6373

6374

6375

6376

6377

6378

6379

6380

6381

6382

6383

6384

6385

6386

6387

6388

6389

6390

6391

6392

6393

6394

6395

6396

6397

6398

6399

6400

6401

6402

6403

6404

6405

6406

6407

6408

6409

6410

6411

6412

6413

6414

6415

6416

6417

6418

6419

6420

6421

6422

6423

6424

6425

6426

6427

6428

6429

6430

6431

6432

6433

6434

6435

6436

6437

6438

6439

6440

6441

6442

6443

6444

6445

6446

6447

6448

6449

6450

6451

6452

6453

6454

6455

6456

6457

6458

6459

6460

6461

6462

6463

6464

6465

6466

6467

6468

6469

6470

6471

6472

6473

6474

6475

6476

6477

6478

6479

6480

6481

6482

6483

6484

6485

6486

6487

6488

6489

6490

6491

6492

6493

6494

6495

6496

6497

6498

6499

6500

6501

6502

6503

6504

6505

6506

6507

6508

6509

6510

6511

6512

6513

6514

6515

6516

6517

6518

6519

6520

6521

6522

6523

6524

6525

6526

6527

6528

6529

6530

6531

6532

6533

6534

6535

6536

6537

6538

6539

6540

6541

6542

6543

6544

6545

6546

6547

6548

6549

6550

6551

6552

6553

6554

6555

6556

6557

6558

6559

6560

6561

6562

6563

6564

6565

6566

6567

6568

6569

6570

6571

6572

6573

6574

6575

6576

6577

6578

6579

6580

6581

6582

6583

6584

6585

6586

6587

6588

6589

6590

6591

6592

6593

6594

6595

6596

6597

6598

6599

6600

6601

6602

6603

6604

6605

6606

6607

6608

6609

6610

6611

6612

6613

6614

6615

6616

6617

6618

6619

6620

6621

6622

6623

6624

6625

6626

6627

6628

6629

6630

6631

6632

6633

6634

6635

6636

6637

6638

6639

6640

6641

6642

6643

6644

6645

6646

6647

6648

6649

6650

6651

6652

6653

6654

6655

6656

6657

6658

6659

6660

6661

6662

6663

6664

6665

6666

6667

6668

6669

6670

6671

6672

6673

6674

6675

6676

6677

6678

6679

6680

6681

6682

6683

6684

6685

6686

6687

6688

6689

6690

6691

6692

6693

6694

6695

6696

6697

6698

6699

6700

6701

6702

6703

6704

6705

6706

6707

6708

6709

6710

6711

6712

6713

6714

6715

6716

6717

6718

6719

6720

6721

6722

6723

6724

6725

6726

6727

6728

6729

6730

6731

6732

6733

6734

6735

6736

6737

6738

6739

6740

6741

6742

6743

6744

6745

6746

6747

6748

6749

6750

6751

6752

6753

6754

6755

6756

6757

6758

6759

6760

6761

6762

6763

6764

6765

6766

6767

6768

6769

6770

6771

6772

6773

6774

6775

6776

6777

6778

6779

6780

6781

6782

6783

6784

6785

6786

6787

6788

6789

6790

6791

6792

6793

6794

6795

6796

6797

6798

6799

6800

6801

6802

6803

6804

6805

6806

6807

6808

6809

6810

6811

6812

6813

6814

6815

6816

6817

6818

6819

6820

6821

6822

6823

6824

6825

6826

6827

6828

6829

6830

6831

6832

6833

6834

6835

6836

6837

6838

6839

6840

6841

6842

6843

6844

6845

6846

6847

6848

6849

6850

6851

6852

6853

6854

6855

6856

6857

6858

6859

6860

6861

6862

6863

6864

6865

6866

6867

6868

6869

6870

6871

6872

6873

6874

6875

6876

6877

6878

6879

6880

6881

6882

6883

6884

6885

6886

6887

6888

6889

6890

6891

6892

6893

6894

6895

6896

6897

6898

6899

6900

6901

6902

6903

6904

6905

6906

6907

6908

6909

6910

6911

6912

6913

6914

6915

6916

6917

6918

6919

6920

6921

6922

6923

6924

6925

6926

6927

6928

6929

6930

6931

6932

6933

6934

6935

6936

6937

6938

6939

6940

6941

6942

6943

6944

6945

6946

6947

6948

6949

6950

6951

6952

6953

6954

6955

6956

6957

6958

6959

6960

6961

6962

6963

6964

6965

6966

6967

6968

6969

6970

6971

6972

6973

6974

6975

6976

6977

6978

6979

6980

6981

6982

6983

6984

6985

6986

6987

6988

6989

6990

6991

6992

6993

6994

6995

6996

6997

6998

6999

7000

7001

7002

7003

7004

7005

7006

7007

7008

7009

7010

7011

7012

7013

7014

7015

7016

7017

7018

7019

7020

7021

7022

7023

7024

7025

7026

7027

7028

7029

7030

7031

7032

7033

7034

7035

7036

7037

7038

7039

7040

7041

7042

7043

7044

7045

7046

7047

7048

7049

7050

7051

7052

7053

7054

7055

7056

7057

7058

7059

7060

7061

7062

7063

7064

7065

7066

7067

7068

7069

7070

7071

7072

7073

7074

7075

7076

7077

7078

7079

7080

7081

7082

7083

7084

7085

7086

7087

7088

7089

7090

7091

7092

7093

7094

7095

7096

7097

7098

7099

7100

7101

7102

7103

7104

7105

7106

7107

7108

7109

7110

7111

7112

7113

7114

7115

7116

7117

7118

7119

7120

7121

7122

7123

7124

7125

7126

7127

7128

7129

7130

7131

7132

7133

7134

7135

7136

7137

7138

7139

7140

7141

7142

7143

7144

7145

7146

7147

7148

7149

7150

7151

7152

7153

7154

7155

7156

7157

7158

7159

7160

7161

7162

7163

7164

7165

7166

7167

7168

7169

7170

7171

7172

7173

7174

7175

7176

7177

7178

7179

7180

7181

7182

7183

7184

7185

7186

7187

7188

7189

7190

7191

7192

7193

7194

7195

7196

7197

7198

7199

7200

7201

7202

7203

7204

7205

7206

7207

7208

7209

7210

7211

7212

7213

7214

7215

7216

7217

7218

7219

7220

7221

7222

7223

7224

7225

7226

7227

7228

7229

7230

7231

7232

7233

7234

7235

7236

7237

7238

7239

7240

7241

7242

7243

7244

7245

7246

7247

7248

7249

7250

7251

7252

7253

7254

7255

7256

7257

7258

7259

7260

7261

7262

7263

7264

7265

7266

7267

7268

7269

7270

7271

7272

7273

7274

7275

7276

7277

7278

7279

7280

7281

7282

7283

7284

7285

7286

Final Transformed Customer Churn Dataset

The final transformed dataset is displayed after completing the required data cleaning, transformation, and analysis steps. The table shows the updated customer data with the necessary modifications and newly created columns. This final output represents the completed and organized dataset after applying all the required SQL operations.

Table: customer_churn part 1

SQLA3Churn*

Limit to 5000 rows

5951

AND Customer_churn.ComplaintRecieved = 'Yes';

5952

5953

5954

select * FROM customer_churn;

5955

5956

	CustomerID	Tenure	PreferredLoginDevice	CityTier	WarehouseToHome	PreferredPaymentMode	Gender	HoursSpendOnApp	NumberOfDeviceRegistered	PreferredOrderCat	SatisfactionScore	MaritalStatus	NumberC
	50007	1	Mobile Phone	3	11	Cash on Delivery	Male	2	3	Laptop & Accessory	2	Divorced	4
	50008	1	Mobile Phone	1	6	Credit Card	Male	3	3	Mobile Phone	2	Divorced	3
	50009	13	Mobile Phone	3	9	E wallet	Male	3	4	Mobile Phone	3	Divorced	2
	50011	4	Mobile Phone	1	18	Cash on Delivery	Female	2	3	Others	3	Divorced	2
	50014	0	Mobile Phone	1	15	Credit Card	Male	3	4	Mobile Phone	3	Divorced	1
	50020	19	Mobile Phone	1	20	Debit Card	Female	3	3	Mobile Phone	4	Divorced	10
	50021	0	Mobile Phone	3	12	Debit Card	Male	3	5	Laptop & Accessory	3	Divorced	5
	50022	20	Mobile Phone	1	29	Credit Card	Female	3	3	Fashion	2	Divorced	2
	50024	0	Mobile Phone	3	26	Debit Card	Female	3	5	Laptop & Accessory	3	Divorced	4
	50027	8	Mobile Phone	3	6	E wallet	Male	3	3	Fashion	4	Divorced	2
	50028	1	Mobile Phone	3	12	E wallet	Male	2	3	Laptop & Accessory	3	Divorced	3
	50031	2	Computer	1	6	Cash on Delivery	Male	2	3	Laptop & Accessory	3	Divorced	2
	50032	0	Mobile Phone	1	13	Credit Card	Male	2	4	Laptop & Accessory	3	Divorced	3
	50033	30	Mobile Phone	1	15	Credit Card	Female	3	4	Mobile Phone	4	Divorced	5
	50034	13	Mobile Phone	3	10	E wallet	Male	3	4	Fashion	2	Divorced	8
	50035	1	Computer	3	8	E wallet	Female	3	3	Mobile Phone	3	Divorced	7
	50036	0	Mobile Phone	1	16	Credit Card	Male	3	3	Mobile Phone	2	Divorced	2
	50038	1	Mobile Phone	1	27	Credit Card	Male	3	3	Mobile Phone	2	Divorced	2
	50043	3	Mobile Phone	3	11	Debit Card	Female	2	3	Fashion	2	Divorced	3
	50046	0	Mobile Phone	1	23	Cash on Delivery	Male	3	3	Mobile Phone	4	Divorced	1
	50056	4	Mobile Phone	1	18	Credit Card	Female	3	3	Mobile Phone	2	Divorced	9

customer_churn 5

Apply

Revert

Output

Final Transformed Customer Churn Dataset

The final transformed dataset is displayed after completing the required data cleaning, transformation, and analysis steps. The table shows the updated customer data with the necessary modifications and newly created columns. This final output represents the completed and organized dataset after applying all the required SQL operations.

Table: customer_churn part 2

SQLA3Churn*

Limit to 5000 rows

5951

AND Customer_churn.ComplaintRecieved = 'Yes';

5952

5953

5954

select * FROM customer_churn;

5955

5956

DeviceRegistered	PreferredOrderCat	SatisfactionScore	MaritalStatus	NumberOfAddress	OrderAmountHikeFromlastYear	CouponUsed	OrderCount	DaySinceLastOrder	CashbackAmount	ChurnStatus	ComplaintRecieved
	Laptop & Accessory	2	Divorced	4	14	0	1	0	121	Churned	No
	Mobile Phone	2	Divorced	3	16	2	2	0	123	Churned	YES
	Mobile Phone	3	Divorced	2	14	0	1	2	127	Churned	YES
	Others	3	Divorced	2	16	9	15	8	295	Churned	No
	Mobile Phone	3	Divorced	1	17	0	1	0	134	Churned	YES
	Mobile Phone	4	Divorced	10	18	1	4	3	150	Churned	YES
	Laptop & Accessory	3	Divorced	5	18	6	7	7	162	Churned	YES
	Fashion	2	Divorced	2	12	11	15	6	203	Churned	No
	Laptop & Accessory	3	Divorced	4	11	1	2	2	146	Churned	YES
	Fashion	4	Divorced	2	13	1	1	6	173	Active	No
	Laptop & Accessory	3	Divorced	3	20	0	4	5	123	Active	YES
	Laptop & Accessory	3	Divorced	2	13	0	1	9	143	Active	No
	Laptop & Accessory	3	Divorced	3	17	1	1	0	161	Active	No
	Mobile Phone	4	Divorced	5	20	1	1	0	133	Active	YES
	Fashion	2	Divorced	8	11	2	2	11	209	Active	No
	Mobile Phone	3	Divorced	7	18	1	1	2	122	Active	No
	Mobile Phone	2	Divorced	2	24	0	2	2	123	Active	No
	Mobile Phone	2	Divorced	2	11	0	1	2	127	Active	No
	Fashion	2	Divorced	3	12	2	7	4	194	Active	No
	Mobile Phone	4	Divorced	1	16	1	1	1	131	Active	YES
	Mobile Phone	2	Divorced	9	23	1	1	2	139	Active	YES

customer_churn 5

Apply

Revert

Output

Final Transformed Customer Churn Dataset

The final transformed dataset is displayed after completing the required data cleaning, transformation, and analysis steps. The table shows the updated customer data with the necessary modifications and newly created columns. This final output represents the completed and organized dataset after applying all the required SQL operations.

Table: customer_returns .

SQLA3Churn*

Limit to 5000 rows

5951 AND Customer_churn.ComplaintRecieved = 'Yes';

5952

5953

5954 • Select * FROM customer_churn;

5955 • SELECT * FROM customer_returns;

5956

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	ReturnID	CustomerID	ReturnDate	RefundAmount
▶	1001	50022	2023-01-01	2130
	1002	50316	2023-01-23	2000
	1003	51099	2023-02-14	2290
	1004	52321	2023-03-08	2510
	1005	52928	2023-03-20	3000
	1006	53749	2023-04-17	1740
	1007	54206	2023-04-21	3250
	1008	54838	2023-04-30	1990
*	NULL	NULL	NULL	NULL

The Churn and Complaint columns were checked using "SELECT DISTINCT" to verify that they contain only the expected values 0 and 1 and no unexpected or "NULL" values. This validation is important before creating the corresponding status columns, as clean and consistent input values ensure that the status is generated correctly without errors or incorrect classifications.

Navigator

SCHEMAS

Filter objects

- NumberOfDeviceRegistered
- PreferredOrderCat
- SatisfactionScore
- MaritalStatus
- NumberOfAddress
- OrderAmountHikeFromlastYear
- CouponUsed
- OrderCount
- DaySinceLastOrder
- CashbackAmount
- ChurnStatus
- ComplaintRecieved

Indexes

Foreign Keys

Triggers

customer_returns

ews

ored Procedures

nctions

Administration Schemas

Information

Table: customer_churn

Columns:

CustomerID

Tenure

PreferredLoginDevice

CityTier

WarehouseToHome

PreferredPaymentMode

Gender

HoursSpendOnApp

Object Info Session

SQLA3Churn

Limit to 5000 rows

6959

6960 • SELECT * FROM customer_churn WHERE CustomerID IS NULL;

6961 • SELECT * FROM customer_churn WHERE Tenure IS NULL;

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	23:50:27	SELECT * FROM customer_churn WHERE CustomerID IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
8	23:52:45	SELECT * FROM customer_churn WHERE Tenure IS NULL LIMIT 0, 5000	0 row(s) returned	0.016 sec / 0.000 sec
9	23:54:05	SELECT * FROM customer_churn WHERE PreferredLoginDevice IS NULL LIMIT 0, 5000	0 row(s) returned	0.016 sec / 0.000 sec
10	23:54:12	SELECT * FROM customer_churn WHERE CityTier IS NULL LIMIT 0, 5000	0 row(s) returned	0.016 sec / 0.000 sec
11	23:54:18	SELECT * FROM customer_churn WHERE WarehouseToHome IS NULL LIMIT 0, 5000	0 row(s) returned	0.016 sec / 0.000 sec
12	23:54:23	SELECT * FROM customer_churn WHERE PreferredPaymentMode IS NULL LIMIT 0, 5000	0 row(s) returned	0.015 sec / 0.000 sec
13	23:54:27	SELECT * FROM customer_churn WHERE Gender IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
14	23:57:59	SELECT * FROM customer_churn WHERE HoursSpendOnApp IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
15	23:58:04	SELECT * FROM customer_churn WHERE NumberOfDeviceRegistered IS NULL LIMIT 0, 5000	0 row(s) returned	0.016 sec / 0.000 sec
16	23:58:08	SELECT * FROM customer_churn WHERE PreferredOrderCat IS NULL LIMIT 0, 5000	0 row(s) returned	0.015 sec / 0.000 sec
17	23:58:12	SELECT * FROM customer_churn WHERE SatisfactionScore IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
18	23:58:19	SELECT * FROM customer_churn WHERE MaritalStatus IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
19	23:58:23	SELECT * FROM customer_churn WHERE NumberOfAddress IS NULL LIMIT 0, 5000	0 row(s) returned	0.015 sec / 0.000 sec
20	23:58:30	SELECT * FROM customer_churn WHERE OrderAmountHikeFromlastYear IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
21	23:58:35	SELECT * FROM customer_churn WHERE CouponUsed IS NULL LIMIT 0, 5000	0 row(s) returned	0.015 sec / 0.000 sec
22	23:58:39	SELECT * FROM customer_churn WHERE OrderCount IS NULL LIMIT 0, 5000	0 row(s) returned	0.016 sec / 0.000 sec
23	23:58:42	SELECT * FROM customer_churn WHERE DaySinceLastOrder IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
24	23:58:46	SELECT * FROM customer_churn WHERE CashbackAmount IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
25	23:58:49	SELECT * FROM customer_churn WHERE ChurnStatus IS NULL LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
26	23:58:53	SELECT * FROM customer_churn WHERE ComplaintRecieved IS NULL LIMIT 0, 5000	0 row(s) returned	0.016 sec / 0.000 sec