```
Last login: Fri Mar 1 14:06:09 on console

MES2s-Mac-mini: ~ mca$ is

Applications dj.c

Argscript.sh evenodd.sh

Desktop fact.sh

Downloads factfor.sh

Library file1.sh

Music file2.sh

Virtual Box VMs greeting.sh

a.out mca

add.sh mongodata mongodata1

MES2s-Mac-mini: ~ mca$ cd document

-bash: cd: document: No such file or directory

MES2s-Mac-mini: ~ mca$ LS

Applications dj.c

Argscript.sh evenodd.sh

Downloads fact.sh

MES2s-Mac-mini: ~ mca$ cd Documents

MES2s-Mac-mini: ~ mca$ cd Documents

MES2s-Mac-mini: Documents mca$ is

1.txt

2.txt

2.txt
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    mongodata2
mongodata3
mongodb-osx-x86_64-3.0.5
mySQL
palindrome.sh
password.sh
pgm1.sh
primenumber.sh
prmnumber.sh
qli.c
queueli.c
quick.c
rpl.sh
rpl.sh.txt
stackli.c
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  mongodata2
mongodata3
mongodb-osx-x86_64-3.0.5
mySQL
palindrome.sh
password.sh
pgm1.sh
primenumber.sh
prmnumber.sh
qui.c
queueli.c
quick.c
rpl.sh
rpl.sh.txt
stackli.c
```

```
MES2s-Mac-mini: Documents mca$ find mubaris.c
mubaris.c
MES2s-Mac-mini: Documents mca$ find ./mca mubaris.c find: ./mca: No such file or directory
mubaris.c
MES2s-Mac-mini: Documents mca$ man find
         Stopped
MES2s-Mac-mini: Documents mca$ Is > new.txt
MES2s-Mac-mini: Documents mca$ cat new.txt
2. txt
21. txt
22. txt
How to create a Reset Button in form using HTML _ - GeeksforGeeks_files
mubaris m
mubaris c
            mc a
occurence.py
progrm1.pdf
question3.pdf
samewords.py
star.py
vowels.py
workspace
[2] + Stopped
MES2s-Mac-mini: Documents mca$
                                                       new.txtl less
                                                cat
[3] + Stopped cat
MES2s-Mac-mini: Documents mca$ cat
MES2s-Mac-mini: Documents mca$ cat
                                                      new.txt
new.txt
new.txt
                                                                       1088
                                                                       grep "A"
2.txt
21.txt
22.txt
How to create a Reset Button in form using HTML _ - GeeksforGeeks_files
Iframe_files
mubaris
mubaris m
mubaris c
            mc a
new.txt
programe 1
progrm1 . pdf
quest | on 3 . pdf
samewords.py
star.py
vowels.py
workspace
vowels.py
MES2s-Mac-mini: Documents mca$ is -t
new.txt
programe 1
```

```
programate workspace with the program of the progra
```

```
17 Feb 12 14:42 1.:x:

8 Feb 12 14:42 2.:x:

5284 May 18 2022 21.:x:

5309 May 17 2022 22.:x:

4824 Dec 13 16:16 if rame_files

85 Aug 23 2023 hope_c

274 Aug 23 2023 mobaris

130 Aug 17 2023 mobaris

133 Aug 17 2023 mobaris

143 Aug 17 2023 mobaris

153 Aug 17 2023 mobaris

154 Aug 17 2023 mobaris

155 Aug 17 2023 mobaris

165 Feb 20 16:16 programe1

177 Nev 24 12:27 pocurance.py

136 Feb 20 16:18 programe1

1288 Oct 4 12:10 programe1

1298 Oct 4 12:10 programe1

1298 Oct 10 15:40 quasilon3.pdf

200 Aug 15 2023 sahabeel

203 Nev 24 14:01 star.py

101 Cct 5 16:00 vowels.py

204 Aug 15 2023 sahabeel

208 Nev 24 14:01 star.py

10 Cct 5 16:00 vowels.py

238 Feb 29 16:15 workspace
```

```
### 1985 MPM | SIST | MS24 Dec 13 16:11 HAV to create a Reset Buiton in form using HTML - Gentlo/Guexa files from using HT
```

```
010<POINTOPOINT, MULTICAST> mtu 1280
           ags=0<> mtu 1280
gs=863<UP, BROADCAST, SMART, RUNNING, SIMPLEX, MULTICAST> mtu 1500
options=10b<RXCSUM, TXCSUM, VLAN_HWTAGGING, AV>
ether 38:c9:86:07:22:9b
inet 6 fe80::3ac9:86ff:fe07:229b%en0 prefixien 64 scopeid 0x4
inet 172.20.3.44 netmask 0xffff0000 broadcast 172.20.255.255
nd6 options=1<PERFORMNUD>
media: autoselect (1000baseT <full-duplex,flow-control>)
status: active
```

```
: flags=8010<POINTOPOINT, MULTICAST> mt u 1280
: flags=0<> mt u 1280
: flags=863<UP, BROADCAST, SMART, RUNNING, SIMPLEX, MULTICAST> mt u 1500
    options=10b<RXCSUM, TXCSUM, VLAN_HWTAGGING, AV>
    ether 38: c9: 86: 07: 22: 9b
    inet6 fe80::3ac9: 86!f:fe07: 229b%en0 prefixien 64 scopeid 0x4
    inet 172. 20. 3. 44 net mask 0xffff0000 broadcast 172. 20. 255. 255
    nd6 options=1<PERFORMNUD>
    media: autoselect (1000baseT <full-duplex,flow-control>)
    status: active
flags=8823<UP_BROADCAST_EMART_CLUST
status: active
en1: flags=8823<UP, BROADCAST, SMART, SIMPLEX, MULTICAST> mtu 1500
ether 04:69:f8:db:bf:41
nd6 options=1<PERFORMNUD>
media: autoselect (<unknown type>)
status: inactive
status: inactive
en2: flags=8963<UP, BROADCAST, SMART, RUNNING, PROMISC, SIMPLEX, MULTICAST> mt u 1500 options=60<TSO4, TSO6> et her 2a:00:00:f7:30:f0 media: autoselect <full-duplex> status: inactive
en3: flags=8963<UP, BROADCAST, SMART, RUNNING, PROMISC, SIMPLEX, MULTICAST> mt u 1500 options=60<TSO4, TSO6> et her 2a:00:00:f7:30:f1 media: autoselect <full-duplex> status: inactive
p2p0: flags=8802<BROADCAST, SIMPLEX, MULTICAST> mt u 2304 et her 06:69:f8:db:bf:41 media: autoselect status: inactive
awd10: flags=8902<BROADCAST, PROMISC, SIMPLEX, MULTICAST> mt u 1452
                                                       status: inactive
lags=8902<BROADCAST, PROMISC, SIMPLEX, MULTICAST> mt u 1452
ether 32: b4: 3b: b4: d6: 93
nd6 options=1<PERFORMNUD>
media: autoselect
status: inactive
flags=8863<UP, BROADCAST, SMART, RUNNING, SIMPLEX, MULTICAST> mt u 1500
options=63<RXCSUM, TXCSUM, TSO4, TSO6>
ether 3a: c9: 86: 70: b9: 00
Configuration:
  awd10:
 bridge0:
options=63<RXCSUM, TXCSUM, TSO4, TSO6>
ether 3a:c9:86:70:b9:00

Configuration:
    id 0:0:0:0:0:0 priority 0 hellotime 0 fwddelay 0
    maxage 0 holdcnt 0 proto stp maxaddr 100 timeout
    root id 0:0:0:0:0 priority 0 ifcost 0 port 0
    ipfilter disabled flags 0x2

member: en2 flags=3<LEARNING, DISCOVER>
    ifmaxaddr 0 port 6 priority 0 path cost 0

member: en3 flags=3<LEARNING, DISCOVER>
    ifmaxaddr 0 port 7 priority 0 path cost 0

member: en3 flags=3<LEARNING, DISCOVER>
    ifmaxaddr 0 port 7 priority 0 path cost 0

nd6 options=1<PERFORMNUD>
media: <unknown type>
status: inactive

bash-3.2$ ifconfig

lo0: flags=8049<UP, LOOPBACK, RUNNING, MULTICAST> mtu 16384
    options=3<RXCSUM, TXCSUM>
    inet6::1 prefixlen 128
    inet 127.0.0.1 netmask 0xff000000
    inet6 fe80::1%lo0 prefixlen 64 scopeid 0x1
    nd6 options=1<PERFORMNUD>

gif0: flags=8010<POINTOPOINT, MULTICAST> mtu 1280

stf0: flags=803<UP, BROADCAST, SMART, RUNNING, SIMPLEX, MULTICAST> mti
    options=10b<RXCSUM, TXCSUM, VLAN HWTAGGING, AV>
                                                                                                                                                                                                                                                                                                                                                                                                                                                               1200
                                               lags=0<> mtu 1280
ags=8863<UP, BROADCAST, SMART, RUNNING, SIMPLEX, MULTICAST> mtu 1500
options=10b<RXCSUM, TXCSUM, VLAN_HWTAGGING, AV>
ether 38:c9:86:07:22:9b
inet 6 fe80::3ac9:86ff:fe07:229b%en0 prefixien 64 scopeld 0x4
inet 172.20.3.44 netmask 0xffff0000 broadcast 172.20.255.255
```

```
inet 172.20.3.44 netmask 0xffff0000 broadcast 172.20.255.255 nd6 options=1<PERFORMNUD>
                                                       media: autoselect (1000baseT <full-duplex,flow-control>)
status: active
en1: flags=8823<UP, BROADCAST, SMART, SIMPLEX, MULTICAST> mt u 1500 ether 04:69:f8:db:bf:41 nd6 options=1<PERFORMNUD> media: autoselect (<unknown type>)
media: autoselect (<unknown type>)
status: inactive
en2: flags=8963<UP, BROADCAST, SMAHT, RUNNING, PROMISC, SIMPLEX, MULTICAST> mt u 1500
options=60<TSO4, TSO6>
ether 2a:00:00:f7:30:f0
media: autoselect <full-duplex>
status: inactive
en3: flags=8963<UP, BROADCAST, SMART, RUNNING, PROMISC, SIMPLEX, MULTICAST> mt u 1500
options=60<TSO4, TSO6>
ether 2a:00:00:f7:30:f1
media: autoselect <full-duplex>
status: inactive
p2p0: flags=8802<BROADCAST, SIMPLEX, MULTICAST> mt u 2304
ether 06:69:f8:db:bf:41
media: autoselect
status: inactive
awd10: flags=8902<BROADCAST, PROMISC, SIMPLEX, MULTICAST> mt u 1452
ether 32:b4:3b:b4:d6:93
nd6 options=1<PERFORMNUD>
media: autoselect
                                                     media: autoselect
status: inactive
flags=8863<UP, BROADCAST, SMART, RUNNING, SIMPLEX, MULTICAST> mtu 1500
options=63<RXCSUM, TXCSUM, TSO4, TSO6>
ether 3a: c9: 86: 70: b9: 00
 bridge0:
options=63<br/>
arxCSUM, TXCSUM, TSO4, TSO6><br/>
ether 3a:c9:86:70:b9:00<br/>
Configuration:<br/>
id 0:00:00:00:00 priority 0 heliotime 0 fwddelay 0<br/>
maxage 0 holdent 0 proto stp maxaddr 100 timeout 1200<br/>
root id 0:00:00:00:00 priority 0 ifcost 0 port 0<br/>
ipfilter disabled flags 0x2<br/>
member: en2 flags=3<br/>
ifmaxaddr 0 port 6 priority 0 path cost 0<br/>
member: en3 flags=3<br/>
ifmaxaddr 0 port 7 priority 0 path cost 0<br/>
member: en3 flags=3<br/>
ifmaxaddr 0 port 7 priority 0 path cost 0<br/>
nd6 options=1PEFFORMNUD><br/>
media: <unknown type><br/>
status: inactive<br/>
bash-3.2$ ssh 172.20.3.38<br/>
The authenticity of host '172.20.3.38 (172.20.3.38)' can't be established.<br/>
RSA key fingerprint is 4c:66:70:ec:a8:a4:98:dd:5b:c2:13:29:00:61:4e:f4.<br/>
Are you sure you want to continue connecting (yes/no)? yes<br/>
Warning: Permanently added '172.20.3.38' (RSA) to the list of known hosts.<br/>
mes2@172.20.3.38's password:<br/>
Permission denied, please try again.<br/>
mes2@172.20.3.38's password:<br/>
Connection closed by 172.20.3.38<br/>
bash-3.2$ ssh 172.20.3.38<br/>
bash-3.2$ ssh 172.20.3.38<br/>
bash-3.2$ ssh 172.20.3.38<br/>
bash-3.2$ ssh 172.20.3.38<br/>
permission denied, please try again.<br/>
mes2@172.20.3.38's password:<br/>
Permission denied, please try again.
rtyfg
Permission denied, please try again.
mes2@172.20.3.38's password;
```

[1]+ Stopped