
A Interactions at FDR < 0.05 (cell-label permutation; pooled cells)
sender
B/Plasma cell
Dendritic cell
Endothelial
Erythrocyte
Fibroblast
Keratinocyte
Lymphatic EC
Macrophage: inflammatory
Macrophage: lipid-assoc.
Macrophage: resident
Mast cell
Melanocyte
NK cell
Pericyte
Schwann cell
Smooth muscle
Sweat gland
T cell
50
40
30
20
10
0
receiver
B Outgoing and incoming signaling per population
total incoming score
total outgoing score
Macrophage: inflammatory
Endothelial
Pericyte
Fibroblast
Lymphatic EC
Smooth muscle
250
200
150
100
50
100
200
300
400
C Fourteen highest-scoring pairs (best sender-receiver)
TIMP1 → CD63
APP → CD74
MIF → CD74
COL1A1 → ITGB1
APOE → LRP1
COL6A1 → ITGB1
PECAM1 → PECAM1
FN1 → CD44
COL1A1 → ITGA1
COL3A1 → ITGA1
FN1 → ITGB1
CXCL12 → CXCR4
HSPG2 → ITGB1
MIF → CXCR4
0
2
4
6
8
interaction score
D Macrophage interactions per library (237 tests; 26 nominal, 0 at FDR < 0.05)
THBS1-CD47
CSF3-CSF3R
EREG-EGFR
COL3A1-ITGA1
THBS2-CD47
-log10 P (library level)
2.0
1.5
1.0
0.5
0.0
−3
−2
−1
0
1
2
log2 ratio (non-healing / healing)