Name: Shahid Tahsildar
SRN: PES1UG24CS619
Class: 5K


Lab 1: Requirements Engineering & UML Use-Case Modelling

Req ID	Type	Description	Priority	Acceptance criteria	Rationale (Short)	Comments
FR-001	Functional	The system shall let an employee complete a structured stress/wellness self-assessment (validated questionnaire) and return a computed risk score immediately after submission.	High	**pass** — score displayed within 2 seconds, stored against the pseudo-ID only. **Fail** — score missing, delayed beyond 2 seconds, or linked to real identity.	The assessment drives personalized recommendations and, when scores are high, escalation, it must be fast and identity-safe.	
FR-002	Functional	The system shall generate an anonymized pseudo-ID for employee accounts to book counseling sessions without revealing corporate email or employee ID to the therapist.	High	**pass** — therapist dashboard displays pseudo-ID only. **Fail—** employee PII exposed in booking metadata.	Anonymity is the core trust guarantee of the platform; without it, employees won't disclose mental-health needs for fear of employer visibility.	
FR-003	Functional	The system shall allow an employee to search for licensed therapists by specialty, language, and availability, and book a confidential session in a specific time slot	High	**pass** — booked slot is removed from public availability within 1 second and both parties get confirmation. **Fail** — double-booking occurs, or confirmation isn't issued.	Core transaction of the platform, without reliable, race-free booking, the product has no function.	
FR-004	Functional	The system shall	Low	**pass** — trend	Longitudinal	

		allow an employee to view a personal wellness dashboard showing trends in stress-assessment scores and session history over time, visible only to that employee.		chart reflects at least the last 6 completed assessments. **Fail** — chart omits records or shows another user's data.	self-tracking is a stated project goal and supports employee engagement.	
FR-005	Functional	The system shall allow an employee to cancel or reschedule a booked session up to a configurable cutoff (e.g. 4 hours before start), automatically releasing the slot back to the therapist's availability	Medium	**pass** — cancelling inside policy releases the slot and notifies the therapist anonymously; late cancellation is rejected with a clear message. **Fail** — slot isn't released, or a late cancellation is silently accepted.	. Reduces no-show impact on therapist scheduling while giving employees flexibility.	
NFR-001	Non- funct	The appointment scheduler must handle timezone conversions accurately across global office locations.	medium	**pass** — benchmarking tests confirm target latency and security standards under simulated peak load. **Fail** — any booked slot shows a time that doesn't match the correct local time for either party.	Wrong timezone conversions can cause missed sessions, risking exposure of the employee's use of the service and wasting therapist availability	
NFR-002	Non- funct	All session bookings, notes, and assessment data shall be encrypted at rest (AES-256+) and in transit (TLS 1.2+), and no therapist- or admin-facing interface shall display an employee's	High	**pass** — penetration test/data-access audit confirms no PII field is retrievable from therapist-facing UI/API, encryption	The platform's entire value proposition is anonymity + confidentiality of sensitive mental-health data; a breach here is both a	

		corporate identity.		verified via config scan. **Fail** — any PII exposed to therapist/admin roles, or data found unencrypted.	legal and trust failure.	

USECASE DIAGRAM



Use-Case Flow Document: Book Counseling Session

Preconditions

- The employee has previously registered and holds a valid pseudo-ID account (FR-001).
- The employee is authenticated (Verify Pseudo-ID succeeds).

- Therapist availability data is current within the last 60 seconds.

Postconditions

- **Success:** A confirmed session record exists, linked only to the employee's pseudo-ID; the therapist's slot is marked unavailable; both parties receive a confirmation notification with no employee PII.
- **Failure:** No session record is created and the therapist's slot remains available.

Main Success Scenario

1. Employee logs in and the system verifies the pseudo-ID (« include »).
2. Employee selects **“Book Counseling Session.”**
3. System displays available therapists filtered by specialty, language, and availability.
4. Employee selects a therapist and a preferred time slot; the system converts and displays the slot in the employee's local timezone (NFR-001).
5. System re-checks real-time availability of the selected slot.
6. Employee reviews and confirms the booking details.
7. System processes payment via the corporate wellness allowance or personal card (« include »).
8. System creates an encrypted session record tied to the pseudo-ID only (NFR-002) and marks the slot unavailable.
9. System sends a confirmation notification (calendar invite, no PII) to both the employee and the therapist.
10. Use case ends successfully.

Alternate Flow A1 : Slot No Longer Available

Triggered at step 5, if another user books the same slot first.

1. System detects the selected slot was just taken.
2. System displays **“This slot is no longer available”** and refreshes the availability list.
3. Employee selects an alternate slot.
4. Flow resumes at step 6 of the main scenario.