

Nexira Technologies

Enterprise IT & Engineering Documentation

Nexira Technologies is a premier global provider of highly scalable software engineering solutions, enterprise cloud infrastructure, and robust cybersecurity frameworks. Established with a vision to streamline digital transformation, Nexira partners with Fortune 500 enterprises to modernize their IT ecosystems, enforce zero-trust security paradigms, and accelerate agile software delivery. Our core mission is to empower teams with seamless, secure, and highly available technological environments. This documentation serves as the unified source of truth for all internal IT, security, and engineering operational standards.

Confidential & Internal Use Only

Version 4.2 | Generated: June 2026

Table of Contents

1. [Password Policy](#)
2. [Password Reset Guide](#)
3. [VPN Setup Guide](#)
4. [VPN Troubleshooting](#)
5. [Email Setup Guide](#)
6. [MFA Setup Guide](#)
7. [Laptop Setup Guide](#)
8. [New Employee Onboarding](#)
9. [Employee Offboarding](#)
10. [Git Access Guide](#)
11. [Git Commit Policy](#)
12. [Software Installation Policy](#)
13. [VS Code Installation](#)
14. [Docker Installation](#)
15. [WiFi Setup Guide](#)
16. [Printer Setup Guide](#)
17. [Security Incident Response](#)

[18. Deployment Checklist](#)

[19. Project Environment Setup](#)

[20. IT Help Desk FAQ](#)

1. Password Policy

1. Executive Summary

This document establishes the formal, authorized protocol for **Password Policy** within Nexira Technologies. Defines the cryptographic requirements, complexity rules, and rotation schedules for all corporate credentials to ensure defense-in-depth security. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Enforce a minimum length of 14 characters for all user accounts.
2. Require a combination of uppercase letters, lowercase letters, numbers, and special symbols.
3. Prohibit the use of dictionary words, company names, and common sequential patterns (e.g., QWERTY, 1234).

4. Enforce a mandatory 90-day credential rotation policy.
5. Maintain a password history of the 10 previous passwords to prevent reuse.
6. Implement an automatic account lockout mechanism after 5 consecutive failed authentication attempts.
7. Mandate distinct, highly complex passwords for all administrative and service accounts, stored in the corporate password vault.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Password Policy** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Account automatically locked out	Wait the mandatory 15-minute cool-down period or contact the Help Desk for manual identity verification and unlock.
New password immediately rejected	Ensure the new password does not match the previous 10 passwords and strictly meets all length and complexity requirements.

4. Governance, Compliance, and Auditing

All network and system activities related to **Password Policy** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

2. Password Reset Guide

1. Executive Summary

This document establishes the formal, authorized protocol for **Password Reset Guide** within Nexira Technologies. Outlines the approved self-service and administrative procedures for resetting compromised or forgotten account passwords. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Navigate to the official Identity and Access Management (IAM) self-service portal (iam.nexira.local).
2. Enter your corporate email address or Employee ID.
3. Complete the initial CAPTCHA verification to prevent automated abuse.

4. Select 'Send MFA Push Notification' to your registered mobile device.
5. Approve the push notification or enter the 6-digit Time-based One-Time Password (TOTP).
6. Enter your new password twice to confirm, ensuring it adheres to the Password Policy.
7. Log out of all active sessions across all devices when prompted by the portal.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Password Reset Guide** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
MFA device unavailable or lost	Contact the IT Help Desk via phone. You will be required to answer your pre-configured security questions or provide video verification.
Password reset portal unresponsive	Clear your browser cache, attempt using an Incognito/Private window, or verify if there is an ongoing Okta/IAM service outage on the status page.

4. Governance, Compliance, and Auditing

All network and system activities related to **Password Reset Guide** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

3. VPN Setup Guide

1. Executive Summary

This document establishes the formal, authorized protocol for **VPN Setup Guide** within Nexira Technologies. Provides step-by-step instructions for installing and configuring the corporate Virtual Private Network (VPN) client for secure remote access. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Download the approved VPN client (Cisco Secure Client / AnyConnect) from the internal software center.
2. Run the installer with elevated administrator privileges.
3. Launch the application and enter the primary gateway address: `vpn.nexira.com`.

4. Click 'Connect' and enter your standard Active Directory credentials.
5. Acknowledge the MFA prompt on your registered mobile device.
6. Wait for the connection to establish and verify that the VPN tray icon displays a 'Locked/Secured' state.
7. Test intranet connectivity by navigating to the internal HR portal (hr.nexira.internal).

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **VPN Setup Guide** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Connection timeout / Server unreachable	Verify your local internet connection. If on a public Wi-Fi network, ensure captive portal terms have been accepted.
Authentication failed despite correct credentials	Verify that your AD account has not been locked and that your MFA token is perfectly synced with the current network time.

4. Governance, Compliance, and Auditing

All network and system activities related to **VPN Setup Guide** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

4. VPN Troubleshooting

1. Executive Summary

This document establishes the formal, authorized protocol for **VPN Troubleshooting** within Nexira Technologies. Details advanced diagnostic steps for resolving persistent Virtual Private Network connectivity and routing issues. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Verify network adapter bindings: Ensure the VPN virtual adapter is enabled in Windows Network Connections or macOS Network Preferences.
2. Check for split-tunneling conflicts: Ensure your local subnet (e.g., 192.168.1.x) does not overlap with corporate subnets (10.x.x.x).

3. Flush DNS cache: Open Command Prompt or Terminal and execute 'ipconfig /flushdns' (Windows) or 'sudo killall -HUP mDNSResponder' (macOS).
4. Review firewall rules: Temporarily disable third-party endpoint security tools to rule out aggressive firewall blocking.
5. Inspect client logs: Locate the VPN diagnostic logs in C:\ProgramData\Cisco\ or /var/log/ for specific error codes.
6. Perform a clean reinstallation: Uninstall the client, reboot the machine, and reinstall the latest package from the IT portal.
7. Escalate to Network Ops: If all steps fail, generate a DART (Diagnostic and Reporting Tool) bundle and attach it to an IT ticket.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **VPN Troubleshooting** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Frequent unexpected disconnections	Switch from UDP (DTLS) to TCP (TLS) fallback in the client settings, as some ISPs aggressively drop UDP packets.
Cannot access local network printers while connected	Ensure 'Enable Local LAN Access' is checked in your VPN client preferences.

4. Governance, Compliance, and Auditing

All network and system activities related to **VPN Troubleshooting** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
-----------------------	--------------------------------------

Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

5. Email Setup Guide

1. Executive Summary

This document establishes the formal, authorized protocol for **Email Setup Guide** within Nexira Technologies. Standardizes the configuration of corporate email accounts across desktop clients and approved mobile devices. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Open Microsoft Outlook or the native Apple Mail application.
2. Select 'Add Account' and choose 'Microsoft Exchange' or 'Office 365'.
3. Enter your full corporate email address (firstname.lastname@nexira.com).
4. You will be redirected to the corporate Single Sign-On (SSO) login page.

5. Authenticate using your credentials and complete the MFA challenge.
6. Accept the Mobile Device Management (MDM) profile installation if configuring a smartphone.
7. Allow up to 15 minutes for the initial mailbox synchronization to complete.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Email Setup Guide** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Mailbox not syncing	Verify that 'Work Offline' is not enabled in Outlook. Check the connection status in the bottom right corner.
Mobile device prompts for server settings	Enter 'outlook.office365.com' as the server and leave the domain field blank.

4. Governance, Compliance, and Auditing

All network and system activities related to **Email Setup Guide** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
-----------------------	--------------------------------------

Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

6. MFA Setup Guide

1. Executive Summary

This document establishes the formal, authorized protocol for **MFA Setup Guide** within Nexira Technologies. Governs the enrollment and lifecycle management of Multi-Factor Authentication devices required for all corporate access. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Download the Microsoft Authenticator or Google Authenticator app from the iOS App Store or Google Play Store.
2. Log in to the corporate security portal (security.nexira.com) on a desktop computer.
3. Navigate to 'Security Info' and select 'Add Method' -> 'Authenticator App'.

4. Open the authenticator app on your phone and select 'Scan a QR code'.
5. Scan the QR code displayed on your desktop screen.
6. Enter the 6-digit verification code generated by the app into the desktop portal to confirm the pairing.
7. Generate and securely store emergency backup codes in a physical safe or approved password manager.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **MFA Setup Guide** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
QR code not scanning	Increase screen brightness, or select 'Can't scan image' to manually enter the provided alphanumeric secret key.
Codes failing validation	Ensure your mobile device's clock is set to 'Automatic' to prevent Time-based One-Time Password (TOTP) drift.

4. Governance, Compliance, and Auditing

All network and system activities related to **MFA Setup Guide** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

7. Laptop Setup Guide

1. Executive Summary

This document establishes the formal, authorized protocol for **Laptop Setup Guide** within Nexira Technologies. Provides the out-of-box experience (OOBE) checklist for provisioning new corporate workstations for maximum security and productivity. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Connect the laptop to the provided power adapter and power it on.
2. Select your region and keyboard layout during the initial OS setup screen.
3. Connect to a secure Wi-Fi network (do not use open public networks for initial setup).

4. When prompted with 'Welcome to Nexira', enter your corporate email and temporary password.
5. Allow the Automated Device Enrollment (Autopilot / Jamf) process to execute and install base software profiles.
6. Verify that BitLocker (Windows) or FileVault (macOS) full-disk encryption is actively enabled and saving keys to Azure AD.
7. Reboot the machine once all background installations indicate completion.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Laptop Setup Guide** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Stuck on enrollment screen for over 30 minutes	Force restart the machine by holding the power button. Ensure you are connected to an unfiltered internet connection.
Disk encryption fails to activate	Check if there are pending Windows/macOS updates. Do not store sensitive data until encryption is fully active.

4. Governance, Compliance, and Auditing

All network and system activities related to **Laptop Setup Guide** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

8. New Employee Onboarding

1. Executive Summary

This document establishes the formal, authorized protocol for **New Employee Onboarding** within Nexira Technologies. The comprehensive technical orientation process for integrating new hires into the company's digital infrastructure. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Receive the physical hardware package and verify all contents against the packing slip.
2. Complete the Laptop Setup Guide (Topic 7) to gain initial OS access.
3. Log in to the HR Portal (Workday) to complete mandatory direct deposit and tax forms.

4. Complete the mandatory Information Security and Data Privacy training modules via the LMS.
5. Join the 'New Hire Orientation' channel in Slack/Teams.
6. Schedule a 15-minute meet-and-greet with your assigned IT buddy for Q&A.
7. Submit localized access requests (Jira, specific AWS accounts, specialized software) through the Service Catalog.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **New Employee Onboarding** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Cannot access HR portal	Ensure your start date is officially today. HR systems do not provision access prior to 8:00 AM on the official start date.
Missing software licenses	Some licenses (like Adobe Creative Cloud or Visual Studio Enterprise) require manager approval. Submit a software request ticket.

4. Governance, Compliance, and Auditing

All network and system activities related to **New Employee Onboarding** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

9. Employee Offboarding

1. Executive Summary

This document establishes the formal, authorized protocol for **Employee Offboarding** within Nexira Technologies. Details the precise sequence of technical revocations and hardware retrieval processes triggered upon employee departure. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. HR initiates the offboarding ticket, defining the exact date and time of termination.
2. IT Operations immediately suspends the Active Directory account at the designated time, terminating all active SSO sessions.

3. Email routing is adjusted: an auto-responder is set, and mailbox delegation is granted to the direct manager for 30 days.
4. All cloud service access (AWS, GitHub, Jira) is automatically deprovisioned via SCIM.
5. The user's laptop and mobile devices are locked via MDM and remote-wiped if not returned within 72 hours.
6. A prepaid shipping box is dispatched to remote employees for the return of laptops, monitors, and peripherals.
7. Physical building badge access is revoked in the security access control system.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Employee Offboarding** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Urgent need to access ex-employee files	Managers must submit a 'Data Access Request' ticket approved by Legal and HR to access OneDrive or Google Drive archives.
Hardware not returned	After 14 days, the asset is marked as lost/stolen, and the value may be deducted from final settlement subject to local labor laws.

4. Governance, Compliance, and Auditing

All network and system activities related to **Employee Offboarding** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

10. Git Access Guide

1. Executive Summary

This document establishes the formal, authorized protocol for **Git Access Guide** within Nexira Technologies. Instructions for establishing secure, authenticated connections to the corporate version control systems (GitHub Enterprise / GitLab). As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Open your terminal and generate a new Ed25519 SSH key pair: `ssh-keygen -t ed25519 -C "your.email@nexira.com"`.
2. Start the ssh-agent in the background and add your private key: `ssh-add ~/.ssh/id_ed25519`.

3. Copy the public key to your clipboard: ``cat ~/.ssh/id_ed25519.pub | pbcopy`` (macOS) or ``clip`` (Windows).
4. Log in to the corporate Git platform, navigate to User Settings -> SSH Keys, and paste the key.
5. Configure your global Git username and email: ``git config --global user.name "First Last"``.
6. Test the connection by running: ``ssh -T git@github.nexira.com``.
7. Enable Git commit signing using GPG or SSH keys to verify commit authenticity.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Git Access Guide** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Permission denied (publickey)	Verify that you uploaded the .pub file, not the private key, and that the ssh-agent is running with the key loaded.
Commit rejected by server	Ensure your Git email strictly matches your corporate email address. Personal email commits are rejected by pre-receive hooks.

4. Governance, Compliance, and Auditing

All network and system activities related to **Git Access Guide** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

11. Git Commit Policy

1. Executive Summary

This document establishes the formal, authorized protocol for **Git Commit Policy** within Nexira Technologies. Establishes the formatting, tracking, and structural requirements for all code commits to maintain a clean repository history. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Follow the Conventional Commits specification (e.g., feat:, fix:, docs:, chore:).
2. Limit the subject line to 50 characters, capitalized, with no trailing period.
3. Separate the subject from the body with a blank line.

4. Wrap the body text at 72 characters and explain **what** and **why**, not **how**.
5. Reference the associated Jira issue ticket in the footer (e.g., 'Fixes NEX-1234').
6. Never commit secrets, API keys, or large binary files. Use pre-commit hooks (TruffleHog/Talisman) to scan locally.
7. Squash minor 'WIP' or typo-fix commits before merging into the main branch.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Git Commit Policy** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Pre-commit hook failing	Review the error log. If a false positive secret is detected, use the approved inline ignore syntax after consulting Security.
Accidentally committed a secret	Do NOT just push a new commit removing it. The secret is compromised. Revoke the key immediately and contact the Security Team to scrub the history.

4. Governance, Compliance, and Auditing

All network and system activities related to **Git Commit Policy** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

12. Software Installation Policy

1. Executive Summary

This document establishes the formal, authorized protocol for **Software Installation Policy** within Nexira Technologies. Regulates the installation of third-party software on corporate endpoints to prevent malware, licensing violations, and shadow IT. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Always utilize the 'Nexira Software Center' (Windows) or 'Self Service' (macOS) app to install pre-approved software.
2. Software available in the portal requires no administrative rights or manager approval to install.

3. For specialized software not in the portal, submit a 'New Software Request' ticket via Jira Service Desk.
4. Wait for the Information Security team to conduct a vendor risk assessment and binary scan.
5. If approved, IT will push the software to your machine via the endpoint management system.
6. Do not attempt to bypass local administrator restrictions using portable apps or unauthorized scripts.
7. All unauthorized software detected by endpoint sensors will be automatically quarantined and reported.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Software Installation Policy** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Need temporary admin rights for development	Developers can request 'Privileged Access Management (PAM)' temporary elevation for 4 hours via the IT portal.
Software blocked by antivirus	If a legitimate internal tool is blocked, submit a false-positive exception request to the SOC team.

4. Governance, Compliance, and Auditing

All network and system activities related to **Software Installation Policy** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
-----------------------	--------------------------------------

Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

13. VS Code Installation

1. Executive Summary

This document establishes the formal, authorized protocol for **VS Code Installation** within Nexira Technologies. Standardizes the setup of Visual Studio Code to ensure consistent linting, formatting, and secure development environments. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Download VS Code exclusively from the official Microsoft site or the internal Self Service portal.
2. Install the 'Nexira Base Extension Pack' from the internal extension registry, which includes ESLint, Prettier, and SonarLint.

3. Configure your `settings.json` to enable format-on-save: `"editor.formatOnSave": true`.
4. Set the default terminal profile to Git Bash (Windows) or Zsh (macOS).
5. Log in to the GitHub Copilot extension using your corporate GitHub Enterprise credentials.
6. Do NOT install unverified third-party extensions from unknown publishers due to supply chain risks.
7. Keep VS Code and all extensions updated to the latest stable versions.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **VS Code Installation** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Extensions not downloading	Ensure you are connected to the corporate VPN if working remotely, as internal extensions require intranet access.
Linting errors not showing	Verify that the ESLint server is running in the bottom status bar and that the workspace folder is correctly opened.

4. Governance, Compliance, and Auditing

All network and system activities related to **VS Code Installation** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

14. Docker Installation

1. Executive Summary

This document establishes the formal, authorized protocol for **Docker Installation** within Nexira Technologies. Guidelines for deploying containerization environments locally while complying with corporate virtualization and security policies. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Request a Docker Desktop commercial license via the IT Service Desk.
2. Download Docker Desktop for Windows or Mac from the official portal.
3. For Windows users: Ensure WSL2 (Windows Subsystem for Linux) feature is enabled before installation.

4. Configure Docker Desktop to start automatically on login.
5. Set resource limits in the Docker Dashboard (recommendation: 4 CPUs, 8GB RAM minimum for microservices).
6. Configure the Docker daemon to pull images exclusively from the corporate internal registry (Harbor/Artifactory).
7. Run a test container: ``docker run hello-world``.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Docker Installation** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Docker fails to start on Windows	Ensure BIOS hardware virtualization (VT-x/AMD-V) is enabled and that Hyper-V/WSL2 components are correctly installed.
Cannot pull images	Verify you have logged into the internal registry using <code>`docker login registry.nexira.com`</code> with your LDAP credentials.

4. Governance, Compliance, and Auditing

All network and system activities related to **Docker Installation** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

15. WiFi Setup Guide

1. Executive Summary

This document establishes the formal, authorized protocol for **WiFi Setup Guide** within Nexira Technologies. Instructions for securely connecting to corporate wireless networks across all global office locations. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Select the 'Nexira-Secure' SSID from your device's Wi-Fi menu.
2. When prompted for authentication type, ensure WPA2/WPA3-Enterprise (802.1x EAP) is selected.
3. Enter your standard AD username and password.

4. Trust the radius server certificate (issued by Nexira Root CA) when prompted.
5. For personal mobile devices, connect to 'Nexira-Guest' and accept the captive portal terms of service.
6. Do NOT connect corporate assets to the Guest network, as it lacks access to internal routing and services.
7. Report any localized dead zones or poor signal strength to the Facilities IT team.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **WiFi Setup Guide** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Repeated password prompts	Your password may have expired or you may have typed it incorrectly. Try forgetting the network and reconnecting.
Certificate error warning	Ensure your device has the latest MDM profiles installed, which include the necessary trusted root certificates.

4. Governance, Compliance, and Auditing

All network and system activities related to **WiFi Setup Guide** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

16. Printer Setup Guide

1. Executive Summary

This document establishes the formal, authorized protocol for **Printer Setup Guide** within Nexira Technologies. Procedures for utilizing the secure, badge-release enterprise printing infrastructure. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Ensure you are connected to the corporate network (Office Wi-Fi or VPN).
2. Open the 'Nexira Print Center' application installed on your desktop.
3. Select 'Install Global Follow-Me Printer' and wait for the drivers to map.
4. When printing a document, select 'Nexira_Secure_Print' as the destination.

5. Walk up to any physical multi-function printer in any office globally.
6. Tap your physical RFID employee badge on the card reader to authenticate.
7. Select your print jobs from the touchscreen and press 'Release' to print.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Printer Setup Guide** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Badge not recognized by printer	If it is a new badge, you must manually log in on the printer screen once with your username/password to link the RFID card.
Print job missing from queue	Jobs are automatically deleted after 24 hours if not released. Resend the document.

4. Governance, Compliance, and Auditing

All network and system activities related to **Printer Setup Guide** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
-----------------------	--------------------------------------

Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

17. Security Incident Response

1. Executive Summary

This document establishes the formal, authorized protocol for **Security Incident Response** within Nexira Technologies. Critical procedures for identifying, reporting, and containing suspected cybersecurity threats or data breaches. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Identify the threat: This includes clicking a phishing link, experiencing a ransomware screen, or noticing unauthorized access.
2. Do NOT turn off the machine. Disconnect it from the network immediately (unplug ethernet, turn off Wi-Fi).

3. Report immediately: Call the 24/7 Security Operations Center (SOC) hotline at ext. 9111 or email soc@nexira.com from another device.
4. Provide details: Note the time, symptoms, and any specific error messages or unusual files.
5. Containment: Surrender the affected hardware to the IT security team for forensic imaging.
6. Do not discuss the incident on public channels or with external parties to maintain confidentiality.
7. Cooperate fully with the Post-Incident Review (PIR) to identify root causes and improve defenses.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Security Incident Response** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Unsure if an email is phishing	Use the 'Phish Alarm' button integrated into Outlook/ Gmail. Do not forward the email to colleagues.
Lost mobile device	Report it immediately so the device can be remotely wiped before malicious actors bypass the lock screen.

4. Governance, Compliance, and Auditing

All network and system activities related to **Security Incident Response** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
----------------	--------------------------------------

Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

18. Deployment Checklist

1. Executive Summary

This document establishes the formal, authorized protocol for **Deployment Checklist** within Nexira Technologies. The mandatory pre-flight verification sequence required before releasing code to the production environment. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Ensure all code is merged into the 'main' branch and all CI/CD pipeline tests are passing (green).
2. Verify that the QA team has formally signed off on the release candidate in Jira.
3. Backup the production database or ensure Point-in-Time Recovery (PITR) is active.

4. Notify the Customer Support and NOC teams of the impending deployment window.
5. Execute the deployment script via the automated Jenkins/GitLab CI pipeline.
6. Monitor application health metrics (Datadog/New Relic) for 15 minutes post-deployment.
7. If error rates spike above 2%, immediately trigger the automated rollback pipeline.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Deployment Checklist** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Deployment script hangs	Check the CI runner logs for timeouts. Ensure infrastructure credentials (IAM roles) have not expired.
Post-deploy database migration fails	Execute the pre-written SQL down-migration scripts. Never attempt manual hot-fixes in the production DB.

4. Governance, Compliance, and Auditing

All network and system activities related to **Deployment Checklist** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
----------------	--------------------------------------

Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

19. Project Environment Setup

1. Executive Summary

This document establishes the formal, authorized protocol for **Project Environment Setup** within Nexira Technologies. Guidelines for initializing local development environments to match production parity. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Clone the project repository from GitHub Enterprise.
2. Copy the `.env.example` file to `.env` and request local development API keys from the tech lead.
3. Install specific language runtimes using version managers (e.g., NVM for Node, Pyenv for Python).

4. Run the dependency installation command (e.g., ``npm install``, ``pip install -r requirements.txt``).
5. Spin up local backing services (Redis, PostgreSQL) using the provided ``docker-compose.yml`` file.
6. Execute local database migrations and seed scripts to populate dummy data.
7. Start the local development server and verify the application loads at ``localhost:3000``.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **Project Environment Setup** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Port already in use	Identify the conflicting process (<code>lsof -i :3000</code>) and terminate it, or change the port in your <code>.env</code> file.
Dependency conflicts	Clear your local cache (<code>npm cache clean --force</code> or <code>pip cache purge</code>) and delete the lockfile before reinstalling.

4. Governance, Compliance, and Auditing

All network and system activities related to **Project Environment Setup** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
----------------	--------------------------------------

Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly

20. IT Help Desk FAQ

1. Executive Summary

This document establishes the formal, authorized protocol for **IT Help Desk FAQ** within Nexira Technologies. Answers to the most common tier-1 support queries, Service Level Agreements (SLAs), and escalation protocols. As part of our comprehensive Information Security Management System (ISMS) and ISO 27001 compliance framework, strict adherence to these guidelines is mandatory for all personnel. The procedures outlined herein are specifically designed to mitigate operational risk, standardize enterprise deployments, and guarantee a highly unified, reliable, and secure technological ecosystem across all global offices and remote work environments.

2. Standard Operating Procedure (SOP)

The following steps must be executed sequentially and strictly in accordance with our documented best practices. Any deviation from this procedure requires written, prior approval from the Information Security Office (ISO) or the respective IT Infrastructure lead. Failure to comply may result in system incompatibility or restricted access.

Mandatory Prerequisites: Ensure you are connected to a secure network, have your physical or digital Multi-Factor Authentication (MFA) token readily available, and possess the necessary operational permissions to complete these steps.

1. Q: How do I submit an IT ticket? A: Navigate to help.nexira.com and use the Jira Service Desk portal.
2. Q: What is the SLA for a 'High' priority ticket? A: 15 minutes for initial response, 2 hours for resolution.

3. Q: How do I request a new monitor or peripheral? A: Submit a 'Hardware Request' ticket. Manager approval is required for items over \$100.
4. Q: Can I use a personal laptop for work? A: No, BYOD is strictly prohibited for core engineering and data-handling tasks.
5. Q: Who do I contact for facility issues (AC, desks)? A: Submit a ticket to the Facilities queue, not IT.
6. Q: How do I escalate a stuck ticket? A: Reply to the ticket tagging the IT Service Delivery Manager, or call the Help Desk referencing the ticket number.
7. Q: Are IT services available on weekends? A: Only for 'Critical' severity production outages. Standard requests are processed Monday-Friday.

3. Troubleshooting & Diagnostics Matrix

In the event of systemic failures, localized errors, or unexpected behavior during the execution of the **IT Help Desk FAQ** process, please thoroughly consult the following diagnostic matrix before escalating to Tier 2 engineering support or filing a critical incident ticket.

Identified Issue / Symptom	Prescribed Resolution Path
Ticket closed without resolution	You can reopen a ticket within 3 days by replying to the closure email. State clearly why the issue persists.
Cannot access ticketing portal	Email helpdesk@nexira.com directly or call the regional IT hotline listed in the employee directory.

4. Governance, Compliance, and Auditing

All network and system activities related to **IT Help Desk FAQ** are systematically logged, continuously monitored, and retained in our centralized SIEM (Security Information and Event Management) infrastructure for a period of no less than 365 days. Regular audits are conducted by the Internal Risk & Compliance division to ensure continuous, unbroken alignment with SOC 2 Type II, HIPAA, and GDPR regulatory requirements. Non-compliance events, anomalies, or repeated failures are automatically flagged and routed to the Security Operations Center (SOC) and respective line managers for immediate remediation and investigation.

5. Document Control & Approvals

Document Owner	Director of IT Operations & Security
-----------------------	--------------------------------------

Last Review Date	June 2, 2026
Classification	Internal Confidential - Do Not Distribute
Review Cycle	Quarterly