

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Email a product details to a friend	13.799 s	1	0	1	0	12	3	1	8	


Tag	Scenario		Feature					
Name	T	P	F	S	T	P	F	S
@New	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Email a product details to a friend	1	0	1	0	13.799 s

SCENARIOS SUMMARY -- 5 --




1	me	Scenario Name	T	P	F	S	Duration
	ıct details to a friend	Email a product without user login	12	3	1	8	13.794 s

DETAILED SECTION -- 6 --

Email a product details to a friend

FAILED	DURATION - 13.799 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 6:44:42.568 PM //	6:44:56.367 PM /	Pass - 0	1	Pass - 3	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

Email a product without user login



#	Step / Hook Details	Status	Duration
1	Given Goto the home page "https://localhost:44369/"	PASSED	0.336 s
2	Then Hover Computer category	PASSED	0.142 s
3	And Click on the Notebook category	PASSED	0.207 s
4	And Click a product name of HP Spectre XT Pro UltraBook	FAILED	10.056 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[text()='HP Spectre XT Pro UltraBook'])[2]"} (Session info: MicrosoftEdge=104.0.1293.54) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'BS-981', ip: '172.16.106.83', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [cedec15de28f30aeba4f24f2f07d3ec8, findElement {using=xpath, value=(//a[text()='HP Spectre XT Pro UltraBook'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 104.0.1293.54, ms:edgeOptions: {debuggerAddress: localhost:64051}, msedge: {msedgedriverVersion: 104.0.1293.54 (cf00dc8720d8, userDataDir: C:\Users\BS981\AppData\Loca}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64051/devtoo, se:cdpVersion: 104.0.1293.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cedec15de28f30aeba4f24f2f07d3ec8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133)		
	at org.openqa.selenium.remote.todec.woc.woci htpresponsecodec.decode(woci htpresponsecodec.java.ss) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	at pagesObjectModel.HomePage.clickHpNotebook(HomePage.java:71)		
	at Steps.EmailAFriendFunctionality.clickAProductNameOfHPSpectreXTProUltraBook(EmailAFriendFunctionality.java:35)		
	at ?.Click a product name of HP Spectre XT Pro UltraBook(file:///C:/Work%20station%2023/GitHub/nopCommerceAutomation/src/test/		
	resources/Steps/EmailFriend.feature:7) * Not displayable characters are replaced by '?'.		
5	Then Check product details page title "Your store. HP Spectre XT Pro UltraBook"	SKIPPED	0.000 s
6	Then Click on Email A Friend Button	SKIPPED	0.000 s
7	And Page title should be "Your store. Email A Friend. HP Spectre XT Pro UltraBook"	SKIPPED	0.000 s
8	Then Enter the friends email address "shahin@gmail.com"	SKIPPED	0.000 s
9	And Enter the Your email address "1234@5678.com"	SKIPPED	0.000 s
10	And Enter a message "Hello Shahin\nYou can try this product."	SKIPPED	0.000 s
11	Then Click on Send Email button	SKIPPED	0.000 s
12	And Got a warning message "Only registered customers can use email a friend feature"	SKIPPED	0.000 s
	AFTER - Steps.MyAppHook.tearDown(io.cucumber.java.Scenario)	PASSED	0.221 s
	Email_a_product_without_user_login		
	. Deline PARIS 1/200 PARIS 1/2		
	- Manos - Denteres - Appart		
	Department		
	Medicharen		
	1800 Description Descript		