

HTML File

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <title>CSS stylings</title>
```

```
    <link rel = "stylesheet" href = "kodanad.css"/>
```

```
  <style>
```

```
    p{
```

```
      background-color: aqua;
```

```
      color:black;
```

```
      width:50%;
```

```
      font-size: x-large;
```

```
      font-weight: 400;
```

```
    }
```

```
    .class1{
```

```
      background-color: red;
```

```
      color:white;
```

```
      width:50%;
```

```
      font-size: x-large;
```

```
      font-weight: 800;
```

```
    }
```

```
    body{
```

```
      color:white;
```

```
    }
```

```
</style>
```

```
</head>

<body>

  <h1><u>CSS stylings shown as inline css</u></h1>

  <p style = "background-color: black; color:azure; font-size: large; width:100%;">

    This is a paragraph that i am writing in inline css format!

  </p>

  <button style = "border-radius: 50px; background-color: aquamarine;
  color:black;width:200px;height: 50px;">Inline Button</button>

  <h1><u>CSS stylings shown as internal css</u></h1>

  <p>This is a paragraph that i am writing in internal css format1</p>

  <p class = "class1">This is an internal paragraph that uses class selectors</p>

  <h1><u>CSS stylings shown as external css</u></h1>

  <button>External Button</button>

  <p id = "id1">This is a paragraph that uses external css with id selector</p>

</body>

</html>
```

CSS File

```
p{

  font-family: cursive;

}

button{

  border: 20;

  border-radius: 50px;

  background-color: chartreuse;
```

```
color:black;

width:40%;

height:100px;

font-weight: 900;

}

#id1{

background-color: blueviolet;

color:white;

font-weight: 900;

font-family: 'Courier New', Courier, monospace;

}

body{

background-color: black;

}
```

OUTPUT

CSS stylings shown as inline css

This is a paragraph that i am writing in inline css format!

Inline Button

CSS stylings shown as internal css

This is a paragraph that i am writing in internal css format1

This is an internal paragraph that uses class selectors

CSS stylings shown as external css

External Button

This is a paragraph that uses external css with id selector