

shahinjaffer07 /  
Poisson\_distribution[Code](#) [Pull requests](#) [Actions](#) [Projects](#) [Wiki](#) [Security](#) [Insights](#) [Settings](#)

BSD-3-Clause license

0 stars 943 forks 0 watching 1 Branch 0 Tags Activity

 Public repository · Forked from [ramjan1729/Poisson\\_distribution](#)

main

1 Branch

0 Tags



Go to file



Go to file



Add file

Code

This branch is 1 commit ahead of [ramjan1729/Poisson\\_distribution:main](#).

Contribute

Sync fork



shahinjaffer07 Update README.md

1 minute ago



LICENSE

Initial commit

2 years ago

README.md

Update README.md

1 minute ago

# Fitting Poisson distribution

## Aim :

To fit poisson distribution for the arrival of objects per minute from the feeder

## Software required :

Python and Visual component tool

## Theory:

The Poisson distribution is the discrete probability distribution of the number of events occurring in a given time period, given the average number of times the event occurs over that time period.

If  $\lambda$  is mean, then the probability mass function of Poisson distribution is

$$P(X = x) = e^{-\lambda} \frac{\lambda^x}{x!}, \quad x = 0, 1, 2, \dots$$

Conditions for Poisson Distribution:

1. An event can occur any number of times during a time period.
2. Events occur independently. I
3. The rate of occurrence is constant.
4. The probability of an event occurring is proportional to the length of the time period.

## Procedure :

1. *Compute mean*  $= \frac{\sum fx}{N}$ ,  $N = \sum f$ .
2. *Calculate the expected frequencies from the probability mass function*


$$P(X = x) = e^{-\lambda} \frac{\lambda^x}{x!}, \quad x = 0, 1, 2, \dots$$
3. *Calculate the expected frequencies*

$$N \times P(X = x), \quad x = 0, 1, 2, \dots n$$
4. *Calculate*  $\chi^2 = \sum \frac{(O-E)^2}{E}$ , *where o and E are observed and expected frequencies*
5. *Test*  $\chi^2$  *at 1% level of significance and write the conclusion*

## Experiment :



[README](#) [License](#)



## Program :

Developed by: SHAHIN J

Register number: 212223040190

```
import numpy as np
import math
import scipy.stats
L=[int(i) for i in input().split()]
N=len(L); M=max(L)
X=list();f=list()
for i in range (M+1):
    c = 0
```



```

    for j in range(N):
        if L[j]==i:
            c=c+1
    f.append(c)
    X.append(i)
sf=np.sum(f)
p=list()
for i in range(M+1):
    p.append(f[i]/sf)
mean=np.inner(X,p)
p=list();E=list();xi=list()
print("X P(X=x) Obs.Fr Exp.Fr xi")
print("-----")
for x in range(M+1):
    p.append(math.exp(-mean)mean*x/math.factorial(x))
    E.append(p[x]*sf)
    xi.append((f[x]-E[x])**2/E[x])
    print("%2.2f %2.3f %4.2f %3.2f %3.2f"%(x,p[x],f[x],E[x],xi[x]))
print("-----")
cal_chi2_sq=np.sum(xi)
print("Calculated value of Chi square is %4.2f"%cal_chi2_sq)
table_chi2=scipy.stats.chi2.ppf(1-.01,df=M)
print("Table value of chi square at 1 level is %4.2f"%table_chi2)
if cal_chi2_sq<table_chi2:
    print("The given data can be fitted in poisson Distribution at 1% LOS")
else:
    print("The given data cannot be fitted in Poisson Distribution at 1% LOS")

```

## Output :

```

5 0 1 4 2 3 7 5 3 5 5 7 7 2 3 3 5 3 6 1
X P(X=x) Obs.Fr Exp.Fr xi
-----
0.00 0.021 1.00 0.43 0.78
1.00 0.082 2.00 1.64 0.08
2.00 0.158 2.00 3.15 0.42
3.00 0.202 5.00 4.05 0.22
4.00 0.195 1.00 3.90 2.15
5.00 0.150 5.00 3.00 1.33
6.00 0.096 1.00 1.92 0.44
7.00 0.053 3.00 1.06 3.56
-----
Calculated value of Chi square is 8.99
Table value of chi square at 1 level is 18.48
The given data can be fitted in poisson Distribution at 1% LOS

```

## Results

The Poisson distribution is fitted for the objects arrived from feeder per minute and the data is tested using Chi-square test.



---

## Releases

No releases published

[Create a new release](#)

---

## Packages

No packages published

[Publish your first package](#)