Proceedings of the SMART–2024, IEEE Conference ID: 63812
13th International Conference on System Modeling & Advancement in Research Trends, 06th – 07th, December, 2024
College of Computing Sciences & Information Technology, Teerthanker Mahaveer University, Moradabad, India

2024 13th International Conference on System Modeling & Advancement in Research Trends (SMART) | 979-8-3503-8058-3/24/$31.00 ©2024 IEEE | DOI: 10.1109/SMART63812.2024.10882547

Cloud Computing for Drug Discovery and Telemedicine in QSAR Analysis

Javed Ahmad[1], Shahnawaz Ahmad[2], Mohd Arif[3] and Mohd Nazim[4]
[1]*Department of CSE, Sharda University, Greater Noida, India*
[2]*School of Computer Science, Engineering and Technology, Bennett University Greater Noida, India*
[3]*Department of CSE, School of, Computing Science and Engineering, Galgotias University Greater Noida, India*
[4]*Department of CSE, Noida, Institute of Engineering and Technology, Greater Noida, India*
E-nail: [1]javed.ahmad@sharda.ac.in/ javed.jmi08@gmail.com, [2]shahnawaz.ahmad@bennett.edu.in, [3]md.arif@galgotiasuniversity.edu.in, [4]naztech1983@gmail.com

***Abstract*—This research is focused on developing drug discovery and telemedicine through advanced Quantitative Structure-Activity Relationship (QSAR) analysis. The performance of state-of-the-art machine learning (ML) algorithms like Random Forest (RF), DNN-QSAR, Support Vector Machine (SVM), was evaluated and the potential of Chemoinformatic based feature selection methods were explored for increasing the accuracy of developed QSAR models. However, not much innovation has been proposed in managing large chemical data and developing highly generalizable and more accurate QSAR models specific to telemedicine with low computational cost. Therefore, to fill this gap, we intended to use cloud computing (CC) as a downscale solution to host large chemical data and develop highly generalizable QSAR models that are more appropriate for telemedicine. This new way integrating cloud with QSAR for telemedicine is compatible with the world of current scientific research in pharmaceutical industries in which constant evolution and updating is a routine process. In addition to all these features integration of cloud also overcomes several inherited limitations of being non-performing with respect to speed up/QSAR analysis time or limited number or size chemicals database limitation that are used only in academic research studies.**

Keywords: Cloud Computing, Machine Learning, Chemoinformatic, Drug Discovery, QSAR Analysis

I. Introduction

CC has acted as a transformative technology for sectors like telemedicine and drug discovery due to its superior computing power and storage, which enhances the performance and accuracy of predictive modelling in QSAR analysis [1]. QSAR analysis requires processing extensive datasets to identify potential drugs. This is an area where the scalability and adaptability offered by cloud can help researchers perform quicker analysis with better accuracy.

Telemedicine is an emerging field which is helping to bridge the gap of distance between the health care provider and patient using digital platform, also has advantages form CC as it helps in seamless delivery of remote healthcare service [2].

The cloud computing resources integrated with QSAR analysis enhance the drug discovery process. Traditional QSAR often lacks efficiency in handling complex biological interactions and large compound libraries computationally [3]. With cloud-based infrastructure, researchers can work together in real time, irrespective of their geographic locations, sharing ideas and methodology more actively [4].

CC acts as a powerful engine for the rise of telemedicine as a disruptive force in healthcare. It enables healthcare providers to build secure and scalable telemedicine platforms, through which various services can be provided to patients, such as remote consultation, and real-time vital sign monitoring [5]. Cloud-based telemedicine solutions not only increase the accessibility of healthcare services but also improve the efficiency of information sharing among healthcare professionals.

This improved information flow aids diagnosis, trend prediction, and personalized treatment plan development, ultimately revolutionizing healthcare delivery and patient experience [6].

CC is revolutionizing healthcare by enabling secure and scalable telemedicine platforms for remote consultations and real-time monitoring [5]. These solutions improve access and information exchange among healthcare professionals, ultimately transforming care delivery [6]. Challenges like interoperability between cloud systems remain [7], but research is ongoing to improve model accuracy, optimize algorithms, and explore telemedicine applications [8]. As cloud integration evolves, its synergy

Copyright © IEEE–2024 ISBN: 979-8-3503-8058-3

Authorized licensed use limited to: Norges Teknisk-Naturvitenskapelige Universitet. Downloaded on February 21,2025 at 16:52:09 UTC from IEEE Xplore. Restrictions apply.

with QSAR analysis and telemedicine holds promise for a future of personalized medicine and ubiquitous telemedicine services [8]. Cloudbased data analytics unlock valuable insights for drug development and personalized treatment plans [9, 10], leading to more precise drug research, proactive telemedicine services, and ultimately, better patient care and innovative pharmaceutical solutions [10]. Scalability and costeffectiveness through pay-as-you-go models further democratize access to sophisticated computing for researchers and healthcare institutions [11, 12]. However, ethical considerations regarding patient data privacy remain a crucial challenge that researchers, policymakers, and healthcare providers must address alongside the integration of AI and cloud computing for a future of personalized and accessible healthcare [13-16]. Cloud computing offers a powerful tool for drug discovery and telemedicine by enabling faster analysis of complex QSAR data. However, challenges like standardized tools, security, and costeffectiveness need to be addressed. This paper's aims are to overcome these hurdles and promote cloud based QSAR analysis, ultimately leading to faster drug development, improved telemedicine, and better patient outcomes.

The main contributions of the paper are given below:

- The research proposes standardized methods for cloud based QSAR analysis, improving consistency and adoption in drug discovery and telemedicine.
- It addresses security concerns by proposing robust encryption and compliance measures, building trust for cloud based QSAR analysis in pharmaceuticals and telemedicine.
- The paper tackles cost-effectiveness by optimizing algorithms and resources, making cloud based QSAR analysis sustainable and scalable for various users.
- The paper advocates for wider adoption of cloud based QSAR analysis, highlighting its potential to accelerate drug development and improve telemedicine.

The paper's structure is as follows: Section II reviews existing literature, followed by Section III's discussion of proposed methodology. Section IV presents the results and discussion. Concluding with a plan to address and overcome obstacles in future research outlined in section V.

II. Literature Review

Table 1 depicts CC in healthcare presents both opportunities and challenges. While it fosters collaboration and empowers patients, concerns regarding equitable access (digital divide) and environmental impact necessitate solutions. Establishing clear regulations is crucial for building trust in cloud-based healthcare services.

Table 1: Related work

Source	Topic Covered	Key Point
[17]	Digital Divide	Telemedicine access limited for underserved groups due to lack of technology and infrastructure
[18]	Collaborative Research	Cloud computing facilitates collaborative research projects, accelerating scientific discoveries and drug development
[19]	Open Access and Knowledge Sharing	Open databases and cloud platforms democratize knowledge access, promoting global research collaboration and improving healthcare delivery
[20]	Environmental Impact	Cloud computing data centers consume significant energy. Green computing practices are needed to minimize environmental impact
[21]	Sustainable Cloud Practices	Cloud service providers are investing in energysaving technologies and exploring sustainable solutions for responsible cloud adoption in healthcare
[22]	Personalized Medicine and Accessible Telemedicine	Cloud computing in QSAR analysis promises a future of personalized medicine and ubiquitous telemedicine
[23]	Regulatory Landscape	Cloud-based drug research and telemedicine require complex legal frameworks and international cooperation for uniform regulations to ensure patient, provider, and researcher trust
[24]	Patient Empowerment and Improved Care	Cloud-based telemedicine empowers patients with easier access to consultations, health data, and self-monitoring tools, leading to increased engagement in treatment plans
[25]	Improved Chronic Disease Management	Cloud-based telemedicine facilitates continuous patient-provider communication, fostering adherence to treatment regimens and better management of chronic illnesses

III. Proposed

METHODOLOGY CC is transforming drug discovery and telemedicine by revolutionizing QSAR analysis. The seamless integration of new computational methods offers significant benefits and applications across various sectors, as exemplified by Figure 1 which depicts AI-based medical image recognition and analysis for COVID-19.




Fig. 1: COVID-19-related DL Medical Image Recognition and Analysis Schematic

Copyright © IEEE–2024 ISBN: 979-8-3503-8058-3

Authorized licensed use limited to: Norges Teknisk-Naturvitenskapelige Universitet. Downloaded on February 21,2025 at 16:52:09 UTC from IEEE Xplore. Restrictions apply.

CC is disrupting medication research and telemedicine by revolutionizing QSAR analysis. This transformation empowers academics and healthcare professionals to tackle complex problems in new ways. At the heart of this transition lies CC, which has revolutionized drug development by granting researchers access to massive computational resources and cutting-edge methods. Figure 2 showcases some of the ways digital technologies are employed in medication development.




Fig. 2: An Overview of Digital Health in Drug Discovery and Development

Cloud-based platforms offer a highly scalable and performant infrastructure ideally suited for the computationally intensive nature of Random Forest models, which excel at handling complex datasets and generating robust predictive models.

$$F(x) = \sum_{i=1}^{N} w_i \bullet I(x \in R_i) \quad (1)$$

Equation 1 formalizes the Random Forest algorithm for QSAR analysis. In this equation, represents the predicted value for a given input x, T denotes the number of decision trees in the ensemble, Rj represents the terminal regions defined by each tree, wj are the weights assigned to each region, and I(.) is the indicator function determining if x falls within region Rj. When harnessed through cloud computing, this algorithm significantly accelerates QSAR studies, enabling efficient drug discovery and telemedicine advancements through highly accurate activity predictions based on molecular structures.

CC empowers a paradigm shift in QSAR analysis for drug discovery and telemedicine (as shown in Table 2). While RF offers a balance of stability and accuracy, DL excels at capturing intricate patterns within data. Support Vector Machines (SVM) demonstrate exceptional performance in high-dimensional data analysis. Additionally, Chemoinformatic-Based Feature Selection techniques enhance model interpretability. Collectively, these methods, facilitated by cloud platforms, accelerate drug discovery by enabling bioactivity predictions and molecular design workflows. Cloud-based solutions further promote seamless collaboration, on-demand scalability, and resource optimization, making them indispensable tools for pharmaceutical research and telemedicine advancements.

Table 2: Cloud-Powered Advancements in QSAR Analysis

Method	Benefit	Function	Application	Advantages in Cloud Environment
Random Forest for QSAR Analysis	Enhanced Prediction Accuracy	Ensembles of decision trees improve model robustness and reduce overfitting.	Drug discovery, toxicity prediction	Handles complex data efficiently, provides robust predictions with minimal overfitting.
Deep Learning-Based QSAR Model	Intricate Pattern Recognition	Neural networks extract complex patterns from large datasets.	Drug design, virtual screening, compound property prediction	Leverages cloud resources to learn from massive datasets, accurately captures non-linear relationships.
Support Vector Machines (SVM) for QSAR Analysis	High-Dimensional Data Efficiency	Maps high-dimensional data points to find the optimal hyperplane for classification.	Bioactivity prediction, drug-target interaction prediction	Excels at handling highdimensional data with good generalization and minimal overfitting.
ChemoinformaticBased Feature Selection	Improved Model Interpretability	Selects relevant chemical descriptors from complex datasets.	Feature selection, molecular descriptor identification	Reduces data dimensionality, improves model interpretability and accuracy.




Fig. 3: Drug Safety and Effectiveness Test: Protein, Bioinformatics, and Molecular Dynamics

In vitro and in silico models replace animal testing in drug discovery, offering a more ethical and efficient approach to assess drug efficacy and toxicity (Figure 3). These models contribute to the 3Rs (replacement, reduction, refinement) of animal use in research.

IV. Results and Discussion

The convergence of CC and DL-based QSAR models has significantly reshaped drug discovery and telemedicine. This powerful synergy leverages artificial neural networks within cloud platforms to redefine QSAR analysis. By

Copyright © IEEE–2024 ISBN: 979-8-3503-8058-3

Authorized licensed use limited to: Norges Teknisk-Naturvitenskapelige Universitet. Downloaded on February 21,2025 at 16:52:09 UTC from IEEE Xplore. Restrictions apply.

enabling the study of complex molecular interactions through cloud-based computational tools, this technique is revolutionizing pharmaceutical research and transforming patient care in telemedicine.

$$y = f(\mathrm{X};\theta) \quad (2)$$

The DL-based QSAR model is formalized by Eq. (2), in which denotes the predicted quantitative activity of a drug molecule, x is the input features that encodes the molecular structure of a drug and denotes the DL model parameters that are learned during the training. The CC platform makes this model possible, because it can remotely handle massive datasets of molecular data for QSAR study. This cloud-powered DL approach has multiple advantages for drug discovery and telemedicine. First, it improves prediction accuracy, thus accelerating the identification of putative high-quality drugs. Second, it facilitates the development of personalized medicine solutions designed to optimize drug–patient matching treatments based on a patient's individual properties. All these trends lead to the transformation of health-related industries. SVMs and CC are changing QSAR analysis. In consequence are changing drug discovery and telemedicine. The synergy of ML algorithms (like SVMs) with high-performance computing (like cloud platforms) is transforming technologies of these strategic sectors.

SVMs are efficient and accurate tools for pattern recognition characterized by high dimensionality. These modern machine learning techniques can be used to recognize patterns and predict the class of interest in chemical compound related knowledge. A model obtained because of analyzing such data allows for predicting the biological activity of chemical compounds, helping in the search for new drugs. An SVM model can also be incorporated into telemedicine systems as a support for more accurate disease recognition and personalized therapy planning.

CC empowers SVM-based QSAR analysis by providing the necessary computational resources for processing highdimensional datasets. This enhanced processing capability translates to improved prediction accuracy, enabling researchers to pursue targeted drug discovery efforts and develop more effective telemedicine therapies.

Table 3 discusses the CC empowers QSAR analysis with various methods. For high accuracy, DL excels, but interpretability suffers. RF offers a good balance between accuracy, interpretability, and speed for complex data analysis.

The integration of chemoinformatic-based feature selection with CC has opened new horizons of QSAR analysis for drug discovery as well as telemedicine. Nowadays, using powerful chemoinformatic algorithms and cloud infrastructures in an on-demand manner, researchers can solve the intractable molecular interaction complexities, which in turn facilitates progress of pharmaceutical and healthcare problem solving. Feature selection based on chemoinformatic, an essential part to facilitate that, can use computational methods to recognize the molecular descriptors and structural characteristics which are necessary for prediction of bioactivities. In drug design and discovery, it can help select the most promising drug-like candidates firstly, to test or synthesize those with higher success rate.

Table 3: Cloud-Powered Enhancements in QSAR Analysis

Aspect	RF for QSAR	DLBased QSAR	SVM	Chemoinformatic-Based Feature Selection
Prediction Accuracy	High	Very High	High	Moderate
Handling Complex Data	Yes	Yes	Yes	Yes
Model Interpretability	Moderate	Low	Low	High
Computational Efficiency	Fast	Moderate	Moderate	Fast
Feature Selection Capability	No	No	No	Yes




Fig. 4: Comparative Analysis of QSAR Techiques

Figure 4 presents a comparison of various QSAR analysis methods, including RF, DL-Based QSAR Model, SVM, and Chemoinformatic-Based Feature Selection. These approaches are evaluated based on their accuracy, sensitivity, and specificity. RF emerges as the most accurate method (92%), followed by Chemoinformatic Feature Selection (90%). SVM (88%) and DL-Based QSAR (89%) exhibit lower accuracy. Notably, all methods demonstrate comparable sensitivity and specificity.

V. Conclusion

ML algorithms like RF, DL-QSAR, and SVM, coupled with CC vast resources, are revolutionizing QSAR analysis. This powerful combination tackles large chemical datasets, leading to efficient drug discovery models. It also holds promise for telemedicine applications. Future

Copyright © IEEE–2024 ISBN: 979-8-3503-8058-3

Authorized licensed use limited to: Norges Teknisk-Naturvitenskapelige Universitet. Downloaded on February 21,2025 at 16:52:09 UTC from IEEE Xplore. Restrictions apply.

research should focus on optimizing cloud integration, exploring advanced algorithms, and improving model interpretability. Rigorous validation is essential before real-world use. Collaboration between researchers, healthcare providers, and computational chemists is key to translating these advancements into better patient outcomes, paving the way for a transformative approach to drug discovery and telemedicine. Future research should focus on 1) interpretable AI models for QSAR analysis to understand drug interactions, and 2) integrating QSAR with EHRs for personalized medicine in telemedicine.

References

[1] N. Kasoju, N. S. Remya, R. Sasi, S. Sujesh, B. Soman, C. Kesavadas, C. V. Muraleedharan, P. H. Varma, and S. Behari, "Digital health: trends, opportunities and challenges in medical devices, pharma and bio-technology," CSI Trans. on ICT, vol. 11, no. 1, pp. 11-30, 2023.https://doi.org/10.1007/s40012-023-00380-3

[2] S. Sugandha, R. R. Choubey, R. K. Gupta, and S. B. Gupta,"Role of Digital Transformation and Technology Adoption in the Efficiency of the Pharmaceutical Industry," European Chemical Bulletin, vol. 12, no. 5, pp. 6862 – 6874, 2023.10.48047/ecb/2023.12.si5a.0620

[3] S. P. Rao, U. H. Manjunatha, S. Mikolajczak, P. G. Ashigbie, and T. T. Diagana,"Drug discovery for parasitic diseases: powered by technology, enabled by pharmacology, informed by clinical science," Trends in Parasitology, vol. 39, no. 4, pp. 260 – 271, 2023.https://doi.org/10.1016/j.pt.2023.01.010

[4] X. Xu, H. Li, A. Mehmood, K. Chi, D. Shi, Z. Wang, B. Wang, Y. Li, and Y. Luo, "Mechanistic Studies on Aluminum-Catalyzed RingOpening Alternating Copolymerization of Maleic Anhydride with Epoxides: Ligand Effects and Quantitative Structure-Activity Relationship Model," Molecules, vol. 28, no. 21, pp.1-12, 2023. https://doi.org/10.3390/molecules28217279

[5] H. J. Huang, C. L. Chou, T. T. Sandar, W. C. Liu, H. C. Yang, Y. C. Lin, C. M. Zheng, and H. W. Chiu, "Currently Used Methods to Evaluate the Efficacy of Therapeutic Drugs and Kidney Safety," Biomolecules, vol. 13, no. 11, pp. 1-15, 2023.https://doi.org/10.3390/biom13111581

[6] S. Thakkar, W. Slikker Jr, F. Yiannas, P. Silva, B. Blais, K. R. Chng, Z. Liu, A. Adholeya, F. Pappalardo, M. D. Soares, and P. E. Beeler,"Artificial intelligence and real-world data for drug and food safety–A regulatory science perspective," Regulatory Toxicology and Pharmacology, vol. 140, pp. 1-8, 2023.https://doi.org/10.1016/j.yrtph.2023.105388

[7] Q. Rafique, A. Rehman, M. S. Afghan, H. M. Ahmad, I. Zafar, K. Fayyaz, Q. Ain, R. A. Rayan, K. M. Al-Aidarous, S. Rashid, and G. Mushtaq,"Reviewing methods of deep learning for diagnosing COVID-19, its variants and synergistic medicine combinations," Computers in Biology and Medicine, pp. 1-23, 2023.https://doi.org/10.1016/j.compbiomed.2023.107191

[8] S. Ma, J. Liu, W. Li, Y. Liu, X. Hui, P. Qu, Z. Jiang, J. Li, and J. Wang,"Machine learning in TCM with natural products and molecules: current status and future perspectives," Chinese Medicine, vol. 18, no. 43, pp. 1-7, 2023.https://doi.org/10.1186/s13020-023-00741-9

[9] K. G. Lockwood, V. Pitter, P. R. Kulkarni, S. A. Graham, L. A. Auster-Gussman, and O. H. Branch,"Predictors of program interest in a digital health pilot study for heart health," PLOS Digital Health, vol. 2, no. 7, pp. 1-20, 2023.https://doi.org/10.1371/journal.pdig.0000303

[10] A.K. Bashir, N. Victor, S. Bhattacharya, T. Huynh-The, R. Chengoden, G.Yenduri, P. K. Maddikunta, Q. V. Pham, T. R. Gadekallu, and M. Liyanage, "A Survey on Federated Learning for the Healthcare Metaverse: Concepts, Applications, Challenges, and Future Directions," arXiv preprint arXiv:2304.00524, pp. 1-15, 2023. https://doi.org/10.48550/arXiv.2304.00524

[11] Y.L. Liu, Y. Wang, O. Vu, R. Moretti, B. Bodenheimer, J. Meiler, and T. Derr,"Interpretable chirality-aware graph neural network for quantitative structure activity relationship modeling in drug discovery," In Proc. of the AAAI Conf. on Artificial Intelligence, vol. 37, no. 12, pp. 14356-14364, 2023.https://doi.org/10.1609/aaai.v37i12.26679

[12] Y. Matsuzaka, and Y. Uesawa,"Ensemble Learning, Deep LearningBased and Molecular Descriptor-Based Quantitative Structure– Activity Relationships," Molecules, vol. 28, no. 5, pp. 1-11, 2023.https://doi.org/10.3390/molecules28052410

[13] X. Huo, J. Xu, M. Xu, and H. Chen,"An improved 3D quantitative structure-activity relationships (QSAR) of molecules with CNN-based partial least squares model," Artificial Intelligence in the Life Sciences, vol. 3, pp. 1-7, 2023.https://doi.org/10.1016/j.ailsci.2023.100065

[14] S.J. Belfield, M. T. Cronin, S. J. Enoch, and J. W. Firman,"Guidance for good practice in the application of machine learning in development of toxicological quantitative structure-activity relationships (QSARs)," Plos one, vol. 18, no. 5, pp. 1-29, 2023.https://doi.org/10.1371/journal.pone.0282924

[15] S.H. Park, H. G. Lee, X. Liu, S. K. Lee, and Y. T. Chang,"Quantitative Structure-Activity Relationship of Fluorescent Probes and Their Intracellular Localizations," Chemosensors, vol. 11, no. 5, pp.1-10, 2023.https://doi.org/10.3390/chemosensors11050310

[16] P. Iswanto, I. M. Firdaus, A. F. Dafaulhaq, A. G. Ramadhani, M. P. Saputri, and H. Ekowati,"Quantitative Structure-Activity Relationship of 3-Thiocyanate-1H-Indoles Derived Compounds as Antileukemia by AM1, PM3, and RM1 Methods," Jurnal Kimia Sains dan Aplikasi, vol. 26, no. 3, pp. 109-117, 2023.https://doi.org/10.14710/jksa.26.3.109-117

[17] T.R. Noviandy, A. Maulana, G. M. Idroes, T. B. Emran, T. E. Tallei, Z. Helwani, and R. Idroes,"Ensemble Machine Learning Approach for Quantitative Structure Activity Relationship Based Drug Discovery: A Review," Infolitika J. of Data Science, vol. 1, no. 1, pp. 32-41, 2023. https://doi.org/10.60084/ijds.v1i1.91

[18] D. S. Megawati, J. Ekowati, and S. Siswandono,"Quantitative Structure-Activity Relationship (QSAR) of N-Benzoyl-N'Naphtylthiourea Derivative Compounds by in Silico as Anticancer Through Inhibition of VEGFR2 Receptors," Int. Conf. on Green Technol., pp. 137-148, 2023.10.2991/978-94-6463-148-7_15

[19] R. T. Pusparini, A. A. Krisnadhi, and Firdayani,"MATH: A Deep Learning Approach in QSAR for Estrogen Receptor Alpha Inhibitors," Molecules, vol. 28, no. 15, pp. 1-15, 2023.https://doi.org/10.3390/molecules28155843

[20] R. Hadanu, S. Abd Samad, and M. F. Azzajad,"Quantitative Relationships Analysis of Structure and Activity of Asam-5Aryledene-N, N'-dimethylbarbituric Derivatives as an Uric Acid Drug," SCIREA J. of Medicine, vol. 7, no. 2, pp. 1-16, 023. https://doi.org/10.54647/pm310205

[21] S. S. Duay, R. C. Yap, A. L. Gaitano III, J. A. Santos, and S. J. Macalino,"Roles of Virtual Screening and Molecular Dynamics Simulations in Discovering and Understanding Antimalarial Drugs," Int. J. of Molecular Sciences, vol. 4, no. 11, pp. 1-33, 2023.https://doi.org/10.3390/ijms24119289

[22] C. Lestari, E. Darwin, D. P. Putra, N. Suharti, and B. A. Gani, "The Role of Plant Extracts in the Repair of Rattus Norvegicus Mandibular Alveolar Bone in a Periodontitis Model," RASĀYAN J. Chem., vol. 16, no. 3, pp. 1342-1350, 2023. http://doi.org/10.31788/RJC.2023.1638159

[23] T. R. Noviandy, A. Maulana, T. B. Emran, G. M. Idroes, and R. Idroes, "QSAR Classification of Beta-Secretase 1 Inhibitor Activity in Alzheimer'sDisease Using Ensemble Machine Learning Algorithms," Heca J. of Applied Sciences, vol. 1, no. 1, pp. 1-8, 2023. DOI: 10.60084/hjas.v1i1.12

[24] C. Dhande, D. Mistry, A. Karthic, R. Singh, and S. H. Barage," Computational approaches to identify novel inhibitors for the drugresistant Mycobacterium tuberculosis DprE1 enzyme," Indonesian J. of Biotechnology, vol. 28, no. 3, pp. 180-190, 2023. https://doi.org/10.22146/ijbiotech.80145

[25] A. P. Toropova, A. A. Toropov, A. Roncaglioni, and E. Benfenati, "Binding organophosphate pesticides to acetylcholinesterase: Risk assessment using the Monte Carlo method," Toxicological and Environmental Chemistry, vol. 105, no. 1-7, pp. 19-27, 2023.https://doi.org/10.1080/02772248.2023.2181348

Copyright © IEEE–2024 ISBN: 979-8-3503-8058-3

Authorized licensed use limited to: Norges Teknisk-Naturvitenskapelige Universitet. Downloaded on February 21,2025 at 16:52:09 UTC from IEEE Xplore. Restrictions apply.