




Fig. 14.26 Assigned conductors

### 14.3.3 Add texts

In addition to symbols and components, a schematic also contains texts that describe or explain functions. There are two types of text in EPLAN: free text and path function text. Free text is not output in reports such as a terminal diagram. EPLAN essentially ignores this type of text.

It only exists “visually” on the page. Path function text can be output by EPLAN, for example in a terminal diagram. This is why this type of text is usually preferable to free text.

Free texts are inserted via the **INSERT/GRAPHIC/TEXT** menu.





Fig. 14.27 Inserting free text


Path function text is inserted via the **INSERT/PATH FUNCTION TEXT** menu.

**Fig. 14.28**  
Inserting path function text




After you have selected the type of text, EPLAN opens the **PROPERTIES/TEXT** dialog where you can enter the text and then place it.

**Fig. 14.29**  
Labeling with text



**Fig. 14.30**  
Placed path function text



You have now finished creating a simple schematic.

## 14.4 Generate reports

In addition to schematics, projects can include reports, such as terminal diagrams, cable diagrams or even a table of contents.

**What are reports?** Reports are graphical lists that EPLAN fills with data from the project or schematic. Examples are terminal information for a terminal diagram or page information for a table of contents.

In EPLAN, reports can be created with just a few clicks. Select the **UTILITIES/REPORTS/CREATE** menu item.




Fig. 14.31 Generate reports menu item

EPLAN opens the **REPORTS** dialog. Click the *Reports* tab.




Fig. 14.32 Reports dialog

EPLAN opens the **SELECT REPORT** dialog after you click the  button. Here you select the desired **Report type** and **Output format**.




Fig. 14.33 Select report dialog

When you are done, click **OK** to exit the **SELECT REPORT** dialog. EPLAN opens the **FILTER/SORTING – TERMINAL DIAGRAM** dialog. Simply click **OK** to skip this dialog at the moment.




Fig. 14.34 Filter and sorting options



### 14.4.1 Generating other report pages

You can of course generate more reports than just the terminal diagram. A table of contents, for example, that outputs a list of all the pages in a project. The procedure is the same as described in section 14.4. Fig. 14.37 shows a table of contents that was added to a project.




Fig. 14.37 Other reports

# Index

## Symbols

### 368  
#H# 368  
#ID# 368  
#RO# 368  
#RW# 368  
<<...>> string 102*f*.

## A

action line 593  
actions 439, 501  
adapt page structure 88  
add 147  
address 236, 239  
alignment 141  
alphanumeric 383  
angle variant 150  
API 39  
apply 386  
archive 491  
area of application 291  
arguments 595  
assign 176  
assign conductors 642  
assign main function 177  
assignment 218  
assignment lists 236  
assign pages 454  
asterisk 110  
AutoComplete 40

autoconnecting 568  
AutoCorrect 40  
automated processing 439, 501  
automatic cable generation 223  
automatic cable selection 221  
automatic generation 223  
automatic page description 527  
auxiliary contact 154  
auxiliary function 176, 181  
available format elements 360

## B

backed up 485  
background 462  
background color 588  
backing up master data 505  
backup 440, 489  
back up data 502  
backup directory 496, 498  
backup drive 36  
back up entire project 493  
back up external documents 494  
backup file name 506  
backup function 489  
back up image files 494  
backup scope 489  
basic project 75, 567  
BIN 13  
black and white 458  
black triangle 59  
blank pages 329

block editing 207, 436  
block properties 417  
bmp 460  
bold 438  
border 142, 149  
brackets 27  
break up assemblies 352  
browse 323  
by column or row 27  
by position 383

## C

cable assignment diagram 295  
cable conductor 217  
cable connection diagram 295  
cable data 225  
cable definition 228, 640  
cable definition line 20, 223  
cable diagram 297  
cable editing functions 221  
cable navigator 217  
cable numbering 21, 220  
cable overview 297  
cable parts 321  
cable properties 296  
cable selection 222  
cable type 223, 641  
cancel 220  
category 361, 391, 394  
CD/DVD burner 491  
center of rotation 566

CFG 13  
 changed pages only 464  
 change of standard 37  
 change positions 55  
 characteristic 421, 547  
 characters 329  
 check form 526  
 check routines 390  
 check usage 384  
 circle 117  
 clipboard 34  
 close 100, 438, 528, 534  
 closed 100  
 color codes 28  
 color depth 458  
 color designation 319  
 color information 458  
 color setting 37, 479, 581  
 column 27, 533  
 column configuration 66, 403  
 combine 326  
 COM interface 39  
 comment function 592  
 company fonts 42  
 comparison criteria 421  
 comparison project 71  
 complete 440  
 completed messages 396  
 component data 421  
 components 147, 634  
 compress 30, 439, 499  
 compression 458, 500  
 compression function 258  
 conductor 217  
 conductor designations 226  
 configure 47, 54, 402  
 connection data 217, 223, 290, 317  
 connection definition point 20, 568  
 connection dialog 37  
 connection junction 24, 37  
 connection levels 294  
 connection list 306  
 connection point description 147

connection point designation 147, 232, 421, 637  
 connections 28, 110, 217, 367  
 contact image 28, 154, 157  
 contact image coil 272  
 contact image margin 158  
 contact image offset 576  
 contact image position 577  
 contactor coil 157  
 contacts 157  
 continued dimension 129  
 conversion 537  
 conversion to uppercase 20, 593  
 coordinate input 111, 115  
 coordinates 109, 114, 462  
 coordinate system 110, 115  
 copied 88, 520  
 copy 90, 94, 128, 382, 439, 443, 461  
 copy from/to 94  
 copy to project 495  
 correction 30  
 create form 529  
 create plot frame 535  
 create report template 346  
 creating 69  
 creation date 628  
 creator 628  
 cross-reference 27  
 cross-reference representation 27, 154  
 cross-references 154  
 currency 416  
 cursor position 109  
 cursor settings 37  
 customer-supplied 605

## D

data area 527  
 data backup 440, 485, 505  
 database 385  
 data entry fields 102  
 data portal 541  
 data records 318, 528

data rows 528  
 data to be compressed 500  
 data type 235  
 data volume 17, 500  
 default cable type 223  
 default directory 14  
 default settings 40, 57, 321, 498, 500  
 default values 158, 221  
 definition 151  
 delete 98, 128, 381*f.*, 439  
 deleted 99  
 delete report block 346  
 description 407, 462, 490, 507  
 description dialogs 34  
 designations 414  
 device connection diagram 293  
 device cross-references 28  
 device dialog 54  
 device groups 436  
 device navigator 174  
 devices 361  
 device selection 30, 226, 420  
 device structure 69, 443  
 device tag 174, 220  
 device tag list 292  
 device tag structure 24  
 device types 166  
 dialog elements 53  
 dictionary 40, 383  
 digital start address 241  
 dimensioning 129  
 dimension line termination 26  
 direct entry 145  
 directory 71, 369, 506  
 directory structure 13, 34  
 display 19, 22, 148  
 displayed DT 147, 216, 637  
 displayed languages 142  
 distortion 462  
 distributed view 232  
 DOC 477  
 document type 380  
 dongle 8  
 drawing directory 294

DRX 116  
DRY 116  
DWG 446  
DXF 446  
DXF/DWG dialog 446  
DXF/DWG directory 452  
DXF/DWG files 38, 448  
dynamic 303, 527  
dynamic forms 328, 527

## E

edb 444  
edc 366  
edit 195, 217, 436  
edit externally 365  
editing in table 66  
editor 357  
edit properties 101  
edit terminal strips 197  
elk 71, 444  
ell 71  
elp 71  
elr 71  
els 71  
elt 71  
elx 71  
e-mail 440, 485, 491, 507  
e-mail message split size 36  
embedded reports 290  
enclosure legend 301  
end point 575  
engraving text 147  
enlarge 127  
enlarged 110  
enlargement 449  
entirely without report 443  
entirely with report 443  
entire project 222, 459, 464, 477  
epj 439, 467  
equals sign 318  
error 11, 394  
Excel 289, 356, 358, 362  
Excel template 367

exchanging 366  
exclamation mark 570  
export 353, 445, 456, 466  
exported 373  
extension 142  
extent 202, 443  
external application 372  
external files 356  
external format 289  
external PPC system 39  
external project 97

## F

female pins 212, 214, 304  
filed-off project 71  
file off 491  
file type 366, 370, 449  
filter 59, 146, 292, 399, 441, 501  
filter dialogs 59  
filter setting 350  
find 385  
font 42, 140  
font size 140  
footer 359  
form 351  
format 58, 140, 182  
format elements 359, 361, 371  
format of the subpage 329  
formatting 58  
form editor 520, 523  
form errors 526  
form handling 527  
form name 523  
form overview project 514  
form project 70  
form properties 44, 291, 527, 530, 619  
forms 511, 519  
forms documentation 293  
form settings 317  
form structure 520  
found words 383  
free properties 416  
freeze report block 346

full DT 147  
full name 415  
full page name 85, 632  
functional assignment 379  
function data 67  
function definition 30, 151, 155, 190, 205, 213, 241, 421  
function group 419  
functions 367  
function template 420  
function text 134, 147  
function text synchronization 179

## G

general 371  
generated 81  
generate file names 449  
generate functions 206, 242  
generate pin 215  
generate plugs 214  
generate project reports 355  
generate report 334  
global 566  
GRAFCET 20  
graphic 81, 455  
graphical approach 12  
graphical buttons 53  
graphical coordinate system 110  
graphical elements 127  
graphical functions 117, 523  
graphical output 289, 321, 326, 334  
graphical output pages 323, 328  
graphical pages 81  
graphical reporting 318  
graphical reports 289, 333  
graphics card 1  
grid 101, 109, 112  
grid sizes 37  
group 127  
group number 419

**H**

handle 261, 269  
 handle parts when outputting 320  
 handles 58  
 hardware 1  
 hardware protection 8  
 hash 110  
 header 359  
 higher-level function 379  
 higher-level function number 380  
 highlighted 221, 223, 233, 365, 520

**I**

identical function text 318  
 identifier 35, 368  
 identifier block 380  
 identifiers 21, 85, 145, 182, 375  
 identifier set 21  
 identifying property 232  
 IEC identifier structure 74  
 illogical values 368  
 image files 456  
 image formats 456  
 IMAGES 461  
 import 353, 372, 445, 459, 466*f.*, 537  
 import of parts 550  
 increment 113  
 indirectly 147  
 information 109  
 initial data 647  
 insert 91, 128, 523  
 inserted 459  
 insertion mode 89  
 insertion point 111  
 installation 1  
 installation site 379  
 integer 329  
 intelligence 134, 475  
 interactive pages 81  
 interfaces 38  
 internal 39, 444

internal output 289  
 interruption points 569  
 item numbers 383

**J**

jpg 460  
 jump functions 475  
 jump point 389

**K**

keep aspect ratio 462, 465  
 keep source directory 461  
 key combination 61

**L**

label 359  
 labeling 38, 289, 356  
 labeling data 357  
 labeling dialog 361  
 language 142  
 language display 149  
 language output 357  
 layer 140, 404  
 layer configuration file 405  
 layer designations 404  
 layer export 405  
 layer import 405  
 layer management 404, 614  
 layers 295, 302, 404  
 layer settings 405  
 layers of a macro 258  
 legend form 618  
 letters 31  
 level 320  
 license number 8  
 line 117  
 line thickness 30  
 links 495  
 lists 444  
 list view 65, 79, 91, 146  
 local 13  
 logical coordinate system 111

logical page 81  
 logical PLC overview 233  
 logic elements 113  
 login data 542  
 long-term archiving 456  
 lost 100

**M**

macro box 256  
 macro name 260  
 macro project 70, 255  
 macros 255  
 main form 325  
 main function 176, 226, 637  
 male pins 214  
 management 434, 439  
 managing 70  
 manual 158, 225, 290, 349, 389, 404  
 manual object assignment 261  
 manual placement 301, 339, 341  
 manual selection 341*f.*  
 manufacturer 414  
 manufacturer data 545  
 master data 69, 505, 508  
 master data directories 61  
 maximum 527  
 message class 393  
 message description 389  
 message management 11, 30, 388  
 message number 394  
 message priority 389  
 message text 394  
 message type 389  
 method 490  
 minimum number 328  
 min. no. of report rows on report page 328  
 motor overload switch contact image 154  
 motor overload switches 28  
 mounting data 418  
 mounting location 324, 380

mounting panel 264  
 mounting site 147  
 move 157, 218, 381, 439, 502  
 move base point 115  
 moved 148  
 multi-line 27, 81  
 multiple selection 508  
 multiple starts 43

## N

name 35, 350  
 naming conventions 69  
 navigation elements 475  
 navigator 165  
 negative values 111  
 network drive 34  
 new 190, 205, 213, 228, 241, 346, 359, 529  
 new device 193, 244  
 new form 522  
 new functions 206, 214, 242  
 new layer 406  
 new page 85  
 new page if property is changed 350  
 new project 74  
 normal texts 133  
 note 394  
 no type of check 394  
 numbering 21, 28, 179, 181, 195, 219, 454  
 numbering format 182  
 numbering function 181  
 numbering (offline) 21  
 numbering (online) 21  
 numbering options 219  
 numbering pattern 242  
 number/name 150  
 number of decimal places 35  
 number (offline) 182  
 number plugs 213  
 number terminals 201  
 numeric 202  
 numeric keypad 435

## O

object-oriented approach 12  
 ODBC 39  
 offline 21, 181, 375  
 offline check 390  
 offline numbering 21, 181  
 offline type of check 395  
 one language (variable) 142  
 online 12, 290, 317, 375, 389  
 online assignment 21  
 online check 390  
 online/offline type of check 396  
 online system 12  
 only header data 444  
 only logic pages 444  
 open 87, 95, 323, 438, 460, 529  
 open in new window 87  
 operation 71  
 options 357  
 order number 414  
 organize 439  
 origin 110f.  
 original project 491, 538  
 output 19, 364, 450  
 output directory 448, 458  
 output file 357, 372  
 output form 346  
 output format 336  
 output settings 458  
 output sorting 463  
 output to pages 321  
 output type 357  
 overview 27, 40, 516  
 overview cross-references 27  
 overwrite with prompt 461  
 overwriting 72  
 overwritten 521  
 own layers 406

## P

pack 440  
 packed 440, 485  
 page 27, 84, 367, 445

page break 326, 527  
 page contents 88  
 page description 101, 351, 632  
 page editing 84  
 page handling 31  
 page macros 260, 270  
 page name 27, 85, 585  
 page navigator 79  
 page number 89, 98, 329  
 page numbering 568  
 page properties 44, 91, 101, 305, 365, 523  
 page property texts 136  
 page range 464  
 page scale 270  
 page sorting 323, 325, 351, 598  
 page structure 72, 77, 86, 97, 323, 443, 454, 514  
 page type 27, 33, 53, 81, 632  
 pair index 610  
 pairs 569  
 part 153  
 part assemblies 320  
 partial output 325, 351  
 part number 153, 414  
 part quantity list 292  
 parts data 413  
 parts database 30  
 part selection 30, 39, 153  
 parts list 291  
 parts management 172, 244, 411  
 parts master data 468  
 path areas 53  
 path function text 236  
 path function texts 134  
 path numbering 31  
 PDF export 476  
 PDF file 477  
 PDF format 475  
 percent 462  
 performance 35  
 PE terminals 202  
 phone 35  
 P\_ID 13  
 pin connection diagram 302

- PIN number 232
  - pins 212
  - placed 290, 462
  - placeholder object 273
  - placeholder text 523, 533
  - placing 326
  - plain text 133
  - PLC address 233, 236
  - PLC assignment lists 22
  - PLC box 241
  - PLC card 166, 232, 243
  - PLC card overview 302
  - PLC components 302
  - PLC data 245
  - PLC diagram 301
  - PLC navigator 231
  - PLC numbering 21
  - PLC overview 232, 234
  - PLC-specific settings 241
  - PLC terminal 232, 235
  - plot frame 31, 533
  - plot frame documentation 300
  - plot frame editor 531
  - plot frame properties 44, 158, 533
  - plot frames 511, 531
  - plug diagram 303
  - plug navigator 212
  - plug overview 304
  - plugs 212, 214, 304
  - plug/socket strips 214
  - png 460
  - point wiring 24
  - polyline 117
  - positions 158
  - post-processing 516
  - potential overview 300
  - prefix 20
  - preselection 30
  - preview 94, 452
  - preview dialog 179
  - preview of result 183, 220
  - previous versions 537
  - prices/other 415
  - print 463
  - print command 463
  - printer 463
  - print margins 465
  - print position 465
  - print preview 465
  - print settings 464
  - print size 464
  - print to scale 464
  - profile 440
  - program directory 13
  - program start 15
  - project 69
  - project cables 295
  - project checks 30, 390
  - project copy 443
  - project data 165, 212, 290, 318, 321, 328, 341, 363, 519, 523
  - project database 42, 435, 440
  - project directories 435, 440
  - project documentation 289, 294, 519
  - project editing 30, 71, 74
  - project file 486
  - project information 440
  - ProjectInfo.xml 486
  - project languages 142, 357
  - project management 15, 434
  - project master data 18, 30, 38, 61, 70, 323, 332
  - project messages 375
  - project name 74, 100, 496
  - project options 553
  - project options group 553
  - project options overview 563
  - project path 496
  - project properties 18, 44, 77, 486
  - project property texts 136
  - project selection 95
  - project setting 332
  - project-specific 404
  - project structures 22
  - project template 72
  - project tree 435
  - project type 70*f.*
  - properties 43, 77, 101, 194, 350
  - property 148
  - property arrangement 56
  - property arrangements 611
  - property dialog 111
  - property fields 437
  - property name 43, 147
  - property number 36, 43
  - property selection 45, 53, 101, 148
  - purchase price 415
- ## Q
- quantity unit 415
- ## R
- range 33
  - read back 372
  - read-only 368
  - read write 368
  - rectangle 117
  - reduce 127
  - reduction 449
  - relative coordinate input 115
  - remove project data 500
  - rename 439
  - renaming 98, 366
  - reorganize 439
  - repetition 318, 357
  - replace 382, 385
  - report pages 290, 329
  - report runs 317
  - reports 19, 35, 53, 134, 289, 334, 443
  - report type 53, 291, 322, 336, 347
  - representation type 151, 270
  - restore 495*f.*
  - restore back 495
  - restored 485
  - restore master data 507
  - restrictions 346
  - review 390
  - revised project 71

- revision control 30
- revision overview 300
- revision tracking 71
- round 329
- row texts 533
- RX 109
- RY 109

## S

- save 437, 478
- save additionally 491
- saved 373
- scale 101, 127, 566
- scaling factor 449
- schematic project 70, 627
- scheme 181, 220, 241, 358f., 371, 389, 391, 447, 453
- script name 502
- scrolling 37
- sections 553
- select 12, 98, 180, 435
- select associated objects 263
- selected 342, 365, 371, 450
- selected format elements 360
- select form 323
- selection 88, 464
- selection list 147
- select plot frame 534
- separators 27, 38
- sequence 53, 202, 403, 585
- sequence chains 20
- sequence sheets 20
- sequential numbering structure 74
- service time 419
- set data types 235
- settings 17, 164, 358
- settings – company 41
- settings – project 18
- settings – station 41
- settings – user 34
- shopping cart 551
- shortcut keys 40
- single-line 27, 81
- single-screen solution 2
- size 462
- snap 584
- sort 196, 383
- sort code 569
- sorting 81, 384
- sorting into 454
- sorting sequence 86
- sort setting 350
- source 217, 229, 446, 477
- special characters 20, 586
- special text 45, 48, 136, 523
- split size 491
- standard base point 115
- standard layers 405
- start application 362, 372
- starting point 575
- start page 350
- static 527
- static coordinate input 115
- static forms 328, 527
- status 502
- status bar 109
- storage location 69, 75, 435
- storage medium 491, 507
- stored 31, 43, 61, 70, 323, 499, 529
- storing 17
- stretch 574f.
- string of characters <<...>> 437
- structure 77, 146
- structure identifier management 81, 375
- structure identifier overview 304
- structure identifiers 20, 22, 31, 35, 85, 348, 375
- student version 573
- style version 448
- sub-entries 404
- subpages 31, 329
- subsequent editing 366
- summarized 324
- summarized parts list 292
- superior 577
- supplementary field 350
- supplier 414

- switched on 113
- symbol 27, 145, 634
- symbol data 150
- symbol/function data 150
- symbol library 19, 31, 146
- symbol list 145
- symbol names 145
- symbol overview 305
- symbol preview 145
- symbol project 70
- symbol properties 27, 44
- symbol representation type 146
- symbol selection 145, 147, 171, 635
- symbol variants 145
- synchronization 70, 512
- synchronize 29, 179
- synchronize function texts 180
- synchronize master data 291, 522, 580
- synchronize parts 468
- system master data 18, 30, 60, 70, 332, 511f.
- system messages 35

## T

- tab 366
- tabbed page list 88
- table of contents 294
- target 217, 229
- target and point wiring 24
- target designations 454
- target directory 496
- target file 362
- target project 76
- target system 448
- target wiring 24
- technical characteristic 147
- technical data 419
- template project 567
- templates 75, 333f., 346, 363, 628
- temporary 70, 512, 532, 535
- temporary page 523, 529

temporary project 71  
 terminal connection  
   diagram 297  
 terminal diagram 299  
 terminal editing 166  
 terminal line-up diagram 298  
 terminal number 232  
 terminal parts 321  
 terminal schemes 203  
 terminal strip definitions 608  
 terminal strip navigator 195  
 terminal strip overview 299  
 text dialog 58  
 text expansion 143  
 text file 358  
 text input field 139  
 texts 132  
 title page/cover sheet 305  
 T-node 25, 37  
 total 324  
 total + higher-level function 325  
 transferred 180  
 translation 31, 133, 139, 143, 383  
 translation run 33  
 tree structure 80  
 tree view 64, 91, 146  
 two-screen solution 2  
 types of check 389

## U

UNDO command 100  
 UNDO function 366, 437, 531  
 unfold 28  
 ungroup 128  
 units 28, 35  
 unpack 440

unpacked 485  
 unplaced 217, 242, 281, 292, 444, 499  
 update 346  
 update pages 355  
 upper-case letters 20  
 use available function data 164  
 used 217  
 use existing 167  
 use graphical coordinates 114  
 use original DT 225  
 user 440  
 user-defined 57, 380  
 user interface 34, 63, 108  
 user settings 36  
 user supplementary field 437  
 using the mouse 63  
 utilities 289

## V

value 147  
 value sets 272, 569  
 variable name 277  
 variant 150, 270  
 viewer 622  
 viewpoints 165

## W

warning 394  
 watermark 30  
 wearing part 419  
 which cables? 222  
 window legend 301  
 window macros 70, 268  
 wire 217  
 workbook 88  
 working area 108  
 workspace 34*f.*  
 workstation 435

write back 233, 290, 367  
 write protection 491  
 writing back 220

## X

XML file 359, 366, 468  
 X,Y 110

## Y

Y positions 115

## Z

zipped project 71  
 zw1 505  
 zw2 505  
 zw3 505  
 zw4 505  
 zw5 505  
 zw6 505  
 zw7 505  
 zw8 505