

and then import the externally edited data to the EPLAN project. The data in the project is automatically changed without you having to make these changes in EPLAN.




Fig. 6.2 Edit properties externally menu

## ■ 6.1 What are reports?

Reports are selected project data that can output, for example, a *terminal diagram* in graphical form on newly generated project pages (internal report) or that can write data into a *text file* (external report).

EPLAN also offers another special type of report. You can, for instance, directly place a motor plug as a report onto the page containing the motor. These types of reports are *manually placed* (embedded report), and the versatile form design provides the user with a rich variety of custom uses.

Since EPLAN keeps all the data online and automatically updates the connection data before generating a report, the user does not need to update manually.

## ■ 6.2 Report types

As mentioned previously, EPLAN distinguishes between normal report pages, embedded reports and frozen reports. Normal report pages are automatically newly created in the project based on their settings, whereas embedded reports are manually placed directly on the page on which the information (e.g. pin assignments, etc.) is to be displayed.

Frozen reports are automatically generated once and then “frozen” so that these reports can no longer be changed via an update, neither automatically nor manually. Frozen reports (the report pages) must be deleted and generated again if they need to be updated.

## 6.3 Types of graphical reports

All graphical reports are based on a particular report type, which itself evaluates only specific data. Every form has a specific area of application for form properties. However, not all form properties can be used in every type of form. A number of specific form properties can, however, be used in a range of different forms.

This section lists all currently possible report types with a brief description of each one.

### 6.3.1 Report types (forms)

EPLAN manages different **report types (forms)** for the reports. Broadly speaking, report types are distinguished by their file extension *\*.fnn*, where *nn* is a number.

- **F01** Parts list
- **F03** Device tag list
- **F13** Terminal diagram
- **F22** Plug diagram

**NOTE:** Forms should **always** be edited using the internal EPLAN form editor because, when editing and saving forms, EPLAN also saves internal information in the form to allow later master data synchronization to be correctly performed.

**TIP:** Some of the following reports are special reports for further add-ons (sold separately), such as Pre-planning or the Topology add-on (FieldSys). I list them here for the sake of completeness.

#### 6.3.1.1 Parts list \*.f01

A parts list contains a list of all the parts but not the totals. This form corresponds to a normal single parts list.

### Parts list

| designation         | part number         | Quantity | Device Design  |
|---------------------|---------------------|----------|----------------|
| Mini contactor      | MOE.010042          | 1        | ==Example=Chap |
| Auxiliary contactor | SIE.3RH1122-18B40   | 1        | ==Example=Chap |
| Auxiliary contactor | ABB.FPH1421001T8440 | 0        | ==Example=Chap |

Fig. 6.3 Sample parts list (file extension \*.f01)

One special feature of this form should be noted. Parts with a quantity of “0” are also initially output by default. Unplaced parts are also listed in the standard forms. If this data should **not** be output, then you can use a filter to limit the contents of the output (see also section 6.3.1.2, “Summarized parts list \*.f02”).

6.3.1.2 Summarized parts list \*.f02

The summarized parts list is the output of all parts, but unlike the parts list, all of the same parts are output here as a total. This corresponds to a part quantity list.

Summarized parts list

| supplier | Order number    | Quantity | designation         | Type numbe  |
|----------|-----------------|----------|---------------------|-------------|
| MOE      |                 |          |                     |             |
|          | 010042          | 2        | Mini contactor      | DILER-22-G  |
| SIEMEN   |                 |          |                     |             |
|          | 3RH1122-1BB40   | 0        | Auxiliary contactor | 3RH1122-1BB |
| ABB      |                 |          |                     |             |
|          | FPH1421001T8440 | 2        | Auxiliary contactor | FPH1421001T |

Fig. 6.4 Sample summarized parts list (file extension \*.f02)

The same applies for this form: Parts with a quantity of “0” are output by default. In the standard forms supplied with EPLAN, unplaced parts are also listed by default. If this data should **not** be output in the summarized parts list, then you again have the option of using a filter to limit the data that is included in the output.

6.3.1.3 Device tag list \*.f03

The device tag list allows you to output all the devices used in a project, along with their information, such as part number, placement of main and auxiliary functions, technical part data, graphical preview of the component (symbol) used, and much more.

Device tag list

| device tag<br>part number<br>Type number   | function text<br><br>Article designation                       | X-Ref | symbol                                                                                |
|--------------------------------------------|----------------------------------------------------------------|-------|---------------------------------------------------------------------------------------|
| -3B1<br>PES.150402<br>SIEM-M12B-PS-K-L     | Proximity switch<br><br>Proximity switch (NO contact)          | /3.3  |  |
| -3H1<br>TEL.XB5 AV61<br>XB5 AV61           | Indicator light<br><br>Complete device, round, indicator light | /3.0  |  |
| -3K1<br>SIE.3RT1015-1BB41<br>3RT1015-1BB41 | Contactor<br><br>Contactor                                     | /3.1  |  |

Fig. 6.5 Sample device tag list (file extension \*.f03)

Whether or not a graphical representation of the corresponding component is to be displayed depends on the form used and/or the **<13050 Component graphic>** property. By default, unplaced devices are also output in forms, or you use the corresponding filter functions to output only the project data that is required or desired.

6.3.1.4 Forms documentation \*.f04

Forms documentation provides an overview of which forms are stored and used in a project.




Fig. 6.6 Sample forms documentation (file extension \*.f04)

This form has no additional filter possibilities, i.e. all forms stored in the project are output.

6.3.1.5 Device connection diagram \*.f05

A device connection diagram allows the representation of a device with all its device connection points and the internal/external devices connected to these.




Fig. 6.7 Sample device connection diagram (file extension \*.f05)

With this form and others, EPLAN offers the option of displaying the connected components over several connection levels on the internal and external pages.

In this form, internal connection points are not device-internal circuit diagrams, etc.

6.3.1.6 Table of contents \*.f06

The table of contents is one of the typical uses for forms in EPLAN. The table of contents, also called a drawing directory, generates a list of the complete project documentation (information regarding the existing project pages, such as page description, page's creator, current modification date, etc.).

|   |   |   |   |   |
|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 |
|---|---|---|---|---|

Remember: all examples are fictional examples and are only used for the purpos

| Table of contents             |                                              |
|-------------------------------|----------------------------------------------|
| Page                          | Page description                             |
| =Example=Chapter++06+6.3.1/5  | Device connection diagram =Chapter+6.3.1-4U1 |
| =Example=Chapter++06+6.3.1/6  | Reports Cable-connection diagram             |
| =Example=Chapter++06+6.3.1/7  | Reports Cable assignment diagram             |
| =Example=Chapter++06+6.3.1/8  | Reports Cable assignment diagram             |
| =Example=Chapter++06+6.3.1/9  | Reports Cable diagram                        |
| =Example=Chapter++06+6.3.1/11 | Reports Terminal-connection diagram          |
| =Example=Chapter++06+6.3.1/12 | Reports Terminal line-up diagram             |

Fig. 6.8 Sample table of contents (file extension \*.f06)

As with other forms, the table of contents has a number of functions, such as filters, sortings, etc., available for controlling the graphical output to suit your needs.

6.3.1.7 Cable connection diagram \*.f07

The cable connection diagram generates a form for a single cable (device) with all internal and external targets that are connected to the corresponding cable conductors.





Fig. 6.9 Sample cable connection diagram (file extension \*.f07)

The cable connection diagram belongs to the series of forms that can display the targets (external/internal) over several levels. Once again, predefined or user-defined filters can be used to control the output of the cable connection diagram and thus display only the required project cables.

6.3.1.8 Cable assignment diagram \*.f08

The cable assignment diagram is the only form that cannot be generally entered for all cables in the *Output to pages* setting.

Cable assignment diagram



| Cable name | Length |      |
|------------|--------|------|
| -W2        |        | -X6  |
| -W3        |        | -X6  |
| -W4        |        | -X6  |
| -W5        |        | -X6  |
| -W6        |        | -X6  |
| -W7        |        | -X6  |
| -W8        |        | -X10 |
| -W9        |        | -X10 |
| -W10       |        | -X10 |
|            |        |      |
|            |        |      |
|            |        |      |

Fig. 6.10 Sample cable assignment diagram (file extension \*.f08)

This is a special form that can be used, for example, to display a detailed representation of the internal structure of a cable together with a listing of the corresponding cables in the project (including various other information such as the cable device tag). Everything is displayed together on a single report page.




Fig. 6.11 Cable assignment diagram form entry on a cable

Since different cable types are usually used in a project, it makes no sense to make a global entry for a cable assignment diagram or a global selection for all cables in the settings.

The cable assignment form can be selected directly from the selection list in the cable properties (the property value would be **<20092 Cable assignment diagram form>**) or saved with the cable part in parts management (*Cable data* tab).




Fig. 6.12 Cable assignment diagram form entry in parts management

6.3.1.9 Cable diagram \*.f09

The cable diagram report is the representation of a single cable with all its conductors and their information.

Cable diagram

|                                   |                 |                         |                                  |           |                       |                  |     |
|-----------------------------------|-----------------|-------------------------|----------------------------------|-----------|-----------------------|------------------|-----|
| Cable name<br>=Chapter+6.3.1-9W11 |                 |                         | cable type<br>ÖLFLEX CLASSIC 110 |           |                       |                  |     |
| function text                     |                 |                         | no. of conductors                |           | 12G                   | cross-section    |     |
| function text                     | Page / column   | Target designation from | Connection point                 | conductor | Target designation to | Connection point | ll  |
|                                   | =Example+06/9.0 | X12                     | 1                                | 1         | X13                   | 1                | =Ec |
|                                   | =Example+06/9.1 | X12                     | 2                                | 2         | X13                   | 2                | =Ec |
| =                                 | =Example+06/9.1 | X12                     |                                  | 3         | X13                   | 3                | =Ec |
| =                                 | =Example+06/9.1 | X12                     | 4                                | 4         | X13                   | 4                | =Ec |
| =                                 | =Example+06/9.1 | X12                     | 5                                | 5         | X13                   | 5                | =Ec |

Fig. 6.13 Sample cable diagram (file extension \*.f09)

Depending on the structure of the form used, you can display information such as the internal and external targets of the connected devices. You can use filter settings to control the output of the cable diagram, etc. Without a filter setting, all cables used in the project, for example, would be output.

6.3.1.10 Cable overview \*.f10

By default, a cable overview contains a listing of all cables used in the project with all the desired information such as cable type, number of conductors, etc.

Cable overview

|                      |                                 |                          |           |               |
|----------------------|---------------------------------|--------------------------|-----------|---------------|
| cable type           | Cable description               | device tag               | Conductrs | cross-section |
| ÖLFLEX CLASSIC 110   | Control line, 3G1.5             | +5.2-W13                 | 3G        | 1.5           |
|                      | Control line, 12G1.0            | +5.2-W14                 | 12G       | 1             |
| UNITRONIC 100 CY     | Control and signal line, 4x0.34 | +5.2-W15                 | 4X        | 0.34          |
| ÖLFLEX CLASSIC 110   | Control line, 5G1.0             | +5.2-W16                 | 5G        | 1             |
| ÖLFLEX CLASSIC 110 H |                                 | +5.2-V(=Example++05-M6)  | 4         | 2.5           |
| ÖLFLEX CLASSIC 100 H |                                 | +5.2-V(=Example++05-M7)  | 4         | 10            |
| ÖLFLEX CLASSIC 110   |                                 | +5.2-V(=Example++05-M8)  | 4         | 1.5           |
|                      | Control line, 4G1.5             | +5.2-V(=Example++05-M9)  | 4G        | 1.5           |
|                      | Control line, 4G1.5             | +5.2-V(=Example++05-M10) | 4G        | 1.5           |

Fig. 6.14 Sample cable overview (file extension \*.f10)

You can again control the output by setting filters or use sorting to, e.g. display the cables by higher-level function or mounting location.

6.3.1.11 Terminal connection diagram \*.f11

The terminal connection diagram belongs to the category of reports that can display several levels of connected internal and external targets at the corresponding terminal strip.



6.3.1.13 Terminal diagram \*.f13

You can use a terminal diagram to output a single terminal strip with connected internal and external targets, for example, including the cables used.

0

1

2

3

4

Remember: all examples are fictional examples and are only used for the

Terminal diagram

| Function text                  | Target designation to | Conn. pt | Terminal<br>(conn. pt) | Target designation to | Conn. pt | Page / column |
|--------------------------------|-----------------------|----------|------------------------|-----------------------|----------|---------------|
| ==Example=Chapter++06+6.3.1-X9 |                       |          |                        |                       |          |               |
|                                | -XB                   | 1        | 1                      | -X10                  | 1        | /7.0          |
|                                | -XB                   | 2        | 2                      | -X10                  | 2        | /7.1          |
|                                | -XB                   | 3        | 3                      | -X10                  | 3        | /7.1          |
|                                | -XB                   | 4        | 4                      | -X10                  | 4        | /7.1          |
|                                | -XB                   | PE       | PE                     | -X10                  | PE       | /7.1          |
|                                | -XB                   | 5        | 5                      | -X10                  | 5        | /7.3          |

Fig. 6.17 Sample terminal diagram (file extension \*.f13)

Terminal diagrams can be controlled via the numerous filter and sorting options. The structuring of the terminal diagrams is also very versatile.

6.3.1.14 Terminal strip overview \*.f14

You can use the terminal strip overview form to obtain an overview of all terminal strips used in the project.

Terminal-strip overview

| terminal strip | function text | Terminals |      |          |
|----------------|---------------|-----------|------|----------|
|                |               | first     | last | Total PE |
| ++04+4.1.1-X19 |               | 1         | 25   | 1        |
| ++04+4.1.1-X20 |               | 1         | 25   | 1        |
| ++04+4.1.1-X21 |               | 1         | 25   | 1        |
| ++04+4.1.1-X22 |               | 1         | 7    | 1        |
| ++04+4.1.1-X23 |               | 1         | 7    | 1        |
| ++04+4.1.1-X25 |               | 1         | 50   | 0        |

Fig. 6.18 Sample terminal strip overview (file extension \*.f14)

In order to control the output of the desired terminal strips while editing the project, you can either enter the **<20857 No output to terminal strip/plug overview>** property into the terminal strip definition or limit the output later by using a filter. As with many other forms, actions such as sorting using predefined or user-defined filters are also possible here.

6.3.1.15 Plot frame documentation \*.f15

The plot frame documentation form is used to obtain an overview of all plot frames stored in the project.




Fig. 6.19 Sample plot frame documentation (file extension \*.f15)

There are no filtering or sorting options available for plot frame documentation forms. This always produces a total output.

6.3.1.16 Potential overview \*.f16

The potential overview report lists all potentials and signals used in the project, as well as further information, depending on the settings and structure of the form.

Potential overviewHB3\_F16\_001

| Name of potential | Potential value | Frequency | Potential type | Placement       |
|-------------------|-----------------|-----------|----------------|-----------------|
| 0V DC             |                 |           | -              | /17.3           |
| 24V DC            | 24V DC          |           | +              | /17.2           |
| L1                | 400             | 50        |                | ++08+8.6.1/2.6  |
| L1                |                 |           |                | ++04+4.10/1.2   |
| L1                |                 |           |                | ++12+12.1.6/1.6 |
| L2                | 400             | 50        |                | ++08+8.6.1/2.6  |

Fig. 6.20 Sample potential overview (file extension \*.f16)

You can use the filter and sorting settings to control the output of the graphical report.

6.3.1.17 Revision overview \*.f17

You use the revision overview form to obtain a graphical overview of the existing revisions and their corresponding entries such as the revision creator or the revision index.

|                                                                                                                            |                                               |                            |                               |                    |   |   |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------|-------------------------------|--------------------|---|---|
| 0                                                                                                                          | 1                                             | 2                          | 3                             | 4                  | 5 | 6 |
| Revision overview                                                                                                          |                                               |                            |                               |                    |   |   |
| Remember: all examples are fictional examples and are only used for the purpose of these exercises. They are generally not |                                               |                            |                               |                    |   |   |
| Revision name                                                                                                              | Revision comment                              | Reason for revision change | Page name                     | Re                 |   |   |
| Revision 1                                                                                                                 | Revision of the workshop documents (cabinets) | Ending                     | ==Example=Chapter++12+12.1.6/ | Revision of the wa |   |   |
| Revision 1                                                                                                                 | Revision of the workshop documents (cabinets) | Ending                     | ==Example=Chapter++12+12.1.6/ | Revision of the wa |   |   |
| Revision 1                                                                                                                 | Revision of the workshop documents (cabinets) | Ending                     | ==Example=Chapter++12+12.1.6/ | Revision of the wa |   |   |
| Revision 1                                                                                                                 | Revision of the workshop documents (cabinets) | Ending                     | ==Example=Chapter++12+12.1.6/ | Revision of the wa |   |   |
| Revision 1                                                                                                                 | Revision of the workshop documents (cabinets) | Ending                     | ==Example=Chapter++12+12.2.3/ | Revision of the wa |   |   |
| Revision 1                                                                                                                 | Revision of the workshop documents (cabinets) | Ending                     | ==Example=Chapter++12+12.2.3/ | Revision of the wa |   |   |
| Revision 1                                                                                                                 | Revision of the workshop documents (cabinets) | Ending                     | ==Example=Chapter++12+12.3.1/ | Revision of the wa |   |   |

Fig. 6.21 Sample revision overview (file extension \*.f17)

The form can evaluate the respective page properties, e.g. the property **<11073 1 Reason for revision change>** or even associated project properties such as the property **<10155 1 Revision name>**.

There are no additional filter or sorting possibilities for the revision overview, apart from the normal settings for graphical output.

6.3.1.18 Enclosure legend \*.f18

In a panel layout, you can include a legend of the items (parts) placed, for example, on the mounting panel. The enclosure legend form in EPLAN allows this task to be automatically completed using the project data.

Enclosure legend

|          |            |                            |
|----------|------------|----------------------------|
| KK1-MPL  |            |                            |
| Pos.-Nr. | device tag | Type number                |
| 5        | U2         | KK6040<br>Cable duct 60x40 |
| 6        | U3         | KK6040<br>Cable duct 60x40 |
| 7        | U4         | KK6060<br>Cable duct 60x60 |

Fig. 6.22 Sample enclosure legend (file extension \*.f18)

An enclosure legend can be graphically generated as a type of window legend (embedded as a manual placement in a page) or as a completely new report page. Other filter and sorting options are available for graphical output using this form.

6.3.1.19 PLC diagram \*.f19

In addition to the familiar (manual) logical PLC (card) overview, EPLAN can also use the existing PLC project data to automatically generate these in a similar graphical form, including additional information.

PLC diagram



Fig. 6.23 Sample PLC diagram (file extension \*.f19)

Data from the PLC modules, and other data such as rack or module number, path function texts and automatically determined symbolic addresses are all taken into account.

You can again use numerous familiar filter and sorting options with PLC diagram forms.

6.3.1.20 PLC card overview \*.f20

The PLC card overview provides a clear overview list of all PLC components used, such as power supply, CPU or input cards.

|                                                                                                                                                               |                                      |                                          |                |     |          |   |   |   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|----------------|-----|----------|---|---|---|
| 0                                                                                                                                                             | 1                                    | 2                                        | 3              | 4   | 5        | 6 | 7 | 8 |
| Remember: all examples are fictional examples and are only used for the purpose of these exercises. They are generally not usable in a real world application |                                      |                                          |                |     |          |   |   |   |
| PLC card overview                                                                                                                                             |                                      |                                          |                |     |          |   |   |   |
| Device tag PLC                                                                                                                                                | Workstation name<br>Workstation type | Is master<br>Slave is appended to master | Rack<br>module | CPU | manufact |   |   |   |
|                                                                                                                                                               |                                      |                                          |                |     |          |   |   |   |
| ==OS==S6-A1                                                                                                                                                   |                                      |                                          |                |     | SE       |   |   |   |
| ==OS==S6-A2                                                                                                                                                   |                                      |                                          |                |     | SE       |   |   |   |
| ==OS==S6-A3                                                                                                                                                   |                                      |                                          |                |     | SE       |   |   |   |
| ==OS==S6-A4                                                                                                                                                   |                                      |                                          |                |     | SE/EN    |   |   |   |
| ==OS==S6-A5                                                                                                                                                   |                                      |                                          |                |     |          |   |   |   |
| ==OS==S6-A6                                                                                                                                                   |                                      |                                          |                |     | SE       |   |   |   |
| -2241                                                                                                                                                         | Station 300<br>3000                  | CP Master                                |                |     | SE/EN    |   |   |   |


Fig. 6.24 Sample PLC card overview (file extension \*.f20)

You can, of course, display each PLC component on its own graphical report page of the PLC card overview type. This depends on the structure of the PLC card overview form. Once more, you can also use filters and sorting to affect the graphical output in PLC card overview forms.

6.3.1.21 Pin connection diagram \*.f21

Pin connection diagrams belong to the category of graphical reports that can manage several levels of internal and external targets and can output these graphically (depending on the form and settings used).

### Pin-connection diagram



**Fig. 6.25** Sample pin connection diagram (file extension \*.f21)

A graphical output usually also includes a pin connection diagram. These can also be set to dynamic in the settings so that several plug connection diagrams can be displayed on a single page (combined report). You can adjust the graphical output via filters and sorting settings.

#### 6.3.1.22 Plug diagram \*.f22

The plug diagram is a listing of all the internal and external targets connected to a plug with the maximum evaluation of one level. This is the normal evaluation of the standard forms.

| Part number<br>12PE                |  | MPS<br>Cable issue |   | Plug designation<br>=Chapter+6.3.1-25X1 |    |                                    |                                                                                     |        |  |                    |  |   |  | Cable issue |   | OTHER CLASSIC: 110 |  | OTHER CLASSIC: 110 |  | OTHER CLASSIC: 110 |       | <br>Page / total |  |
|------------------------------------|--|--------------------|---|-----------------------------------------|----|------------------------------------|-------------------------------------------------------------------------------------|--------|--|--------------------|--|---|--|-------------|---|--------------------|--|--------------------|--|--------------------|-------|-------------------------------------------------------------------------------------------------------|--|
| manufacturer<br>Beliebig Lieferant |  | S-INTERFACE-PLUG   |   | Target designation                      |    | male pin<br>male pin<br>female pin |                                                                                     | Jumper |  | Target designation |  |   |  |             |   |                    |  |                    |  |                    |       |                                                                                                       |  |
| Function test                      |  |                    |   |                                         |    |                                    |                                                                                     |        |  |                    |  |   |  |             |   |                    |  |                    |  |                    |       |                                                                                                       |  |
| Drive                              |  |                    | 1 | -M2                                     | U1 | 1                                  |  |        |  | -X331              |  | 1 |  | 1           |   |                    |  |                    |  |                    | /25.0 |                                                                                                       |  |
| Grounds, general                   |  |                    | 2 | -M2                                     | V1 | 2                                  |  |        |  | -X331              |  | 2 |  | 2           |   |                    |  |                    |  |                    | /25.1 |                                                                                                       |  |
| a                                  |  |                    | 3 | -M2                                     | W1 | 3                                  |  |        |  | -X331              |  | 3 |  | 3           |   |                    |  |                    |  |                    | /25.1 |                                                                                                       |  |
| a                                  |  |                    |   |                                         |    | 4                                  |  |        |  | -X331              |  | 4 |  | 4           |   |                    |  |                    |  |                    | /25.1 |                                                                                                       |  |
| Female receptacle                  |  |                    | 4 | -X1                                     | U  | 5                                  |  |        |  | -X331              |  | 5 |  |             | 1 |                    |  |                    |  |                    | /25.3 |                                                                                                       |  |
| a                                  |  |                    | 5 | -X1                                     | V  | 6                                  |  |        |  | -X331              |  | 6 |  |             | 2 |                    |  |                    |  |                    | /25.3 |                                                                                                       |  |
| a                                  |  |                    | 6 | -X1                                     | W  | 7                                  |  |        |  | -X331              |  | 7 |  |             | 3 |                    |  |                    |  |                    | /25.3 |                                                                                                       |  |

**Fig. 6.26** Sample plug diagram (file extension \*.f22)

The plug diagram can also be set to dynamic in the form properties so that several plugs are graphically output combined (consecutively) on a single page.

You can also use the familiar filter and sorting options to, for example, limit the output for the plug diagram.

6.3.1.23 Plug overview \*.f23

The plug overview provides a listing of all plugs and/or sockets used in the project, depending on the structure of the plug overview form.

|                                                                                                                                         |               |        |   |    |   |  |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|---|----|---|--|
| 2                                                                                                                                       | 1             | 2      | 3 | 4  | 5 |  |
| Remember: all examples are fictional examples and are only used for the purpose of these exercises. They are generated by the software. |               |        |   |    |   |  |
| Plug overview                                                                                                                           |               |        |   |    |   |  |
| Plug designation                                                                                                                        | function text | pin    |   |    |   |  |
|                                                                                                                                         |               | Normal | N | PE |   |  |
| -25x1                                                                                                                                   |               | 12     | 0 | 1  |   |  |
| -26x2                                                                                                                                   |               | 2      | 0 | 0  |   |  |
| +5.2->XS1                                                                                                                               |               | 3      | 0 | 1  |   |  |
| +5.2->XS1                                                                                                                               |               | 3      | 0 | 1  |   |  |

Fig. 6.27 Sample plug overview (file extension \*.f23)

Like almost all forms, you can sort and filter the plug overview in many ways.

6.3.1.24 Structure identifier overview \*.f24

EPLAN can manage the various structure identifiers such as functional assignment (==), higher-level function (=), or mounting location (+). You can assign additional descriptions to every structure identifier in EPLAN. You use the structure identifier overview to obtain an overview of all the structure identifiers assigned (or also unused) in the project.

Structure identifier overview

HB3\_F24\_001

| Full designation  | Structure description               |
|-------------------|-------------------------------------|
| Mounting location |                                     |
| +7.3              | subchapter number 7.3 in the book   |
| +7.3.1            | subchapter number 7.3.1 in the book |
| +7.3.4            | subchapter number 7.3.4 in the book |

Fig. 6.28 Sample structure identifier overview (file extension \*.f24)

No filters are possible for the output, but a range of sorting options are available.

6.3.1.25 Symbol overview \*.f25

A symbol overview is used to display the symbol libraries used and/or saved in a project. Depending on the form property settings you can, for example, only output the symbols used in the project (Form property **Output only used symbols** <13114>).




Fig. 6.29 Sample symbol overview (file extension \*.f25)

Simple filtering and sorting options are available for the symbol overview.

6.3.1.26 Title page/cover sheet \*.f26

The title page/cover sheet is usually the page with which a project begins. EPLAN allows the user to automatically generate these pages.




Fig. 6.30 Sample title page/cover sheet (file extension \*.f26)

Various project or page properties can be assigned to the form. For example, you can output a title page/cover sheet for the entire project documentation and a cover sheet for each individual higher-level function. Additional filters cannot be used or evaluated.

6.3.1.27 Connection list \*.f27

The connection list form generates a report containing all the project connection data.

Connection list

HB3\_F27\_001

| connection | Target 1 | Target 2 | Color | cross-section |
|------------|----------|----------|-------|---------------|
| 001        | -X332:1  | -X333:1  |       |               |
| 002        | -X332:2  | -X333:2  |       |               |
| 003        | -X332:3  | -X333:3  |       |               |
| 004        | -X332:4  | -X333:4  |       |               |

Fig. 6.31 Sample connection list (file extension \*.f27)

The output can also be adjusted via existing or user-defined filters and sorting settings.

6.3.1.28 Graphic \*.f28

The graphic form is not a “real” form in the sense of a report. It bears mentioning here for completeness’ sake. Graphical forms have the file extension \*.f28 and can be entered into the page properties as a “placeholder form graphics”.

Customer: Name 1 <10102>

Example from handbook

|             |              |                |          |
|-------------|--------------|----------------|----------|
| type        | Make <10030> | rated voltage  | 400 V AC |
| machine No. | AT78         | Sample project |          |

Fig. 6.32 Sample graphical form (file extension \*.f28)

For example, you can generate a report for specific pages and fill it with specific information on page and/or project properties.

Since there are no report templates for a graphical “report”, the form is entered directly in the page properties.




Fig. 6.33  
Entering a form in the  
page properties

6.3.1.29 Project options overview \*.f29

The project options overview report contains information on possible project options.

|                                             |                         |           |                     |                                    |               |                   |
|---------------------------------------------|-------------------------|-----------|---------------------|------------------------------------|---------------|-------------------|
| 0                                           | 1                       | 2         | 3                   | 4                                  | 5             | 6                 |
| Option overview                             |                         |           |                     |                                    |               |                   |
| Placeholder object: Last value set selected | Placeholder object name | Placement | Option section name | Option section description         | Option active | Option group name |
|                                             |                         |           | BK3100Motor 1       | Four Kopper BK3100Conveyor belt 1  | X             | Typ A             |
|                                             |                         |           | Motor 1             | Conveyor belt 1 with power contact | X             | Typ B             |
|                                             |                         |           | Section name 2      | Section description 2              | X             | Drives groups     |

Fig. 6.34  
Sample project options  
overview (file extension  
\*.f29)

This can be information about the project options themselves, the project option segments or information about placeholder objects with the appropriate value sets. With this form, you can use a range of filter and sorting options for the graphical output.

6.3.1.30 Placeholder object overview \*.f30

The placeholder object overview report contains information about the placeholder objects used and their different value sets.

|                                             |                         |              |             |
|---------------------------------------------|-------------------------|--------------|-------------|
| Placeholder object overview                 |                         |              | HBS_F30_002 |
| Placeholder object: Last value set selected | Placeholder object name | Placement    |             |
| Motor 0,75 KW                               | three-phase             | =A02+O02/1.0 |             |
| Motor 7,5 KW                                | three-phase             | =A02+O02/1.3 |             |
| Motor 18,5 KW                               | three-phase             | =A02+O02/1.5 |             |
| Motor 7,5 KW                                | three-phase             | =A02+O02/2.0 |             |
| Motor 18,5 KW                               | three-phase             | =A02+O02/2.3 |             |

Fig. 6.35  
Sample placeholder  
object overview (file  
extension \*.f30)

You can control the output via filters and sorting options.

6.3.1.31 Manufacturer/supplier list \*.f31

The manufacturer/supplier list report enables the specific listing of the manufacturers and/or suppliers used.

|                                                                                                                                         |   |           |                        |          |   |
|-----------------------------------------------------------------------------------------------------------------------------------------|---|-----------|------------------------|----------|---|
| 0                                                                                                                                       | 1 | 2         | 3                      | 4        | 5 |
| Remember: all examples are fictional examples and are only used for the purpose of these exercises. They are not to be taken literally. |   |           |                        |          |   |
| Manufacturer / supplier list                                                                                                            |   |           |                        |          |   |
| Company                                                                                                                                 |   | shortname | Street                 | ZIP code |   |
| ABB                                                                                                                                     |   | ABB       | Eppelheimer Str. 82    | 69123    |   |
| Belebigier Lieferant                                                                                                                    |   | BEL       |                        |          |   |
|                                                                                                                                         |   | BGI       |                        |          |   |
| Festo                                                                                                                                   |   | FESTO     | Ruiter Str. 82         | 73734    |   |
| Kuka                                                                                                                                    |   | KUKA      | Zugspitzstr. 140       | 86165    |   |
| Lenze                                                                                                                                   |   | LENZE     | Hans-Lenze-Str. 1      | 31855    |   |
| Mennekes                                                                                                                                |   | MEN       | Aloys-Mennekes-Str. 1  | 57399    |   |
| Moeller                                                                                                                                 |   | MOE       | Hein-Moeller-Str. 7-11 | 53115    |   |

Fig. 6.36 Sample manufacturer/supplier list (file extension \*.f31)

EPLAN’s usual filter and sorting options are available here as well.

6.3.1.32 Mounting list \*.f32

The mounting list report lets you list the structure of a mounting layout in order to map specific part placements in the EPLAN Pro Panel layout space.

6.3.1.33 PCT loop list \*.f33

The PCT loop list report lets you clearly list the data of a loop or consumer. The listed data includes functions, loop data and even the medium data of a loop or consumer.

6.3.1.34 Topology: Routing path list \*.f34

The Topology: Routing path list allows you to generate, for example, an overview of the routing path and their routing points and the associated data.

6.3.1.35 Topology: Routing path diagram \*.f35

The Topology: Routing path diagram report generates a list of the individual paths and associated data such as cables and connections.

6.3.1.36 Topology: Routed cables/connections \*.f36

The Topology: Routed cables/connections outputs all routed cables and connections in the current project.

6.3.1.37 Process overview \*.f37

The Process overview report outputs the media, states and properties such as pressure, flow, etc. that are defined in a process-engineering process.

6.3.1.38 Pre-planning: Structure segment overview \*.f38

In the Pre-planning: Structure segment overview report, all structure segments and necessary expenditure are output from the subordinate (integrated) planning objects.

6.3.1.39 Pre-planning: Structure segment plan \*.f39

The Pre-planning: Structure segment plan report evaluates each structure segment's entered properties.

6.3.1.40 Pre-planning: Planning object overview \*.f40

The Pre-planning: Planning object overview report provides an overview of all planning objects and the necessary expenditure (hardware, software, etc. in hours).

6.3.1.41 Pre-planning: Planning object plan \*.f41

The Pre-planning: Planning object plan report outputs the data for a planning object that has been entered in the planning object.

6.3.1.42 Pre-planning: Segment template overview \*.f42

The report provides an overview, for each segment template, of all data in segment templates.

6.3.1.43 Pre-planning: Segment template plan \*.f43

This report generates for each segment template the data that has been entered in the segment template.

6.3.1.44 Assembly/Module overview \*.f44

The report lists all assemblies and modules, including their detailed data (such as part numbers, designations, descriptions, etc.), used in the project. Apart from this data, it is also possible to specify the quantity of use or the macro of the assembly and/or module.

Assembly/Module overview

SIE.3-polige Neozed-Sicherung 25A  
3-pole Neozed fuse 25 A kpl.

| Dash number      | Quantity | Part number          | Designation                  | Description                    |
|------------------|----------|----------------------|------------------------------|--------------------------------|
| SSG5700          | 1        | SIE.SSG5700          | NEOZED built-in fuse base    |                                |
| SSE2325          | 3        | SIE.SSE2325          | NEOZED fuse link             | 400 V GL D02/25 A, Folding box |
| SSH5025          | 3        | SIE.SSH5025          |                              |                                |
| SSH4362          | 3        | SIE.SSH4362          |                              |                                |
| Dash number      | Quantity | Part number          | Designation                  | Description                    |
| HAUPTSCHALTER 11 |          | XXX.HAUPTSCHALTER 11 | Main / Emergency stop switch |                                |
| HS11             | 1        | XXX.HS11             | Normalhilfsschalter 1S + 1Ö  |                                |

Fig. 6.37 Example Assembly/Module overview (file extension \*.f44)

6.3.1.45 Distributed device list \*.f45

This report outputs device properties and the associated, cross-referenced functions. For example, it can be used to generate graphical contact images with further functions that the “regular” EPLAN contact image does not offer.




Fig. 6.38 Example Distributed device list (file extension \*.f45)

6.3.1.46 Bundle/conduit plan \*.f46

This report evaluates properties of bundles/conduits (Fluid power connections, such as tubes or pipes), and lists them in a clear overview.

6.3.2 Special connection diagrams

In addition to the previous report types, EPLAN has special connection diagrams. These diagrams depict connection overviews between devices, independent of size and placement on the mounting panel.




Fig. 6.39 Special connection diagrams

EPLAN offers connection diagrams for the following reports: device connection points, terminal connection points, and pin connection points. A prerequisite for generating connection diagrams is that the devices must be placed on a mounting panel. An example of such connection diagrams can be seen in Fig. 6.40 and Fig. 6.42.




Fig. 6.40 Connection diagrams (here device connection points)




Fig. 6.41 Extract from the schematic for device 22U2




Fig. 6.42 Connection diagram showing detached representation of a device's (22U2) connection points

### 6.3.3 Next forms

For certain report types (e.g. cable assignment diagrams or terminal-strip overviews, etc.) it is possible to specify a next form. This is how it works. When generating a report, the next form is output after the current form.

It is inserted either on the same page as the current form or on a following page. This is specified via the insertion point of next form.




Fig. 6.43 Defining properties in the insertion point of next form

6.3.3.1 Insertion point of next form

An insertion point of next form can be placed in a form in such a way that EPLAN generates another report precisely from this point forward. In this way, reports can be combined, such as a cable overview and a summarized parts list that combines and represents as a report the parts of these cables.

| Cable overview    |                |               |                      | Summarized parts list |          |      |
|-------------------|----------------|---------------|----------------------|-----------------------|----------|------|
|                   |                |               |                      | HBE_F10_003_FF1       |          |      |
| Cable designation | from           | to            | cable type           |                       | Quantity |      |
| +4.1.1-W7         | ++04+4.1.1-X28 | ++04+4.1.1-M2 | ÖLFLEX CLASSIC 110   | ÖLFLEX CLASSIC 110    | 0        | Cor  |
|                   | ++04+4.1.1-X29 | ++04+4.1.1-M3 |                      | ÖLFLEX CLASSIC 100 H  | 0        | CoC  |
| +S1-W0001         | ++05+5.1-X1    | ++05+5.1-2M1  | ÖLFLEX CLASSIC 100 H | ÖLFLEX CLASSIC 100 H  | 0        | +5.3 |
| +S1-W0002         | ++05+5.1-X1    | ++05+5.1-2M2  | ÖLFLEX CLASSIC 100 H | ÖLFLEX CLASSIC 110    | 0        | Cor  |
| +S1-W0003         | ++05+5.1-X1    | ++05+5.1-2M3  | ÖLFLEX CLASSIC 100 H |                       | 0        | +5.2 |
|                   | ++05+5.1-3M3   |               |                      |                       | 0        | +5.2 |
|                   | ++05+5.1-2M4   |               |                      | ÖLFLEX 120 H          | 0        | Cor  |
| +S1-W0004         | ++05+5.1-2M4   | ++05+5.1-3M4  | ÖLFLEX CLASSIC 100 H |                       | 0        | +5.2 |
|                   |                | ++05+5.1-X1   |                      | ÖLFLEX CLASSIC 110    | 0        | Cor  |

Fig. 6.44 Example of combined report

In fact, several insertion points of next form can be inserted in a form. The report sequence is determined by the placement of the  graphic.

The desired next report and the next form are entered at the insertion point of next form. Here, too, the user can define filters and sorting for the graphical output of the reports.




Fig. 6.45 Insertion point of next form dialog

6.3.3.2 Possible reports for next forms

Depending on the report type, there are several report types available for the next forms. The reports “Summarized parts list” and “Parts list” are the reports available for most forms.

The following table shows, for example, that a next form of the “Cable diagram” report type is also possible for the “Cable diagram” report type.

| Possible next forms            |                             |                  |                               |                              |
|--------------------------------|-----------------------------|------------------|-------------------------------|------------------------------|
| Possible form types            | Summarized parts list *.f02 | Parts list *.f01 | Identical form type possible? | Additional reports possible? |
| Assembly/Module overview *.f44 |                             |                  | Yes                           |                              |
| Device tag list *.f03          | Yes                         | Yes              |                               |                              |
| Cable assignment diagram *.f08 | Yes                         | Yes              |                               |                              |
| Cable diagram *.f09            | Yes                         | Yes              | Yes                           |                              |
| Cable overview *.f10           | Yes                         | Yes              |                               |                              |
| Terminal line-up diagram *.f12 | Yes                         | Yes              |                               | Terminal overview            |
| Terminal strip overview *.f14  | Yes                         | Yes              |                               |                              |
| Terminal diagram *.f13         | Yes                         | Yes              | Yes                           | Terminal line-up diagram     |
| PLC diagram *.f19              | Yes                         | Yes              | Yes                           |                              |
| PLC card overview *.f20        | Yes                         | Yes              |                               |                              |
| Plug diagram *.f22             | Yes                         | Yes              | Yes                           |                              |
| Plug overview *.f23            | Yes                         | Yes              |                               |                              |
| Connection list *.f27          | Yes                         | Yes              |                               |                              |
| Topology: Routing path list    | Yes                         | Yes              |                               |                              |

| Possible form types                          | Possible next forms         |                  |                               |                              |
|----------------------------------------------|-----------------------------|------------------|-------------------------------|------------------------------|
|                                              | Summarized parts list *.f02 | Parts list *.f01 | Identical form type possible? | Additional reports possible? |
| Topology: Routed cables/connections*.f36     | Yes                         | Yes              |                               |                              |
| Pre-planning: Planning object overview *.f40 | Yes                         |                  |                               |                              |
| Pre-planning: Planning object plan *.f41     |                             |                  | Yes                           |                              |
| Pre-planning: Structure segment plan *.f39   |                             |                  | Yes                           |                              |

6.3.4 Conditional forms

Conditional forms are a type of embedded form linked to specific conditions and integrated into a dynamic “parent form” (report). But the conditional form must always be the same report type as its “parent form”.

6.3.4.1 Insertion point of form: Conditional forms

Conditional forms are inserted in the form editor. First, the corresponding “parent form” must be opened. Then, select via the **INSERT** menu the **CONDITIONAL FORMS** menu item. Now, the  insertion point of form hangs on the cursor and can be placed. After placement, EPLAN opens the **CONDITIONAL FORMS** dialog immediately. The appropriate form can be selected and the conditions be assigned in this dialog.






Fig. 6.46 Device tag list with embedded form (Form editor view), linked to a condition (criterion)



In this example, the conditional form would compare the identifier 001 at the part (*Data for reports* tab). If this identifier matches (i.e. it is identical), EPLAN is to represent the symbol from the linked symbol library in the report, instead of the multi-line components on the schematic page.



## Device tag list

**Fig. 6.49**  
Example of report  
(device tag list) without  
conditional form and  
without criterion

Device tag list

| Order number                                                                      | Quantity | designation                            | designation                                                                        |
|-----------------------------------------------------------------------------------|----------|----------------------------------------|------------------------------------------------------------------------------------|
| MUSNOTAUS4<br>NOTAUS4                                                             | 1        | EMERGENCY STOP safety switching device | Symbol allgemein 90 Grad                                                           |
|  |          |                                        |  |
| A1                                                                                |          |                                        |                                                                                    |
|                                                                                   |          | Connections                            |                                                                                    |
|                                                                                   |          | Terminated                             |                                                                                    |
|                                                                                   |          | A1                                     |                                                                                    |
|                                                                                   |          | A2                                     |                                                                                    |
|                                                                                   |          | A3                                     |                                                                                    |
|                                                                                   |          | A4                                     |                                                                                    |
|                                                                                   |          | A5                                     |                                                                                    |
|                                                                                   |          | A6                                     |                                                                                    |
|                                                                                   |          | A7                                     |                                                                                    |
|                                                                                   |          | A8                                     |                                                                                    |
|                                                                                   |          | A9                                     |                                                                                    |
|                                                                                   |          | A10                                    |                                                                                    |
|                                                                                   |          | A11                                    |                                                                                    |
|                                                                                   |          | A12                                    |                                                                                    |
|                                                                                   |          | A13                                    |                                                                                    |
|                                                                                   |          | A14                                    |                                                                                    |
|                                                                                   |          | A15                                    |                                                                                    |
|                                                                                   |          | A16                                    |                                                                                    |
|                                                                                   |          | A17                                    |                                                                                    |
|                                                                                   |          | A18                                    |                                                                                    |
|                                                                                   |          | A19                                    |                                                                                    |
|                                                                                   |          | A20                                    |                                                                                    |
|                                                                                   |          | A21                                    |                                                                                    |
|                                                                                   |          | A22                                    |                                                                                    |
|                                                                                   |          | A23                                    |                                                                                    |
|                                                                                   |          | A24                                    |                                                                                    |
|                                                                                   |          | A25                                    |                                                                                    |
|                                                                                   |          | A26                                    |                                                                                    |
|                                                                                   |          | A27                                    |                                                                                    |
|                                                                                   |          | A28                                    |                                                                                    |
|                                                                                   |          | A29                                    |                                                                                    |
|                                                                                   |          | A30                                    |                                                                                    |
|                                                                                   |          | A31                                    |                                                                                    |
|                                                                                   |          | A32                                    |                                                                                    |
|                                                                                   |          | A33                                    |                                                                                    |
|                                                                                   |          | A34                                    |                                                                                    |
|                                                                                   |          | A35                                    |                                                                                    |
|                                                                                   |          | A36                                    |                                                                                    |
|                                                                                   |          | A37                                    |                                                                                    |
|                                                                                   |          | A38                                    |                                                                                    |
|                                                                                   |          | A39                                    |                                                                                    |
|                                                                                   |          | A40                                    |                                                                                    |
|                                                                                   |          | A41                                    |                                                                                    |
|                                                                                   |          | A42                                    |                                                                                    |
|                                                                                   |          | A43                                    |                                                                                    |
|                                                                                   |          | A44                                    |                                                                                    |
|                                                                                   |          | A45                                    |                                                                                    |
|                                                                                   |          | A46                                    |                                                                                    |
|                                                                                   |          | A47                                    |                                                                                    |
|                                                                                   |          | A48                                    |                                                                                    |
|                                                                                   |          | A49                                    |                                                                                    |
|                                                                                   |          | A50                                    |                                                                                    |
|                                                                                   |          | A51                                    |                                                                                    |
|                                                                                   |          | A52                                    |                                                                                    |
|                                                                                   |          | A53                                    |                                                                                    |
|                                                                                   |          | A54                                    |                                                                                    |
|                                                                                   |          | A55                                    |                                                                                    |
|                                                                                   |          | A56                                    |                                                                                    |
|                                                                                   |          | A57                                    |                                                                                    |
|                                                                                   |          | A58                                    |                                                                                    |
|                                                                                   |          | A59                                    |                                                                                    |
|                                                                                   |          | A60                                    |                                                                                    |
|                                                                                   |          | A61                                    |                                                                                    |
|                                                                                   |          | A62                                    |                                                                                    |
|                                                                                   |          | A63                                    |                                                                                    |
|                                                                                   |          | A64                                    |                                                                                    |
|                                                                                   |          | A65                                    |                                                                                    |
|                                                                                   |          | A66                                    |                                                                                    |
|                                                                                   |          | A67                                    |                                                                                    |
|                                                                                   |          | A68                                    |                                                                                    |
|                                                                                   |          | A69                                    |                                                                                    |
|                                                                                   |          | A70                                    |                                                                                    |
|                                                                                   |          | A71                                    |                                                                                    |
|                                                                                   |          | A72                                    |                                                                                    |
|                                                                                   |          | A73                                    |                                                                                    |
|                                                                                   |          | A74                                    |                                                                                    |
|                                                                                   |          | A75                                    |                                                                                    |
|                                                                                   |          | A76                                    |                                                                                    |
|                                                                                   |          | A77                                    |                                                                                    |
|                                                                                   |          | A78                                    |                                                                                    |
|                                                                                   |          | A79                                    |                                                                                    |
|                                                                                   |          | A80                                    |                                                                                    |
|                                                                                   |          | A81                                    |                                                                                    |
|                                                                                   |          | A82                                    |                                                                                    |
|                                                                                   |          | A83                                    |                                                                                    |
|                                                                                   |          | A84                                    |                                                                                    |
|                                                                                   |          | A85                                    |                                                                                    |
|                                                                                   |          | A86                                    |                                                                                    |
|                                                                                   |          | A87                                    |                                                                                    |
|                                                                                   |          | A88                                    |                                                                                    |
|                                                                                   |          | A89                                    |                                                                                    |
|                                                                                   |          | A90                                    |                                                                                    |
|                                                                                   |          | A91                                    |                                                                                    |
|                                                                                   |          | A92                                    |                                                                                    |
|                                                                                   |          | A93                                    |                                                                                    |
|                                                                                   |          | A94                                    |                                                                                    |
|                                                                                   |          | A95                                    |                                                                                    |
|                                                                                   |          | A96                                    |                                                                                    |
|                                                                                   |          | A97                                    |                                                                                    |
|                                                                                   |          | A98                                    |                                                                                    |
|                                                                                   |          | A99                                    |                                                                                    |
|                                                                                   |          | A100                                   |                                                                                    |

Fig. 6.50 Example of report (device tag list) with conditional form and criterion

6.3.4.2 Possible reports for conditional forms

The following “parent forms” (reports) can use conditional forms:

- Device tag list \*.f03
- Cable diagram \*.f09
- Terminal line-up diagram \*.f12
- Enclosure legend \*.f18
- PLC diagram \*.f19
- Plug diagram \*.f22

6.4 Settings (output options)

Before generating reports for a project, you will typically need to adjust certain settings to suit your requirements. These settings relate only to the output of data such as the form settings, or how EPLAN is to handle path function texts in the forms.



**NOTE:** You do not need to perform report runs or the like, because EPLAN keeps all data online, which is therefore always up to date. The system automatically updates (depending on the settings) the connections before EPLAN generates a report.

### 6.4.1 The Display/output project setting

These settings are used to define basic information for graphical evaluation of the forms. You can influence the way in which device tags are displayed in reports or from what number of data records particular reports should be output. You will find the *Display/output* settings in the **OPTIONS/SETTINGS/PROJECTS [PROJECT NAME]/REPORTS/DISPLAY/OUTPUT** menu item.

*Replace identical function text with:* Often, for example for a row of terminals, function text is repeated in the report form. If this type of graphical output is not wanted, then here you can define one or more characters to represent the repetition of the function text. The equals sign “=” is often used for this.

*Replace variable values with:* This setting is only valid for summarized parts lists. It takes effect when placeholder objects with different value sets are used in a project. In the *summarized parts list* report, EPLAN can then replace the current placeholder text data with the data from this field (e. g. a reference to an extra page in the project). A precondition for this is that the **<13108> Replace variable values with text** property is activated in the form.




Fig. 6.51 Settings for the display and output of reports

*Start page offset for output group and Identifier block for output groups:* These settings are for when you use the **Output module** component property. Here you can add a report variant when outputting reports. For these settings to take effect, certain preconditions are necessary. One of these is that there is an entry in the **Output group <20033>** property for the component in the **SYMBOL PROPERTY** dialog. If this property is not filled in, EPLAN cannot output a report by output group.

*Other settings for Terminals/cables/plugs:* This allows specific project data to be output only when it possesses a minimum number of data records. If, for example, a limit of five conductors is set for cables, then all cables with less than five conductors are not included in the graphical report. The default values are set to *not active* and they should usually remain so.




Fig. 6.52 Output group <20033> component property

*Character for display in cable chart:* If the correct display of the cable conductors (or individual connections) in the terminal diagram and their **conductor color** property values is not important, then instead of the correct color designation, you can enter a value here to be entered instead of the conductor color in the graphical output.

For example, this could be an “X”. Multiple characters can be entered, but in practice one character is better since it must also fit in the available space on the forms.



## 6.4.2 The Parts project setting




Fig. 6.53 Settings for the output of parts

This dialog contains settings that define how EPLAN is to handle parts when outputting graphical reports. You will find the settings for viewing parts in the **OPTIONS/SETTINGS/PROJECTS [PROJECT NAME]/REPORTS/PARTS** menu.



These settings are mainly intended for evaluating forms related to **parts** project data. These would be parts lists or summarized parts lists, for example. These settings also apply to displays in navigators, such as the bill of materials navigator.

*Part assemblies/Break up assemblies & modules:* You can use the level setting here to define the level to which EPLAN should break up assemblies (and assemblies within assemblies) and modules when generating graphical reports.

Parts list

| designation           | part number              | Quantity | Device Designation |
|-----------------------|--------------------------|----------|--------------------|
| Designation 1 MDOUL 1 | XXX.Artikelnummer MODUL1 | 1        | =A01+E05-U3        |
| Designation 1 MDOUL 1 | XXX.Artikelnummer MODUL1 | 1        | =A01+E05-12U4      |

Fig. 6.54 Parts list with attached representation (here: Module U3)

Parts list

| designation            | part number       | Quantity | Device Designation |
|------------------------|-------------------|----------|--------------------|
| Motor overload switch  | SIE.3RV1021-1CA15 | 1        | -U3-F1             |
| Contactora             | SIE.3RT1015-1BB41 | 1        | -U3-Q1             |
| Auxiliary switch block | SIE.3RH1911-2GA04 | 1        | -U3-Q1             |
| Contactora             | SIE.3RT1015-1BB41 | 1        | -U3-Q2             |
| Auxiliary switch block | SIE.3RH1911-2GA04 | 1        | -U3-Q2             |

Fig. 6.55 Parts list with detached representation (here: Module U3)

*Combine parts of a device:* This setting combines, for example, the terminals of a terminal strip in a parts list so that not every terminal part is listed individually in the parts list.

## Parts list

| designation                                   | part number | Quantity | Device Designation |
|-----------------------------------------------|-------------|----------|--------------------|
| Universal terminal with screw-type connection | PXC.3044076 | 7        | =A01+E05-X7        |
| Protective conductor terminal                 | PXC.3044092 | 3        | =A01+E05-X7        |

Total

## Parts list

| designation                                   | part number | Quantity | Device Designation |
|-----------------------------------------------|-------------|----------|--------------------|
| Universal terminal with screw-type connection | PXC.3044076 | 1        | =A01+E05-X7        |
| Universal terminal with screw-type connection | PXC.3044076 | 1        | =A01+E05-X7        |
| Universal terminal with screw-type connection | PXC.3044076 | 1        | =A01+E05-X7        |
| Universal terminal with screw-type connection | PXC.3044076 | 1        | =A01+E05-X7        |
| Universal terminal with screw-type connection | PXC.3044076 | 1        | =A01+E05-X7        |
| Universal terminal with screw-type connection | PXC.3044076 | 1        | =A01+E05-X7        |
| Universal terminal with screw-type connection | PXC.3044076 | 1        | =A01+E05-X7        |


Total

**Fig. 6.56** Example of report – once with terminal parts combined; once with all terminal parts evaluated individually

*Include parts:* You can influence the graphical output for each type of part here by activating the individual options such as terminal parts or cable parts.

### 6.4.3 The Output to pages project setting

Generally, forms are used for outputting reports (forms). They are always set on a project-specific basis via **OPTIONS/SETTINGS/PROJECTS [PROJECT NAME]/REPORTS/OUTPUT TO PAGES** or adopted from the templates or basic projects as default settings for the project. These settings define a number of global default conditions for graphical output of the project data.



**Fig. 6.57** Settings for the output to pages

6.4.3.1 The Report type column

The **Report type** column cannot be changed in this table. EPLAN provides different default report types. This does not mean that all these reports must be generated for a given project. The user can decide whether only one terminal diagram or the full palette of all possible reports should be output for the schematic.

| Report type               |
|---------------------------|
| Parts list                |
| Summarized parts list     |
| Device tag list           |
| Forms documentation       |
| Device-connection diagram |
| Table of contents         |

Fig. 6.58  
Report types

But it is possible to modify the sequence of rows (reports), thus, for example, always moving to the front only the required report types, and the reports less often or not at all needed to the end.

**NOTE:** A change in the report sequence may also entail a change of the sorting into the page structure. But this depends on the respective starting block specified.

The table of contents, however, is generally evaluated and generated at the end, because all changes to pages (number, arrangement in the page structure, etc.) must be documented and evaluated here.



| Row | Report type               | Form        | F ^   |
|-----|---------------------------|-------------|-------|
| 1   | Parts list                | HBE_F01_005 | Total |
| 2   | Summarized parts list     | HBE_F02_001 | Total |
| 3   | Device tag list           | HBE_F03_002 | Total |
| 4   | Forms documentation       | HBE_F04_001 | Total |
| 5   | Device-connection diagram | HBE_F05_001 | Total |
| 6   | Table of contents         | HBE_F06_001 | Total |

Fig. 6.59 Sequence of the arrangement prior to a move



| Row | Report type           | Form        | F ^   |
|-----|-----------------------|-------------|-------|
| 1   | Device tag list       | HBE_F03_002 | Total |
| 2   | Parts list            | HBE_F01_005 | Total |
| 3   | Summarized parts list | HBE_F02_001 | Total |
| 4   | Forms documentation   | HBE_F04_001 | Total |

Fig. 6.60 Sequence following a move

6.4.3.2 The Form column

The desired form can be set in the **Form** column. Click the **FORM** row. In the drop-down selection list that appears, you can import an existing entry or click the **BROWSE** entry. The **SELECT FORM** dialog opens. Now you can select another form from the directory and press the **OPEN** button to load it into the **Form** column.

| Form               |
|--------------------|
| HBE_F01_005        |
| HBE_F02_001        |
| HBE_F03_002        |
| HBE_F03_002        |
| F03_001            |
| HB3_F03_002        |
| HB3_F03_003 ALL 90 |
| HB3_F03_003 GES    |
| HBE_F03_003 ALL 90 |
| HBE_F03_003 GES    |
| Browse...          |

Fig. 6.61  
Forms



**TIP:** After a selection, the form is automatically stored in the project if it does not already exist in the project master data. Initially it makes no difference from which directory the new form was selected.

6.4.3.3 Page sorting column

The **Page sorting** column plays a decisive role in defining how the graphical output pages are later sorted into the existing page structure of the project. Generally, of course, the starting block (the start page) of a report is also considered in the report template.

Settings: Output to pages \*

Find

- Projects
  - Handbook EPLAN Electric P8
    - Connections
    - Cross-references / contact
    - Devices
    - Display
    - Graphical editing
    - Machining
    - Management
    - Pre-planning
    - Reports
      - Display / output
      - Output to pages
      - Part
    - Routing connections
    - Translation
  - User
  - Workstation
  - Company

| Row | Report type           | Page sorting | Parti |
|-----|-----------------------|--------------|-------|
| 1   | Parts list            | Total        |       |
| 2   | Summarized parts list | Total        |       |
| 3   | Device tag list       | Total        |       |
| 4   | Forms documentation   | Total        |       |

Page sorting - Device tag list \*

Sort by / into:

Total

| Structure                    | Value                                                             |
|------------------------------|-------------------------------------------------------------------|
| Functional assignment        | <input type="checkbox"/> Complete                                 |
| Higher-level function        | <input checked="" type="checkbox"/> Complete                      |
| Installation site            | <input type="checkbox"/> Complete                                 |
| Mounting location            | <input type="checkbox"/> Higher-level function (main identifier)  |
| Higher-level function number | <input type="checkbox"/> Higher-level function (Sub-identifier 1) |
| Document type                | <input type="checkbox"/> Higher-level function (Sub-identifier 2) |
| User-defined structure       | <input type="checkbox"/> Higher-level function (Sub-identifier 3) |
|                              | <input type="checkbox"/> Higher-level function (Sub-identifier 4) |
|                              | <input type="checkbox"/> Higher-level function (Sub-identifier 5) |
|                              | <input type="checkbox"/> Higher-level function (Sub-identifier 6) |
|                              | <input type="checkbox"/> Higher-level function (Sub-identifier 7) |
|                              | <input type="checkbox"/> Higher-level function (Sub-identifier 8) |
|                              | <input type="checkbox"/> Higher-level function (Sub-identifier 9) |

☐ Use source / target

☐ Use placement

OK Cancel

Fig. 6.62 Page sorting

Selecting *Total* from the *Sort by/into* selection list causes all reports to be summarized under the selected total identifier. If you want, for example, to output all terminal diagrams by mounting location, then you should select the *Mounting location* entry. A mounting location that may be specified on the start age would then be ignored.




Fig. 6.63 Example of output by Total (specified via start page)




Fig. 6.64 Example of output by Total and Mounting location of the terminal strip



**NOTE:** Not all types of page sorting are available for all report types. It is not possible, for example, to output forms documentation by higher-level function and mounting location as this does not make sense.


#### 6.4.3.4 Partial output column

Partial output is an interesting setting. For the report type where this is possible, you can automatically generate a (partial) table of contents for each higher-level function in addition to a main form such as a complete table of contents. For this to work properly, the page sorting must also be properly set, to Total + Higher-level function, for example. Using this setting, EPLAN then generates a (total) table of contents and a (partial) table of contents for each individual higher-level function. We explicitly point out here that the structure and graphical content of these forms can be different.

The total output of the table of contents lists all project pages, while the partial output of the table of contents lists only the pages in the respective identifier area assigned - in this case, the higher-level function.

| Partial output |                |
|----------------|----------------|
| F03            | 001            |
| HB3            | F03 002        |
| HB3            | F03 003 ALL 90 |
| HB3            | F03 003 GES    |
| HBE            | F03 002        |
| HBE            | F03 003 ALL 90 |
| HBE            | F03 003 GES    |
| Browse...      |                |

**Fig. 6.65**  
Partial output



**Fig. 6.66** Generated total and partial output of a table of contents

6.4.3.4.1 Possible reports for partial outputs

The following forms (reports) can use the partial output (other or similar forms, but of the same report type):

- Parts list \*.f01
- Summarized parts list \*.f02
- Device tag list \*.f03
- Manufacturer/supplier list \*.f31
- Table of contents \*.f06
- Cable overview \*.f10
- Terminal strip overview \*.f14
- PLC card overview \*.f20
- Plug overview \*.f23
- Title page/cover sheet \*.f26
- Topology: Routing path list \*.f34
- Topology: Routed cables/connections \*.f36
- Connection list \*.f27
- Pre-planning: Planning object overview \*.f40
- Pre-planning: Structure segment overview \*.f38

6.4.3.5 The Combine column

The *Combine* function is an ideal way, for example, to place several terminal strips that only have a few terminals on one graphical output page (limited only by the available space on the output page; when there is no more space EPLAN generates a new page as before).

| Combine                             |
|-------------------------------------|
| <input type="checkbox"/>            |
| <input checked="" type="checkbox"/> |
| <input type="checkbox"/>            |
| <input type="checkbox"/>            |

Fig. 6.67  
Combining



The examples in Fig. 6.68 and Fig. 6.69 make this clearer. In Fig. 6.68, the **Combine** option was *not* selected. EPLAN generates one page of the *Terminal diagram* per terminal strip. In Fig. 6.69, the **Combine** option was set to *active*. EPLAN now generates one or more report pages of the *terminal diagram* type for several terminal strips, limited only by the size of the plot frame and the set maximum number of data rows that EPLAN should display on a report page.




Fig. 6.68 Combine option not activated




Fig. 6.69 Combine option activated

6.4.3.5.1 Possible Combine reports

The following forms (reports) can use the **Combine** option:

- Assembly/Module overview \*.f44
- Distributed device list \*.f45
- Device connection diagram \*.f05
- Cable connection diagram \*.f07
- Cable diagram \*.f09
- Terminal connection diagram \*.f11
- Terminal line-up diagram \*.f12
- Terminal diagram \*.f13
- Mounting list \*.f32
- Bundle/conduit plan \*.f46
- Enclosure legend \*.f18
- PLC diagram \*.f19
- Pin connection diagram \*.f21
- Plug diagram \*.f22
- Symbol overview \*.f25
- Topology: Routing path diagram \*.f35
- Pre-planning: Planning object plan \*.f41
- Pre-planning: Segment template plan \*.f43
- Pre-planning: Structure segment plan \*.f39



**NOTE:** The **Combine** option can only be used for dynamic forms. The *Combine* setting **cannot** be used for static forms.

6.4.3.6 The Minimum number of report rows column

The *Min. no. of rows on report page* setting specifies a particular number of data sets to be output before EPLAN generates a page break.

| Min. no. of rows on report page |
|---------------------------------|
| 4                               |
|                                 |
| 2                               |
|                                 |
| 1                               |
|                                 |

Fig. 6.70  
Minimum number of  
rows



This setting only makes sense when used together with the **Combine** option. When the **Combine** option is not used, then changing the minimum number of rows has no effect on the graphical output.

The usual value is **1**. This places no limitations on the graphical output pages, and the project data is output consecutively. If the *minimum number* is now changed to **10**, then at

least ten terminals of a terminal strip must be displayed on a single graphical output page before EPLAN can force a new page break.

6.4.3.7 The Subpage column

This setting defines whether or not EPLAN should generate subpages for the graphical output pages. Report pages in EPLAN do not have to be generated using consecutive integers; sometimes the actual page number for the report is not to change. This means that *subpages* must be created for the graphical output pages.

If this option is activated, the character definition, that is, the format structure of the subpage numbering (characters of the page number) must also be taken into account.

| Subpage                             |
|-------------------------------------|
| <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> |

Fig. 6.71 Subpages

6.4.3.8 Character column (for subpages)

This property only makes sense when used together with the **Subpages** property. The *Character* setting defines the format of the subpage. There are multiple selections available, but all subpages are generally separated from the main page with a point.

| Character                                  |
|--------------------------------------------|
| Alphabetical (lower case)                  |
| Alphabetical (lower case)                  |
| Alphabetical (lower case)                  |
| Alphabetical (upper case)                  |
| Numeric                                    |
| Alphabetical (lower case), from first page |
| Alphabetical (upper case), from first page |
| Numeric, from first page                   |

Fig. 6.72 Characters

| Setting/Selection                          | Report pages start with  |
|--------------------------------------------|--------------------------|
| Alphabetical (lower case)                  | 20; 20.a; 20.b; 20.c     |
| Alphabetical (upper case)                  | 15; 15.A; 15.B; 15.C     |
| Numeric                                    | 301; 301.1; 301.2; 301.3 |
| Alphabetical (lower case), from first page | 5.a; 5.b; 5.c            |
| Alphabetical (upper case), from first page | 7.A; 7.B; 7.C            |
| Numeric, from first page                   | 43.1; 43.2; 43.3         |

6.4.3.9 The Blank pages column

EPLAN can automatically maintain a certain spacing between the report pages and the actual schematic pages, the so-called *blank pages*. This setting defines the size of this spacing.

The last schematic page is 2. The blank pages setting is set to 5.  $2 + 5 = 7$ ; the report pages then begin with page number 8.

| Blank pages |
|-------------|
| 0           |
| 5           |
| 2           |
| 0           |
| 0           |

Fig. 6.73 Blank pages

6.4.3.10 The Round column

The *Round* setting relates to the setting for blank pages.

In the example, we round to 10. If the last schematic page 12 has a spacing of 5 (setting for blank pages results in 17), then the setting *Round = 10* will cause the first report page to have a page number of 20.

| Round |
|-------|
| 1     |
| 5     |
| 1     |
| 1     |

Fig. 6.74 Rounding

Fig. 6.75  
Hide structure  
identifier if identical

6.4.3.11 The Hide structure identifier if identical column

This setting checks to see if structure identifiers should be included in the graphical output or suppressed when certain conditions are satisfied. This allows “abbreviation” of device tags (DTs) in the reports, meaning a check for corresponding identical entries.

Hide structure identifier if identical

check against header object

check against header object

check against page

check against header object

check all against page (incl. header data)

No selection is possible for the following reports, because structure identifiers cannot be abbreviated here – they are not even part of the report.

- Forms documentation \*.f04
- Manufacturer/supplier list \*.f31
- Table of contents \*.f06
- Plot frame documentation \*.f15
- Project options overview \*.f29
- Revision overview \*.f17
- Structure identifier overview \*.f24
- Symbol overview \*.f25
- Title page/cover sheet \*.f26

There are four possible settings:

- *Check against page*: This causes the structure identifier of the DT to be checked against the structure identifier of the report page. If EPLAN finds a match here then the DT is shortened by this matching value in the report.
- *Check all against page (incl. header data)*: This setting, for example, applies to function-related reports, such as a terminal diagram. If structure identifiers or components of the structure identifiers of the devices that were output match the structure identifiers of the page, then the structure identifiers are not displayed in the header (the terminal strip designation) either.
- *Check against header object*: This setting is intended for function-related reports such as terminal or cable diagrams. In this case, EPLAN checks the output DT against the header object of the report page (e.g. a terminal strip definition or a cable definition) and abbreviates the output DT by this structure identifier if it is the same.
- *No*: This setting causes the complete structure identifier to always be output.

The following table provides a clear overview of which report can be used with which abbreviation rules. The usage is identified by x.

| Report type                                    | Check against page | Check against header object | Check all against page (incl. header data) | No |
|------------------------------------------------|--------------------|-----------------------------|--------------------------------------------|----|
| Assembly/Module overview *.f44                 | x                  | x                           | x                                          | x  |
| Parts list *.f01                               | x                  |                             |                                            | x  |
| Summarized parts list *.f02                    | x                  |                             |                                            | x  |
| Device tag list *.f03                          | x                  |                             |                                            | x  |
| Distributed device list *.f45                  | x                  | x                           | x                                          | x  |
| Device connection diagram *.f05                | x                  | x                           | x                                          | x  |
| Cable connection diagram *.f07                 | x                  | x                           | x                                          | x  |
| Cable assignment diagram *.f08                 | x                  |                             |                                            | x  |
| Cable diagram *.f09                            | x                  | x                           | x                                          | x  |
| Cable overview *.f10                           | x                  |                             |                                            | x  |
| Terminal connection diagram *.f11              | x                  | x                           | x                                          | x  |
| Terminal line-up diagram *.f12                 | x                  | x                           | x                                          | x  |
| Terminal strip overview *.f14                  | x                  |                             |                                            | x  |
| Terminal diagram *.f13                         | x                  | x                           | x                                          | x  |
| Mounting list *.f32                            | x                  | x                           | x                                          | x  |
| Bundle/conduit plan *.f46                      | x                  | x                           | x                                          | x  |
| Placeholder object overview *.f30              | x                  |                             |                                            | x  |
| PCT loop list *.f33                            | x                  |                             |                                            | x  |
| Potential overview *.f16                       | x                  |                             |                                            | x  |
| Process overview *.f37                         | x                  |                             |                                            | x  |
| Enclosure legend *.f18                         | x                  | x                           | x                                          | x  |
| PLC diagram *.f19                              | x                  | x                           | x                                          | x  |
| PLC card overview *.f20                        | x                  |                             |                                            | x  |
| Pin connection diagram *.f21                   | x                  | x                           | x                                          | x  |
| Plug diagram *.f22                             | x                  | x                           | x                                          | x  |
| Plug overview *.f23                            | x                  |                             |                                            | x  |
| Topology: Routing path list *.f34              | x                  |                             |                                            | x  |
| Topology: Routing path diagram *.f35           | x                  | x                           | x                                          | x  |
| Topology: Routed cables/connections *.f36      | x                  |                             |                                            | x  |
| Connection list *.f27                          | x                  |                             |                                            | x  |
| Pre-planning: Planning object overview *.f40   | x                  |                             |                                            | x  |
| Pre-planning: Planning object plan *.f41       | x                  | x                           | x                                          | x  |
| Pre-planning: Segment template plan *.f43      | x                  | x                           | x                                          | x  |
| Pre-planning: Segment template overview *.f42  | x                  |                             |                                            | x  |
| Pre-planning: Structure segment overview *.f38 | x                  |                             |                                            | x  |
| Pre-planning: Structure segment plan *.f39     | x                  | x                           | x                                          | x  |

6.4.3.12 The Synchronize column

*Synchronize* is an important setting for keeping project master data up to date, i.e. synchronized with the system master data. The Synchronize setting in EPLAN means that forms (entered here) having synchronizing *active* (check box set) are automatically synchronized with the system master data when the project is opened.

| Synchronize                         |
|-------------------------------------|
| <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> |

Fig. 6.76  
Synchronize

 **NOTE:** A precondition for synchronizing is that the **Synchronize project master data when opening** setting is set in the **OPTIONS/SETTINGS/PROJECTS [PROJECT NAME]/MANAGEMENT/GENERAL** menu.




Fig. 6.77 Allow automatic synchronization of master data

When the **Synchronize** check box is *not* set in the column, then it will **not** be synchronized despite the active project setting. This must be carefully considered for a project. You should not synchronize if the project master data should retain its original edited status. In this case, this setting should not be activated.

 **NOTE:** The synchronize setting in the settings *Reports/Output to pages* always takes precedence over the global setting *Management/General* in the project settings.

## 6.5 Generate reports

This section deals with the generation of reports and the most important aspects of the various ways for doing this. EPLAN can generate reports with or without templates – without templates when a quick report is needed or no templates are available, or with templates when these are available or have been created by the user or imported from other projects. However, you do not have to use templates to generate reports in EPLAN. They enable project editing when no reporting structure has been defined and reports are output as desired.

### 6.5.1 Reports dialog

To generate graphical reports while editing a project, you use the EPLAN UTILITIES/REPORTS/GENERATE menu item to open the REPORTS dialog.




Fig. 6.78 Reports dialog



| Symbol                                                                            | Node                                     | Description                                                                                                               |
|-----------------------------------------------------------------------------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
|  | Source project (if applicable)           | Contains the project that has been entered as the source project for the project or the reports/templates (if applicable) |
|  | (Report) Pages                           | Node contains generated reports                                                                                           |
|  | Function-related report types            | Node includes function-related reports, such as terminal diagrams                                                         |
|  | Report type for overview reports         | Node includes overview reports, such as a cable overview                                                                  |
|  | Report blocks (function-related reports) | Node includes reports that belong to a report block of function-related reports                                           |
|  | Report blocks (overview reports)         | Node includes all reports that belong to a report block of overview reports                                               |
|  | Report pages/placed reports              | Displays a report page or manual placement of an embedded report                                                          |
|  | Embedded reports                         | Node includes all embedded reports that have been generated                                                               |

## 6.5.2 Generate reports without templates

In general, you can directly generate reports in EPLAN. You do not need to create any templates for this. To generate a report, you simply begin by clicking the **NEW...** button.




Fig. 6.82 Selecting a report




Fig. 6.83 Generating new report directly

6.5.2.1 Output of project data for graphical output on new report pages

EPLAN opens the **SELECT REPORT** dialog. Now you select the desired report (report type) in the window. *Only one* type of report can be selected each time this dialog is called up. You can only generate several reports at once by using suitable templates. After selecting the report, e.g. a terminal diagram, you can now set the remaining options in the **SELECT REPORT** dialog.




Fig. 6.84  
Output format




Fig. 6.85  
Selecting a source  
project

There are two available *output formats*:

- Output to pages (new pages to be generated by EPLAN)
- Output as manual placement (in an existing page)

The *source project* is usually the current project, the source of data for reports




Fig. 6.86 Selecting a report

When you click the **OK** button (we will ignore the **Manual selection** and **Current selection** check boxes at this point, because all of the terminal strips are to be output), EPLAN allows you to define the sorting into the project via particular predefined filter and/or sorting schemes, or your own filter and sorting schemes (the possibilities here may be limited by the particular report type).

If EPLAN is to use filters, all you need to do is select a corresponding filter scheme. Then, the filter scheme is automatically active. If the option is grayed out, then no filters can be used with this area.

If you do not want to use filters and/or sorting, you must select the – *Not activated* – scheme.




Fig. 6.87 Filter and sorting options for a report

EPLAN then opens the [REPORT TYPE] (STRUCTURE IDENTIFIER) dialog. Here you can define default values for sorting, such as the selection of *structure identifiers* (using the navigation in the page navigator) or specific entries in the page properties, e. g. **automatic page description**. EPLAN then automatically creates the page properties from the form properties, whereby something must, of course, be assigned to the **<13019 Format for automatic page description>** form property. The remaining dialog fields contain the usual entries and will not be further explained here. When you click OK, EPLAN generates the reports.




Fig. 6.88 Selecting the output

After you leave the dialog by clicking OK, EPLAN generates the graphical report pages and sorts them into the project according to your settings. For example, the *terminal diagram* report is generated as graphical output and inserted into the project as a report page.




Fig. 6.89 Generated output of terminal diagram report

### 6.5.2.2 Manual selection of project data on the current page for graphical output

When you select *Current page* in the REPORT dialog, EPLAN lets you generate a report based on the data on the currently open page, e.g. the terminals that are placed on this page.



**TIP:** Before you use the *Current page* function to generate a report, the schematic page where the report with the current page's data is to be placed must be open and active. It is possible to scroll between pages once the report has been generated, but you will "lose" the previously generated report.




Fig. 6.90 Output options for data on the current page