Course Title: CSE110

Section: 06

Semester: Summer 22

LAB-03

SUBMITTED TO

Mahamudul Hasan

Department of Computer Science & Engineering

East-West University

SUBMITTED BY

Name: B M Shahria Alam

Student ID: 2021-3-60-016

Date of submission: 26 June 2022.

```
import java.util.Scanner;
public class P1 {
  public static void main(String[] args) {
     Scanner in= new Scanner(System.in);
     System.out.println("Enter the size of the array: ");
     int i,j,a=0;
     int n=in.nextInt();
     int[]x=new int[n];
     System.out.println("Enter the value one by one:");
     for(i=0; i<n;i++)
     {
      x[i]=in.nextInt();
     }
    for(i=0;i<n;i++)
     {
       for(j=1; j<n-i;j++)
      {
         if(x[j-1]>x[j])
           a=x[j-1];
           x[j-1]=x[j];
           x[j]=a;
         }
       }
     }
    System.out.print("After bubble sort: ");
    for(i=0; i<n;i++)
     {
       System.out.print(x[i]+"\t");
    }
  }
}
```

```
The first purpose code phone bod for bod for plant of plants of pl
```

P2)

```
import java.util.Scanner;
public class P2 {
  public static void main(String[] args) {
     Scanner in= new Scanner(System.in);
    System.out.println("Enter the size of the array:");
    int n,a=0,i,j;
     n=in.nextInt();
    int [] x= new int[n];
     System.out.println("Enter the value one by one: ");
    for(i=0; i<n; i++)
     {
       x[i]=in.nextInt();
     }
    for(i=0; i<n; i++)
     {
       for(j=1; j<n-1; j++)
       {
         if(x[j-1]>x[j])
```

```
a=x[j-1];
         x[j-1]=x[j];
         x[j]=a;
      }
    }
  }
  System.out.println("Second smallest value is: ");
  for(i=0; i<n; i++)
    if(x[i] < x[i+1])
    {
       System.out.println(x[i+1]);
       break;
    }
}
```

```
import java.util.Scanner;
public class P3 {
  public static void main(String[] args) {
    Scanner in= new Scanner (System.in);
    System.out.println("Enter the matrix size: ");
    int i,j ,k;
    int n= in.nextInt();
    int m= in.nextInt();
    int [] [] x= new int[n][m];
    int [] [] y= new int[n][m];
    int [] [] z= new int[n][m];
    System.out.println("Enter the elements of 1st matrix:");
    for(i=0; i<n; i++)
    {
       System.out.println("Enter Row "+ (i+1) + " :");
       for(j=0; j<m; j++)
         x[i][j]=in.nextInt();
       }
    }
    System.out.println("Enter the elements of 2nd matrix:");
    for(i=0; i<n; i++)
       System.out.println("Enter Row "+ (i+1) + ":");
       for(j=0; j<m;j++)
       {
         y[i][j]=in.nextInt();
       }
    }
```

System.out.println("1st Matrix: ");

```
for(i=0; i<n; i++)
{
  for(j=0; j<m; j++)
    System.out.print(x[i][j]+" ");
  System.out.println(" ");
}
System.out.println("2nd Matrix: ");
for(i=0; i<n; i++)
  for(j=0; j<m; j++)
  {
    System.out.print(y[i][j]+" ");
  }
  System.out.println(" ");
}
for (i = 0; i < n; i++)
  for (j = 0; j < m; j++)
    for (k = 0; k < n; k++)
       z[i][j]+=x[i][k] * y[k][j];
    }
  }
}
System.out.println("The multiplication of two matrix is:");
for(i=0; i<n; i++)
```

```
{
    for(j=0; j<m; j++)
    {
        System.out.print(z[i][j]+" ");
    }
    System.out.println(" ");
    }
}</pre>
```

```
The first the began conditions and fine plant for point of the point o
```

P4)

```
import java.util.Scanner;
public class P4 {
  public static void main(String[] args) {
    Scanner in= new Scanner (System.in);
    int n,i,j,sum=0;
    System.out.println("Input the size of the square matrix :");
    n=in.nextInt();
    int [][]x = new int[n][n];
```

```
System.out.println("Enter the matrix:");
for(i=0; i<n;i++)
{
  System.out.println("Enter Row "+ (i+1) + " :");
  for(j=0; j<n;j++)
    x[i][j]=in.nextInt();
  }
}
System.out.println("The matrix is:");
for(i=0; i<n;i++)
{
  for(j=0; j<n;j++)
  {
    System.out.print(x[i][j]+ " ");
  }
  System.out.println(" ");
}
for(i=0; i<n;i++)
  for(j=0; j<n;j++)
    if(i==j)
      sum=sum+x[i][j];
    }
  }
}
System.out.println("Addition of the right Diagonal elements is :"+sum);
```

```
| The part people Code Before Data No. 19th No.
```

P5)

```
import java.util.Scanner;
public class P5 {
    public static void main(String[] args) {
        Scanner in = new Scanner(System.in);
        int i,j,a,b,c,d=0;
        int[][]x = new int[3][3];

        System.out.println("Enter the 3x3 matrix: ");
        for (i = 0; i < 3; i++)
        {
            System.out.println("Enter Row " + (i + 1) + " :");
            for (j = 0; j < 3; j++)
            {
                 x[i][j] = in.nextInt();
            }
        }
}</pre>
```

System.out.println("The matrix is:");

```
for (i = 0; i < 3; i++)
{
    for (j = 0; j < 3; j++)
    {
        System.out.print(x[i][j] + " ");
    }
    System.out.println(" ");
}

a=(x[0][0] * (x[1][1]* x[2][2]-x[1][2]* x[2][1]));
b=(x[0][1] * (x[1][0]* x[2][2]-x[1][2]* x[2][1]));
c=(x[0][2] * (x[1][0]* x[2][1]-x[1][1]* x[2][0]));
d=a-b+c;
System.out.println("The Determinant of the matrix is: "+d);
}</pre>
```

```
| The life flow proper cole Brown Back App Section | Sec
```

<mark>P6)</mark>

```
import java.util.Scanner;
public class P6 {
  public static void main(String[] args)
```

```
{
    Scanner in = new Scanner(System.in);
    int x=0,i;
    String a,b;
    String c[];
    System.out.println("Input the string: ");
    a = in.nextLine();
    System.out.println("Input the substring to search: ");
    b = in.nextLine();
    c = a.split("\\s+");
    for(i=0;i<c.length;i++)</pre>
    {
       if(c[i].equals(b))
       {
         χ++;
       }
    }
    if(x>0)
    {
       System.out.println("The substring is exist in the string.");
      System.out.println("string has been found "+x+" times.");
    }
    else
       System.out.println("The substring is not exist in the string.");
       System.out.println("no has not been found yet.");
    }
  }
}
```

```
| The substring is exist in the string. | The substring is exist in the substring is exi
```

P7)

```
import java.util.Scanner;
public class P7 {
  public static void main(String[] args)
  {
  Scanner input = new Scanner(System.in);
  String a,x,y,c[];
  System.out.println("Input the string: ");
  a = input.nextLine();
  c = a.split("\\s+");
  x=c[0];
  y = c[0];
  int large = c[0].length();
  int small=c[0].length();
  for(int i=1;i<c.length;i++)</pre>
  {
     if(large<c[i].length())</pre>
```

```
large=c[i].length();
    x=c[i];
}
if(small>c[i].length())
{
    small=c[i].length();
    y=c[i];
}
System.out.println("The largest word is ""+x+""");
System.out.println("and the smallest word is ""+y+""");
System.out.println("in the string : ""+a+""");
}
```

P8)

```
import java.util.Scanner;
public class P8 {
  public static void main(String[] args) {
  char a ='\u221A';
```

```
char b= '\u2126';
  char c= '\u00B1';
  char d= '\u2260';
  System.out.println("square root ("+a+")");
  System.out.println("Ohm ("+b+")");
  System.out.println("Plus-Minus ("+c+")");
  System.out.println("not equal ("+d+")");
  }
}
P9)
import java.util.Scanner;
public class P9 {
  public static void main(String[] args) {
    Scanner in = new Scanner(System.in);
    int x,i;
    float y=1,z=0;
    System.out.println("Enter the number: ");
    x=in.nextInt();
    for(i=1;i<=x;i++)
    {
      y=y*i;
      z=z+(y/(float)i);
```

System.out.printf("The sum of this series is :"+z);

}

}

```
| Description |
```

P10)

```
import java.util.Scanner;
public class P10 {
  public static boolean Armstrong(int a)
  {
   int x,sum=0,num=a;
   while(num!=0)
   {
     x=num%10;
     sum=sum+(x*x*x);
     num=num/10;
   }
   return (a == sum);
  }
  public static boolean Perfect(int a)
  {
    int i, sum=0, num=a;
    for(i=1; i<num; i++)
```

```
{
    if(num%i == 0)
    {
      sum += i;
    }
  }
  return (a == sum);
}
public static void main(String[] args) {
  Scanner in = new Scanner(System.in);
  int x;
  System.out.println("Enter the number: ");
  x = in.nextInt();
  if (Armstrong(x))
  {
    System.out.println(x + " is an Armstrong number.");
  }
  else
  {
    System.out.println(x + " is not an Armstrong number.");
  }
  if (Perfect(x))
    System.out.println(x + " is an Perfect number.");
  }
  else
  {
    System.out.println(x + " is not a Perfect number.");
  }
}
```

```
| Ref See | Bender Code Bodes See | Ref See | State |
```

P11)

```
import java.util.Scanner;
public class P11 {
  public static void main(String[] args) {
    Scanner input = new Scanner(System.in);
    System.out.print("1. A password must have at least eight characters.\n"+
             "2. A password consists of only letters and digits.\n"+
             "3. A password must contain at least two digits \n"+
             "Enter the password:\n");
    String s = input.nextLine();
    if (s.length()<8)
    {
       System.out.println("Not a valid password: "+s);
    }
    if(s.length()>=8)
      int a = 0, b = 0;
      for (int i = 0; i <s.length(); i++) {
         char ch = s.charAt(i);
```

```
if (ch >= '0' && ch <= '9')
       {
         a++;
       }
       else if ((ch >= 'A' && ch <= 'Z') || (ch >= 'a' && ch <= 'z'))
         b++;
       }
     }
     if (a >= 2 && b >= 2)
     {
       System.out.println("Password is valid: "+s);
     }
     else
     {
       System.out.println("Not a valid password: "+s);
     }
   }
}
```

```
| The first part of the form of the first of
```

P12)

```
import java.util.Scanner;
public class P12 {
  public static int prime (int n)
  {
    int i, a=0;
    for (i = 2; i \le n / 2; i++)
       if (n \% i == 0)
         a = 1;
         break;
       }
     }
     return a;
  }
  public static void main(String args[]) {
     Scanner in = new Scanner(System.in);
```

```
int n, i;
    System.out.println("Enter the limit: ");
    n = in.nextInt();
    System.out.println("Two prime numbers are: ");
    for (i = 2; i <= n; i++)
    {
        if (prime(i) == 0 && prime(i + 2) == 0)
        {
            System.out.println("(" +i+ "," +(i + 2)+ ")");
        }
    }
}</pre>
```

P13)

```
import java.util.Scanner;
public class P13
{
   public static int fact (int x)
   {
```

```
if (x==0 | | x==1)
  {
    return 1;
  }
  else
  {
    return (x* fact (x-1));
  }
}
public static void main(String[] args)
{
  Scanner in = new Scanner(System.in);
  int x, n;
  System.out.println("Enter any number:");
  x = in.nextInt();
  if(x<0)
  {
    System.out.print("Invalid number");
  }
  else
  {
    n=fact(x);
    System.out.println("The factorial of "+x+": "+n);
  }
}
```

```
| International Page | Note | Designation |
```

P14)

```
import java.util.Arrays;
import java.util.Scanner;
  public class P14 {
    public static void main(String[] args) {
       Scanner input= new Scanner(System.in);
       System.out.println("Enter the first word:");
       String x = input.nextLine();
      System.out.println("Enter the Second word:");
      String y = input.nextLine();
      x = x.toLowerCase();
      y = y.toLowerCase();
       System.out.println(x);
       System.out.println(y);
       if(x.length()== y.length())
         char[]a= x.toCharArray();
         char[]b= y.toCharArray();
```

```
Arrays.sort(a);
      Arrays.sort(b);
      boolean z = Arrays.equals(a, b);
      if(z)
      {
        System.out.println(x+" and "+y+" are anagram.");
      }
      else
      {
        System.out.println(x+" and "+y+" are not anagram.");
      }
    }
    else
    {
      System.out.println(x+" and "+y+" are not anagram.");
    }
  }
}
```

```
De But you Support the Medical Page 19th you will be seen the page 19th you will be seen to page 19th you will be seen the page 19th you will be seen to page 19th you will be seen to page 19th you will be seen the page 19th you will be seen to page 19th you will be seen to
```