Programming in HTML5 with JavaScript and CSS3 Chapter 15: Local data with web storage

Q1. Which one is an API for storing web page data locally?

A. Geolocation API
B. Web storage API
C. AppCache API
D. Filesystem

API Answer: B
[Page 555, 558]

Q2. What are the two forms of storage the Web storage API provides?

A. localStorage
B. sessionStorage
C. cookie
D. appCache

Answer: A, B
[Page 564]

Q3. Which one is also known as DOM storage?

A. Geolocation
B. Web storage
C. AppCache
D. Filesystem

Answer: B [Page
555]

Q4. Which one has been for years for storing small bits of information on client device?

A. Cookie
B. Web storage
C. Web sql
D. Filesystem

Answer: A [page
556]

Q5. What is maximum size of data for storing cookie data?

A. 1 KB
B. 2 KB
C. 4 KB
D. Unlimited

Answer: C
[Page 557]

Q6. Which one use
s key/values pairs to store data on browser?

A. Web storage
B. Web SQL
C. Indexeddb
D. Filesystem

API Answer: A
[Page 558]

Q7. Which one provides full power of relational database for storing complex data on browser?

A. Web storage
B. Web SQL
C. Indexeddb
D. Filesystem

API Answer: B
[Page 558]

Q8. Which one provides way to store complex data on browser as a non-relational database but with indexing and transaction support?

A. Web storage
B. Web SQL
C. Indexeddb
D. Filesystem

API Answer: C
[Page 558]

Q9. What is the difference between the localStorage and sessionStorage?

A. localStorage is cleared when the session is closed, whereas sessionStorage is still be accessible after a session closes
B. sessionStorage is cleared when the session is closed, whereas localStorage is still be accessible after a session closes
C. sessionStorage is accessible within the current is closed, whereas localStorage is accessible in the all open tab
D. localStorage is accessible within the current is closed, whereas sessionStorage is accessible in the all open tab

Answer: B
[Page 564]

Q10. Which of following URLs can access that data storage that was created using the URL http://www.example.com/area1/page1.html?

A. http://store.example.com/area1/page1.html
B. http://example.com/area1/page1.html
C. http://www.example.com/area1/page2.html
D. http://www.example.com/area2/page1.html

Answer: C, D
[Page 559]

Q11. Which method removes all the item that has been saved in localStorage?

A. clear()
B. removeAll()
C. abandon()

D. reset()

Answer: A

[Page 560]

Q12. Which one should you use to retrieve the stored at index position 3?

A. localStorage.get(3);
B. localStorage.getItem(3);
C. localStorage[3];
D. localStorage.getItem(localStorage.key(3));

Answer: D

[Page 561]

Q13. How much minimum size for localStorage most browsers allows?

A. 5 KB
B. 1 MB
C. 5 MB
D. Unlimited

Answer: C

[Page 561]

Q14. Which property of localStorage do you use to determine whether any value is stored local storage?

A. length
B. size
C. value
D. key

Answer: A

[Page 560]

Q15. You want to read all items from localStorage if any value stored. Which code should you use?

A. if(localStorage){ //code}
B. if(localStorage>0){ //code}
C. if(localStorage.length>0){ //code}
D. if(localStorage.key>0){

//code} Answer: C

[Page 560]

Q16. You have stored data to localStorage with key x, which of the following cannot retrieve that data?

A. localStorage.getItem('x')
B. localStorage['x'];
C. localStorage.x
D. localStorage.get('x')

Answer: D

[Page 560

localStorage.getItem("x"),localStorage.x, localStorage["x"] does the same but localStorage.get("x") does not]

Q17. What type of data can be stored in web storage?

A. object
B. json
C. string
D. any type of

data Answer: C
[Page 562
Currently, only string values can be stored in web storage]

Q18. To store complex JSON object in web storage which method is used?

A. JSON.toString()
B. JSON.parse()
C. JSON.toObject()
D. JSON.stringify()

Answer: D
[Page 562]

Q19. How do you store JSON object to local storage?

A. Simply store it with a key
B. Use JSON.stringify() method to convert the object to a string that can then be placed in web storage
C. Use toString()to convert the object to a string that can then be placed in web storage
D. None of the above

Answer: B
[Page 562]

Q20. Which type of storage data is sandboxed to only the current tab or window and is cleared when closed?

A. localStorage
B. sessionStorage
C. offline cache
D. cookie

Answer: B
[Page 564]

Q21. What is the web storage limit currently recommended by the World Wide Web Consortium (W3C)?

A. 4 KB
B. 5 MB
C. 500 MB
D. 10 MB

Answer: B
[Page 561]

Q22. What is the correct syntax for removing all values existing in localStorage?

A. localStorage.clear();
B. localStorage.removeAll();
C. localStorage.abandon();
D. localStorage.reset();

Answer: A

[Page 560]

Q23. Which of the following storage mechanisms has the highest level of cross-browser support?

A. Web storage
B. Web SQL
C. IndexDB
D. FileSystem

API Answer: A
[Page 558]

Q24. Which of the following features does web storage support?

A. Indexing
B. Transactions
C. Asynchronous read/write
D. Simple key/value pair

storage Answer: D
[Page 558]

Q25. Which one is **not** true web storage?

A. Only string can be stored
B. operates asynchronously
C. no transaction support
D. Does not support

indexing Answer: B
[Page 564]

Q26. How can you keep in sync all the open tab with localStorage data so that if onetab modified data other tabs are updated accordingly?

A. periodically check storage update if any modification found
B. use insert, update callback
C. use StorageEvent
D. Any one of the above

Answer: C
[Page 566]

Q27. Which of the following is not a property of the StorageEvent object?

A. oldValue
B. key
C. changeType
D. storageArea

Answer: C
[Page 566]

Q28. Which of the following is the correct way to cancel a storage event?

A. event.returnValue = false;
B. event.preventDefault();
C. event.stopPropagation();
D. Storage events cannot be canceled after they are

triggered. Answer: D

[Page 567]

Q29. Which web storage is accessible to only the current tab or window and is cleared when closed?

A. HTTP Cookie
B. FileSystem API
C. localStorage
D. sessionStorage

Answer: D
[Page 564]

Q30. Web storage supports advanced features such as transactions or indexing?

A. True
B. False

Answer: B
[Page 564]

Q31. What is the correct syntax for removing all values existing in *localStorage*?

A. localStorage.clear();
B. localStorage.removeAll();
C. localStorage.abandon();
D. localStorage.reset();

Answer: A
[Page 560]

Q32. Which of the following features does web storage support?

A. Indexing
B. Transactions
C. Asynchronous read/write
D. Simple key/value pair

storage Answer: D
[Page 564]

Q33. Which web storage provide the power of a full relational database, including support for SQL commands, transactions, and performance tuning?

A. Web sql
B. indexedDB
C. localStorage
D. sessionStorage

Answer: A
[Page 558]

Q34. Which of the following is true about Session Storage in HTML5?

A. HTML5 introduces the sessionStorage attribute which would be used by the sites to add data to the session storage.
B. It will be accessible to any page from the same site opened in that window i.e. session.
C. As soon as you close the window, session would be lost.
D. All of the above.

Answer: C
[Page 562]

Q35. Which of the following is true about Cookies?

A. Cookies are included with every HTTP request, thereby slowing down your web application by transmitting the same data.
B. Cookies are included with every HTTP request, thereby sending data unencrypted over the internet.
C. Cookies are limited to about 4 KB of data . Not enough to store required data.
D. All of the above.

Answer: C
[Page 557]

Q36. You would like to store the user's name after he authenticates on your site, but he will need to authenticate again on his next visit, at which time you would reload his information (including name). Which storage mechanism should you use??

A. Web sql
B. indexedDB
C. localStorage
D. sessionStorage

Answer: D
[Page 565]