

Std-12 Computer Studies

Chapter 2

Cascading Style Sheets and JavaScript

2.1 INTRODUCTION

Choose the most appropriate option from those given below:

Q-1: What is the full form of CSS?

- (A) Case Study Sheet (B) Computer Style Sheet
(C) ~~Cascading~~ Style Sheet (D) Computerized Spread Sheet

Q-2: Which of the following option helps us to keep the information content of a document separate from the details of how to display it?

- (A) HTML (B) HTTP
(C) Java script (D) ~~CSS~~

Q-3: What is style?

- (A) ~~The detail of how to display the document~~ (B) The detail of how to write the document
(C) Cascading pattern of HTML document (D) Cascading pattern of Java script document

Q-4: By using which option, we can set all element types to appear in a style as per our choice?

- (A) Java script (B) ~~CSS~~ (C) Web browser (D) Web server

Q-5: Which of the following describes the information content of the document?

- (A) CSS (B) Web Server (C) ~~HTML~~ (D) Java script

Q-6: Which option describes the style of the elements in the document and not its contents? OR

Which of the following allows specifying styles for the visual elements of the website?

- (A) ~~CSS~~ (B) Web browser (C) HTML (D) Both A & C

Q-7: Which of the following option/s of our web site is/are controlled by CSS?

- (A) Font types (B) Font and element colors (C) Margins (D) ~~All A, B & C~~

Q-8: Pad spaces and element position of our website are controlled by which option?

- (A) HTML ~~(B) CSS~~ (C) Java script (D) Web Browser

2.2 SYNTAX OF CSS

Q-9: In how many parts CSS rules are mainly divided?

- (A) Four (B) Six ~~(C) Two~~ (D) Three

Q-10: Name the special symbols consisted by syntax of CSS.

- ~~(A) Rules~~ (B) Styles (C) HTML (D) HTTP

Q-11: Which of the following is not a part of CSS syntax?

- (A) Selector (B) Property (C) Value ~~(D) Event~~

Q-12: Which of the following consists of a property associated with the HTML, element used in selector and its corresponding value?

- (A) HTML ~~(B) Declaration~~ (C) Edit menu (D) <p> tag

Q-13: Styles can be applied on which of the following HTML, element?

- (A) Declaration (B) Property (C) Value ~~(D) Selector~~

Q-14: In the example of CSS,

H1 {color: green};

Which is selector?

- ~~(A) H1~~ (B) Color (C) Green (D) {}

Q-15: In "H1 {color: green}", what is color?

- ~~(A) Property~~ (B) Value (C) Selector (D) Style

Q-16: In CSS, property and value are separated by which symbol?

- (A) Comma ~~(B) Colon~~ (C) Space (D) Semicolon

Q-17: Which option is used to make sure that KompoZer uses CSS by default?

- (A) File → Preferences (B) Insert → Preferences
~~(C) Tools → Preferences~~ (D) Windows → Preferences

Q-18: Which button should be selected in the composition toolbar to apply CSS styles?

- (A) Cascade (B) Create Style (C) HTML elements (D) Style

Q-19: Which dialog box will be opened. If the file is not saved?

- (A) Page title (B) Style sheet (C) Borders (D) Lists

Q-20: Which dialog box is used to define the styles for each element?

- (A) Options (B) Block background color (C) CSS stylesheets (D) Background

Q-21: Under which heading a style rule will appear, whenever we add new element, in CSS Style sheets dialogbox?

- (A) General (B) Internal stylesheet (C) Aural (D) Background

Q-22: Which of the following tab is not available in the right side of the CSS Stylesheets dialog box?

- (A) Aural (B) Borders (C) New style (D) Text **OR**
(A) Borders (B) General (C) Orals (D) Lists

Q-23: How many tabs are available in right side window of 'CSS stylesheets dialog box?

- (A) 7 (B) 8 (C) 9 (D) 10

Q-24: Which of the following option is not available in "Text" tab of 'CSS stylesheets dialog box?

- (A) Blinking (B) Line height (C) Image (D) Font family

Q-25: In the 'CSS Style Sheets' dialog box of Kompozer, Which tab is used to change the colour of a font

- (A) General (B) Text (C) Background (D) Lists

Q-26: What should be clicked to keep an image in the background?

- (A) Opacity (B) General (C) Choose file (D) Lists

Q-27: Which option is not available in 'Borders' tab of 'CSS stylesheets" dialog box?

- (A) Style (B) Selector (C) Preview (D) Width

Q-28: In which section we can select fonts of our choice?

- (A) Font family (B) Font weight (C) Font style (D) Case

Q-29: Which button should be clicked in Image option, to keep an image in the background?

- (A) Select image (B) Choose file (C) Choose image (D) Select alternate text

Q-30: Which checkbox should be selected to apply the same border on all four sides

- (A) Apply to all sides (B) Apply to all four sides
(C) Select all sides (D) All four sides use same border style

Q-31: For borders, which options are available?

- (A) Style, Width, Size (B) General, Box, Border
(C) Style, Width, Color (D) General, Length, Size

Q-32: Which tab will show the CSS code?

- (A) CSS (B) General (C) Text (D) HTML

Q-33: Which of the following is not an advantage of CSS?

- (A) CSS makes web designer's job easier
(B) CSS makes webpages loading faster as compared to HTML
(C) CSS makes website designing quick and efficient
(D) CSS compatibility varies with different browsers

2.3 ADVANTAGES OF CSS

Q-34: Which of the following allows us to set the format of the website without changing the underlying structure?

- (A) HTML (B) JavaScript (C) Forms (D) CSS

Q-35: Which of the following can make website designing quick and efficient?

- (A) CSS (B) HTML (C) Forms (D) JavaScript

Q-36: Which of the following has less code compared to that in HTML?

- (A) JavaScript (B) CSS (C) Forms (D) Web browser

Q-37: Which toolbar is used to give Heading-1 Style to the heading of the form?

- (A) Format Toolbar-1
- (B) Format Toolbar-2
- (C) Composition Toolbar
- (D) Status Bar

2.4 DISADVANTAGES OF CSS

Q-38: Which of the following varies with different browsers?

- (A) Scripting language
- (B) Borders
- (C) HTML
- (D) CSS compatibility

2.5 JAVASCRIPT

Q-39: Which kind of web pages can be created using HTML?

- (A) Dynamic
- (B) Static
- (C) Simple without formatting
- (D) All A, B & C

Q-40: Which scripting language allows us to add programming aspects to our web pages?

- (A) VB Script
- (B) C++
- (C) JavaScript
- (D) Java

Q-41: Which are the features of scripting language?

- (A) It is simple
- (B) Light weight programming language
- (C) It doesn't contain the advanced programming functionalities like C and Java
- (D) All A, B & C

Q-42: Which is used to improve the design in web pages and validate the Forms?

- (A) JavaScript
- (B) HTML
- (C) CSS
- (D) HTML Forms

Q-43: Which can add interactivity to HTML pages?

- (A) CSS
- (B) JavaScript
- (C) HTML
- (D) Frames

Q-44: Which of the following is used to create HTML content dynamically?

- (A) Web server
- (B) JavaScript
- (C) CSS
- (D) Web Browser

Q-45: What will restrict users from making mistakes?

- (A) Web Browser
- (B) Validation
- (C) HTML Forms
- (D) CSS

Q-46: Which is the most common form of JavaScript today?

- (A) Client-side script (B) Server-side script (C) Both A & B (D) VB Script

Q-47: `var x = document.js1.name.value;`

In above statement, which is a variable?

- (A) x (B) document (C) js1 (D) name.value

Q-48: Which tag tells the browser to interpret all the text between the `<script>` tag as a script?

- (A) `<script>` (B) `<CSS>` (C) `<style>` (D) `<body>`

Q-49: In the statement,

`"document.write("Hello World");"`

Which is the method?

- (A) Hello World (B) document (C) document.write (D) write

Q-50: In the above statement, which is object?

- (A) "Hello World" (B) write (C) document (D) document.write()

Q-51: Which symbol is used as a mark of separation or termination?

- (A) Colon (B) Dot (C) Comma (D) Semicolon

Q-52: What is used to create a group of JavaScript statements?

- (A) Group (B) Block (C) Function (D) Program

Q-53: Which symbols are used to start and end a block?

- (A) () (B) [] (C) { } (D) " "

Q-54: How many tabs are shown in Advanced property Editor dialog box in Kompozer?

- (A) Four (B) Three (C) Two (D) Five

Q-55: Which button will open "Advanced Property Editor dialogbox?"

- (A) Advanced Edit (B) Open (C) General (D) Properties

Q-56: A reusable block of code that performs a particular task is called...

- A. Script ~~B. Function~~ C. Style sheet D. Web page

Q-57: What is another name of function?

- A. Web page B. Program C. Routine D. Style sheet

Q-58: What is defined by the keyword function?

- A. Style sheet ~~B. Function~~ C. Javascript D. Both B & C

Q-59: Where can we write block of code?

- ~~A. Inside the Parenthesis()~~ B. Inside the Square brackets[]
C. Inside the curly braces{ } D. Within double quotes " "

Q-60: Which of the following is inbuilt function of JavaScript?

- A. ValidateForm() ~~B. Alert()~~ C. Check() D. Draw()

Q-61: Which function takes the text and displays it in an alert box?

- ~~A. alert()~~ B. write() C. display() D. show()

Q-62: How can we execute the function?

- A. By an event B. Call it inside a source code C. By Clicking on it D. Both A & B

Q-63: Where can we define function?

- A. In Head Section B. In Body section ~~C. Both A & B~~ D. In CSS section

Q-64: How can we call function?

- A. By its value B. By body tag ~~C. By its name~~ D. None of these

Q-65: By using which statement, it is possible to return function value?

- A. Document.write() ~~B. return~~ C. Showvalue() D. Display()

2.6: Events

Q-66: Which kind of web pages can be created using JavaScript?

- A. Static B. Unformatted C. Simple Text based ~~D. Interactive~~

Q-67: What will be generated by browser, when the interaction between the user and the web page occur?

- A. Action B. Method ~~C. Event~~ D. Interaction

Q-68: What will take place when user does something?

- A. Downloading B. Uploading ~~C. Both A & B~~ D. Event

Q-69: Which of the following is not an example of Event in JavaScript?

- ~~A. Take~~ B. Load C. Error D. Focus

Q-70: Which event would occur when loading of image is cancelled?

- ~~A. Abort~~ B. Error C. Load D. Reset

Q-71: With which event, elements such as radio button becomes inactive?

- A. Change ~~B. Blur~~ C. Unload D. Select

Q-72: Which event would occur when user clicks on a form element?

- A. Focus B. Change ~~C. Click~~ D. Reset

Q-73: Which event would occur when value of a form field is changed by the user?

- A. MouseOut B. Load C. Reset ~~D. Change~~

Q-74: Which event would occur when error occurs during loading of a document or image?

- ~~A. Error~~ B. Submit C. MouseOver D. Unload

Q-75: Which event would occur when element such as radio button becomes active?

- A. Abort B. Blur C. Select ~~D. Focus~~

Q-76: Which event would occur when document or image is loaded?

- A. Focus B. Reset ~~C. Load~~ D. Unload

Q-77: Which event would occur when we move mouse off the element?

- A. Change ~~B. MouseOut~~ C. MouseOver D. Click

Q-78: Which event would occur when we move mouse over the element?

- A. Change B. Load C. Reset ~~D. Mouseover~~

Q-79: With which event, form fields are reset to default values?

- A. Change B. Select ~~C. Reset~~ D. Error

Q-80: Which event would occur when user selects a from field?

- A. Submit ~~B. Select~~ C. Change D. Load

Q-81: Which event would occur when user submits a form?

- ~~A. Submit~~ B. Reset C. Both A & B D. Load

Q-82: Which event would occur when user leaves a page?

- A. Blur B. Error ~~C. Unload~~ D. Reset

Q-83: Name the JavaScript code which is executed in response to a given situation, when an event occurs,

- A. Validation ~~B. Event handler~~ C. Function D. Event

Q-84: Which names are kept same as the name of the event?

- A. Function B. File C. Script ~~D. Event handler~~

Q-85: Which of the following is an example of event handler in JavaScript?

- A. On Submit Click() B. Submit on() C. Submit Click on() ~~D. On Submit()~~

Q-86: Which of the following is an event handler of 'Submit' event?

- A. Submit() B. function Submit() ~~C. onsubmit()~~ D. onclick()

2.7: Variables

Q-87: Which type of data can be stored in the variables?

- A. Numbers B. Strings C. Text ~~D. All A, B & C~~

Q-88: With which keyword we can declare a variable?

- A. Var ~~✓~~ B. Script C. CSS D. HTML

Q-89: Which of the following statements is true for JavaScript variables?

- I. Variables in JavaScript are case sensitive
II. JavaScript variable can store numbers strings or text.
III. In JavaScript, variables can be declared using VAR keyword.

- A. Only (I) and (II) B. Only (II) and (III) C. Only (I) and (III) ~~D. (I), (II) and (III)~~

2.8: If Statement

Q-90: Which conditional statement is used to change the flow of the program?

- A. Script ~~B. If~~ C. Function D. Method

Q-91: In which condition, the program enters if block and executes the statements inside it?

- A. False B. Unpredictable C. Any ~~D. True~~

2.9 Document Object Model

Q-92: Which of the following can be used to control the web browser?

- A. JavaScript B. Function C. Frame ~~D. Window~~

Q-93: What is used to control the web browser window or the web page?

- A. COM B. MOV C. BMO ~~D. BOM~~

Q-94: Which of the following are different parts or objects of the browser?

- A. Functions B. Browser Object Model ~~C. Scripts~~ D. Styles

Q-95: Which of the following is a top-level object in the browser object model?

- ~~A. Window~~ B. Document C. Form D. Textarea

Q-96: Which object represents the browser window or individual frame within the window?

- A. Document B. Location C. Window D. Frame

Q-97: Which object can be created automatically by the browser?

- A. Frame ~~B. Window~~ C. Document D. Link

Q-98: Which object contains the document object?

- A. Parent B. Text C. ~~Window~~ D. Frame

Q-99: Which object is used to represent the web page displayed in the browser?

- A. Window ~~B. Document~~ C. Both A & B D. Anchor

Q-100: Which object contains a form object? OR

In browser object model, elements of webpage like forms, images, links etc. are contained within which object?

- A. Anchor B. Windows C. Top D. Document

Q-101: Which object contains element object?

- A. Frame ~~B. Form~~ C. Anchor D. Window

Q-102: Which browser object represents the browser window or individual frame within window?

- A. History B. Document C. Window D. Location

Q-103: What is controlled by the methods and properties of the window object?

- A. Web page B. ~~Web~~ browser window C. Web site D. Functions

Q-104: What is controlled by the methods and properties of the document object?

- A. Web browser window B. Functions C. Web site ☒ D. Web page

Q-105: Which is the global object of the browser object model?

- A. Window B. Document C. History D. Top

Q-106: Which is the most important object in the browser object model?

- A. Parent ~~B. Document~~ C. Link D. History

2.10 The Focus Method

Q-107: Which method is used to apply focus on a particular element of the form?

- A. Select B. Load ~~C. Focus~~ D. Click

Q-108: Which color asterisk mark is indication of compulsory field of online form?

- A. Blue ~~B. Red~~ C. Yellow D. Green

2.11: isNaN()

Q-109: Which built-in function of JavaScript is commonly used to work with numeric values?

- A. Number() B. isNumber() C. isString() ~~D. isNaN()~~

Q-110: What will be the output of isNaN(123)? OR In JavaScript, isNaN() function returns what, when the value passed is not a number?

- A. Error message B. No output C. 123 ~~D. False~~

Q-111: What will be the output of isNaN("hello")?

- A. Hello ~~B. True~~ C. Error message D. No output

Q-112: Which of the following is used for "OR" in JavaScript statement?

- A. &&(two ampersand) B. *(two star)
C. |(two pipe sign) D. ;;(two semicolon)

Q-113: Which of the following is a scripting language that allows us to add logical aspects to our web pages?

- ~~A. JavaScript~~ B. VB Script C. HTML D. Event

Q-114: In Kompozer form, the radio buttons for gender field are grouped by the name 'gender' and gender is an array of two elements, so how this element will be declared?

- A. ~~gender[0] and gender[1]~~ B. gender[1] and gender[2]
C. gender[0] and gender[2] D. gender[2] and gender[1]

Q-115: In following JavaScript statement,

```
var x = document.admin.fname.value;
```

which of the following indicates form name in KompoZer?

- A. document B. admin C. fname D. value

Q-116: In CSS stylesheets dialog box, which button should be clicked to create a style for a particular selector?

- A. Sheets and rules B. Internal Stylesheet C. New style rule D. Create style rule

Q-117: Which of the following tab is not available in Advanced Property Editor dialog box?

- A. HTML attributes B. On submit C. Inline Style D. JavaScript Events