Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? <u>Import a repository</u>.
Required fields are marked with an asterisk (*).

1   General

Owner *

👤 shahwar-coder ▾   /

Repository name *

OrderManagement_Project

✅ **OrderManagement_Project is available.**

Great repository names are short and memorable. How about <u>stunning-train</u>?

Description

Simple Order Management Project

31 / 350 characters

2   Configuration

Choose visibility *
Choose who can see and commit to this repository

🗄 **Public** ▾

Add README
READMEs can be used as longer descriptions. <u>About READMEs</u>

Off ⬤

Add .gitignore
.gitignore tells git which files not to track. <u>About ignoring files</u>

No .gitignore ▾

```
Last login: Thu Dec  4 09:45:23 on console
[shahwaralamnaqvi@Shahwars-MacBook-Air ~ % git --version
git version 2.50.1 (Apple Git-155)
shahwaralamnaqvi@Shahwars-MacBook-Air ~ %
```

```
OM_Project — -zsh — 120×30

Last login: Thu Dec  4 09:45:23 on console
[shahwaralamnaqvi@Shahwars-MacBook-Air ~ % git --version
git version 2.50.1 (Apple Git-155)
[shahwaralamnaqvi@Shahwars-MacBook-Air ~ % ls
Applications            Downloads            Mssql01.sql            Public
Desktop                 Library              Music                  Untitled-1.ipynb
Documents               Movies               Pictures
[shahwaralamnaqvi@Shahwars-MacBook-Air ~ % cd Documents
[shahwaralamnaqvi@Shahwars-MacBook-Air Documents % ls
Github          Pro Stack          RACE               SQL
[shahwaralamnaqvi@Shahwars-MacBook-Air Documents % cd Pro\ Stack
[shahwaralamnaqvi@Shahwars-MacBook-Air Pro Stack % ls
account.py      constructor.py  OM_Project      try.html
[shahwaralamnaqvi@Shahwars-MacBook-Air Pro Stack % cd OM_Project
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % 
```

```
OM_Project — -zsh — 120×30

[shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git init
Initialized empty Git repository in /Users/shahwaralamnaqvi/Documents/Pro Stack/OM_Project/.git/
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project %
```

```
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % code .
```

```
shahwaralamnaqvi@Shahwars-MacBook-Air Pro Stack % cd OM_Project
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % clear
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project %
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git init
Reinitialized existing Git repository in /Users/shahwaralamnaqvi/Documents/Pro Stack/OM_Project/.
git/
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % ls
index.html      order.py
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git config --global user.name 'shahwar-coder'
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git config --global user.email 'naqvishahwar12
0@gmail.com'
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git add -A
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git commit -m "commiting dummy files"
[main (root-commit) ed2d5a7] commiting dummy files
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html
 create mode 100644 order.py
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git branch -M main
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git remote add origin "https://github.com/shah
war-coder/OrderManagement_Project"
```

```
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git status
On branch main
nothing to commit, working tree clean
shahwaralamnaqvi@Shahwars-MacBook-Air OM_Project % git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 235 bytes | 235.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/shahwar-coder/OrderManagement_Project
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```