



COMSATS University, Islamabad Pakistan

**Final Project Report
For
Speech2Face**

Submitted By:

Shahzaneer Ahmed **CUI/SP21-BCS-087/ISB**

Shayan Zameer **CUI/ SP21-BCS-088/ISB**

**Supervisor
Mr. Tehseen Riaz Abbasi**

Date of Submission: January 6, 2023

Original Version 1.0

Bachelor of Science in Computer Science (2021-2025)

The candidate confirms that the work submitted is their own and appropriate credit has been given where reference has been made to the work of others.



COMSATS University, Islamabad Pakistan

Speech2Face

A project presented to
COMSATS University, Islamabad

In partial fulfillment
Of the requirement for the degree of

Bachelors of Science in Computer Science (2021-2025)

By

Shahzaneer Ahmed

CUI/SP21-BCS-087/ISB

Shayan Zameer

CUI/ SP21-BCS-088/ISB

DECLARATION

We hereby declare that this software, neither whole nor as a part has been copied out from any source. It is further declared that we have developed this software and accompanied report entirely on the basis of our personal efforts. If any part of this project is proved to be copied out from any source or found to be reproduction of some other. We will stand by the consequences. No Portion of the work presented has been submitted of any application for any other degree or qualification of this or any other university or institute of learning. This Project is unique in its nature and no practical software is present in the world at the moment which can perform tasks like it.

Shahzaneer Ahmed

Shayan Zameer

Executive Summary

Determining the facial features from speech of a person is considered impossible although if it could happen it would help the security agencies of the world to trace the faces of the criminals by the record of their voices.

Speech2face is a system which is developed by using machine learning and deep learning algorithms trained over a vast dataset consisting of the values of the facial and voice features of different ethnicities, regions, countries and genders. It generates image from the voice record. It can also fetch the voice from the videos and then generate image against it. The image formed can be modified in accordance with the investigational needs.

Speech2Face is a Research and Development system and thus it is subjected to be improved with the passage of time as its application is increased.

Acknowledgement

All praise is to Almighty Allah who bestowed upon us a minute portion of His boundless knowledge by virtue of which we were able to accomplish this challenging task.

We are greatly indebted to our project supervisor “Mr. Tehseen Riaz Abbasi”. Without their personal supervision, advice and valuable guidance, completion of this project would have been doubtful. We are deeply indebted to them for their encouragement and continual help during this work.

And we are also thankful to our parents and family who have been a constant source of encouragement for us and brought us the values of honesty & hard work.

Shahzaneer Ahmed

Shayan Zameer

Abbreviations

API	Application Programming Interface
FAQ	Frequently Asked Questions
FR	Functional Requirements
M	Module
NFR	Non-Functional Requirements
QA	Quality Assurance
S2F Software	Speech2Face System
SDS	Software Design Specification
SRS	Software Require Specification
STP	Software Test Plan
TC	Test Case
UC	Use Case
UI	User Interface
URL	Uniform Resource Locator

Table of Contents

1. Introduction	12
1.1 Project Major Category.....	12
1.2 Abstract.....	12
1.3 Vision Statement.....	12
1.4 Literature Review.....	13
1.5 Advantages of Speech2Face.....	14
1.6 Project Scope	14
1.7 Modules	15
Module 1: Profile Management	15
Module 2: Place Voice Record.....	15
Module 3: Sound to Face Vector Model.....	15
Module 4: Face-Vector to Face-Image Model	16
Module 5: Image View Customization	16
Module 6: Features Enhancer	16
Module 7: Insight Panel	16
Module 8: Feedback Panel.....	17
Module 9: Help and Support.....	17
1.8 System Limitations/Constraints.....	17
1.9 Tools and Technologies.....	17
1.10 Relevance to Course Material	19
1.11 Design and Process Methodology for this Project.....	19
1.11.1 Process Methodology.....	19
1.11.2 Design Methodology	19
2. Problem Definition	20

2.1	Problem Statement.....	20
2.2	Problem Solution for the Proposed System	20
2.3	Deliverables and Development Requirements.....	20
2.4	Requirement Elicitation Techniques	21
	Questionnaire and Surveys:.....	21
	Group Discussion:	21
	Studying Related Systems:.....	21
	Observation:	21
2.5	Use Cases Diagram(s)	21
2.6	Detailed Use Case (Tabular- Module Wise)	26
2.6.1	List of Use Cases	26
2.7	Functional Requirements	74
2.8	Non-Functional Requirements	126
2.8.1	Reliability	126
2.8.2	Usability	127
2.8.3	Performance	127
2.8.4	Security	127
4.	Architecture and Design	128
4.1.	System Architecture	128
4.2.	Design Methodology	128
4.3.	Data Representation.....	129
4.3.1.	ERD.....	129
4.4.	Process Flow.....	130
4.5.	Design Models.....	138
4.5.1.	Class Diagram.....	138
4.5.2.	Sequence Diagrams	139

5. Implementation.....	147
 5.1. Algorithm	147
• Sign up and Login	147
• Adding Voice Record	147
• Voice to Vector Modeling	147
• Vector to Image Modeling.....	148
• Image View Customization	148
• Features Enhancer	149
• Insight Panel	149
 5.2. User Interface	151
6. Testing and Evaluation	181
7. Conclusion and Future Work	228
 7.1. Conclusion.....	228
 7.2. Future Work	228
 7.3. Lessons Learnt.....	228
 7.4. Work Division.....	230
8. References	233
Related System:	233
https://www.github.com/topics/sound-classification.	233
https://speech2face.github.io/	233
Google Facenet.....	233
YouTube Resources:.....	233
https://www.youtube.com/watch?v=aKYlSIs3UDY&t=334s	233
9. Appendix	233
 9.1. Figma UI.....	233
Mobile UI:	233

https://www.figma.com/file/2cnbvpco1PohBbW6qkxKSk/Speech2Face?node-id=231%3A832&t=ElN4Nwrc7zcLQNko-0	233
Web UI:	233
https://www.figma.com/file/2cnbvpco1PohBbW6qkxKSk/Speech2Face?node-id=304%3A781&t=ElN4Nwrc7zcLQNko-0	233
9.2. Figma Prototypes.....	233
Mobile Prototype:	233
https://www.figma.com/proto/2cnbvpco1PohBbW6qkxKSk/Speech2Face?node-id=295%3A527&scaling=scale-down&page-id=231%3A832&starting-point-node-id=295%3A527	233
Web Prototype:	234
https://www.figma.com/proto/2cnbvpco1PohBbW6qkxKSk/Speech2Face?node-id=104%3A7&scaling=scale-down&page-id=0%3A1&starting-point-node-id=104%3A7	234
9.3. GitHub Repositories.....	234
Mobile App:	234
https://github.com/shahzaneer/Speech2Face	234
Web App:	234
https://github.com/ShayanZameer	234
9.4. YouTube Link.....	234
https://www.youtube.com/channel/UCNXbD47Sy6nJumfAAME0V9A	234
9.5. Guidelines.....	234
10. Plagiarism Report	235

Table of Figures

- Figure 1: Context Diagram of Speech2Face System*
- Figure 2: Use Case Diagrams for System*
- Figure 3: Architecture Diagram*
- Figure 4: Entity Relation Diagram of ppeech2Face System*
- Figure 5: Activity Diagram of Module1*
- Figure 6: Activity Diagram of Module 2*
- Figure 7: Activity Diagram of Module3and 4*
- Figure 8: Activity Diagram of Module 5*
- Figure 9: Activity Diagram of Module 6*
- Figure 10: Activity Diagram of Module 7*
- Figure 11: Activity Diagram of Module 8*
- Figure 12: Activity Diagram of Module 9*
- Figure 13: Class Diagram of Speech2Face System*
- Figure 14: Sequence Diagram of Module 1*
- Figure 15: Activity Diagram of Module2*
- Figure 16: Sequence Diagram of Module 3 and 4*
- Figure 17: Sequence Diagram of Module 5*
- Figure 18: Sequence Diagram of Module 6*
- Figure 19: Sequence Diagram of Module 7*
- Figure 20: Sequence Diagram of Module 8*
- Figure 21: Sequence Diagram of Module 9*
- Figure 22-50 : User Interface (Mockups).....*

1. Introduction

Recognizing the facial features of a person based on their audio notes by a human being who don't actually know the person make no sense in real life. There is no such way to do something like this. Every prediction will be a wild guess with zero or no reliability at all. But with the advent in the Technology, Artificial Intelligence has made it possible to do so. The Machine Learning and Deep Learning Models can be trained on data of all type of people with some mathematical perspectives of voice that use clustering algorithms and categorize the people in different domains. By doing so, they generate predicted images.

The images will not be 100% real. But they can give a lot of insights of the data which can help us identify the person.

1.1 Project Major Category

B-Web Application/Web Application based Information System

C-Problem Solving and Artificial Intelligence

E-Smartphone Application

H-Image Processing

1.2 Abstract

Speech2face is a web and mobile application-based software that is mainly built to recognize the face general structure, ethnicity and gender with the audio waves. Currently there is no full-fledged software in the world that helps in this regard although there are deep learning libraries on which much work is done in the past. It was nearly impossible to predict the appearance of some person with his/her voice. But Artificial Intelligence has made it. It will automate the attendance system and reinvigorate the authentication system. Moreover, it will prove itself as an asset to the security and intelligence agencies by recognizing criminal's faces with the voice notes and eventually help those resolving complex cases. Speech2face can also be used as a general-purpose software for recognizing the individuals in old audios and images where their appearance is not clear.

1.3 Vision Statement

For users (generic, intelligence agencies) who want to authenticate their user systems and find a visual representation (facial view) of voices depending upon different factors, the Speech2face is an internet-based and smartphone-enabled application that will help in authenticating the users and finding real-time insights about voices unlike the data analyzed models which are not in practical usage form, the users who will use our speech2face system will be able to transform the audios into images and gain generic information about the person whose voice is under observation.

1.4 Literature Review

Following are some existing apps related to our project:

Sound Classification:

Audio Classification is the practice of examining audio recordings. The project classifies the sound into different categories e.g., environmental sound, the voice of speech, music sound, etc. Several AI and Data Science applications including chatbots, automatic voice translators, and text to speech software can be created through this technology.

Speech2Face:

Speech2Face is all about guessing a person's Face using voice. In this project, we are trying to reconstruct the facial image of a person from a short audio recording of that person speaking.

Face.net:

Face.net is a project developed by three researchers at Google. Face.net basically takes a face and turns it into a vector of 128 values. The project is designed to produce an embedding from a face of a person.

The **Table 1** provides weakness of these apps and proposed solution that would be done in this project.

Application Name	Weakness	Proposed Project-Solution
Sound Classification	There are too many sounds so There is a possibility that the system can't get sound and displays results according to their need	The project deals with speech recognition and converts facial images. The risk is low as compared to related projects.
Face.net	There are a number of areas that are still left to be explored and how different ages and races play a role in face recognition.	.
Speech2Face	No, Mobile application, it is only available as a website.	The application will be available on the web as well as a mobile application.

Table 1: Related System Analysis with Speech2Face System

1.5 Advantages of Speech2Face

Following are the advantages of our application:

- Privacy of a person is there because the resemblance is apparently not 100% right.
- This application helps the investigation team to get an idea of what the criminals look like by using their voices.
- We evaluate and numerically quantify how and in what matter reconstruction from audio resembles the true face of images of the speaker.

1.6 Project Scope

Speech2Face will be a Research and development-based Product with the main functionality to convert the voice into vector form and the vector form to image form and thus assisting in providing insights about the details of the person whose voice is under observation. It will be developed using different technologies and Deep Learning and machine learning techniques will be used. The Image generated can be modified in accordance with the users' perspective

General user: They can retrieve their images from their voice notes.

Security Agencies: It can help them identify the criminals and speed up the process of resolving complex cases.



Figure 1: Context Diagram of Speech2Face System

1.7 Modules

The major modules for the Speech2Face System are listed below:

Module 1: Profile Management

M1F1: Sign up

M1F2: Login

M1F3: Sign in Via Phone

M1F4: Sign in as a Guest

M1F5: Sign in Via Voice

M1F6: Update Profile Information

M1F7: Delete Profile

M1F8: Logout

Module 2: Place Voice Record

M2F1: Record Voice

M2F2: Upload Existing Voice

M2F3: Upload Existing Video to fetch Voice

M2F4: Update Voice

M2F5: Update Video

M2F6: Delete Voice

M2F7: Delete Video

Module 3: Sound to Face Vector Model

M3F1: Sound to vector Modeling via Deep Learning

M3F2: Generate Vector Model

Module 4: Face-Vector to Face-Image Model

M4F1: Vector to Image Modeling via Deep Learning

M4F2: Generate Image Model

Module 5: Image View Customization

M5F1: Brightness Control

M5F2: Saturation Management

M5F3: Skin Color Management

M5F4: Filters

Module 6: Features Enhancer

M6F1: Face Shape Enhancement

M6F2: Nose Enhancement

M6F3: Eyebrow Enhancement

M6F4: Beard Maker

M6F5: Eye Enhancement

Module 7: Insight Panel

M7F1: View Report

M7F2: Download Report

M7F3: Share on Socials

Module 8: Feedback Panel

M8F1: Rate Result

M8F2: Feedback in terms of words

M8F3: System Lagging Checks

Module 9: Help and Support

M9F1: Chat with AI Bot

M9F2: Contact Support Team

M9F3: Change Bots-Language

M9F4: View Bot's Query History

1.8 System Limitations/Constraints

Following are the limitations of our proposed system:

- The system cannot predict the image 100% rightly.
- The system is unable to guess some voices if it consists of the type on which the data is not trained. It is the limitation of AI.
- The System can be accessed over the internet only.

1.9 Tools and Technologies

The tools and technologies that we will be using are provided in the **Table 2** below. The main IDEtool to develop the code will be **Microsoft Visual Studio Code 2022** on which different Technologies like **Flutter**, **HTML-CSS** and **Java Script** will be implemented. **Figma** will be used for mockup creation. **Microsoft Word** and **PowerPoint** will be used for documentation and presentation. **Firebase Firestore** will be used as the backend database.

Tools & Technologies	Tools	Version	Rationale
Visual Studio Code	2022	IDE	
MS Word	2021	Documentation	
MS Power Point	2021	Presentation	
Figma	2022	Mockups Creation	
Flutter	3.3	SDK	
Git	4.3	VCS	
Netlify	2023	Deployment	
Dart	3.5	Client-side Scripting	
Firebase	5	Backend	
Html	5	Web Structuring	
CSS	3	Web Design	
Bootstrap	5	Built-in Web Components	

Table 2: Tools and Technologies for the Speech2face.

1.10 Relevance to Course Material

- From coding perspective, we used some of the core courses and concepts of BCS i.e., Object Oriented Programming, and Data Structures and Algorithms.
- From database perspective, we implemented our knowledge about non-relational databases that we learnt in Database System-I course.
- From overall presentation and reports perspective, courses like Information and Communication Technology (ICT) and Reporting Writing Skills (RWS) helped us through.
- We also utilized our knowledge of Software Engineering Concepts we gained studying this course throughout the semester.

1.11 Design and Process Methodology for this Project

1.11.1 Process Methodology

The software process model which we will be following for this project is **Iterative Process Model**. Our application has finite number of functionalities and most of the requirements are not surely known as the project is not very common in market and it is research and development based. Therefore, the most suitable process model we could select is iterative process model so that we may go back to the requirement or design phase when the need arrives.

1.11.2 Design Methodology

The design methodology we will be using is **Object Oriented Approach** because it increases the reusability of the code, reduces the complexity of the code, and it would be easier for the team members to work together without any confusion as it is the most followed programming paradigm in the market.

2. Problem Definition

This chapter highlights the problem faced by people on a daily basis during the Usage of Speech2Face Application. Alongside, the effective solution and our projects' requirements and deliverables are also discussed.

2.1 Problem Statement

There are many loop holes in the user authentications used in the security systems including banks, critical profile accounts and many more places where authenticity should be the first and foremost priority. Every other person who has the credentials of the account of that specific user can log into the accounts specified merely for the former. Secondly In most of the criminal scenes it is observed that the faces are not recognized and hence the criminals are not captured by the security forces. There is always a hindrance in the recognizing of the culprits involved in the crime scene. Mostly the voice can be seen but the faces are under the veil and thus cannot be seen directly. Market has no such software that provides such facilities at the same place as utilities.

2.2 Problem Solution for the Proposed System

Many Application users and Agencies have requested systems that are helpful, efficient, and reliable in user authentication. People have asked to ensure the dependability and security of critical accounts. Speech2face will provide an acceptable solution to these concerns. Security and intelligence agencies face many complications in identifying criminals as in most cases their faces are not revealed by the camera. They cannot give their visual representation to the security forces to capture them and mark them wanted. Speech2face will help us in this regard. Moreover, the old audio and video notes can be used to find insights about the person's basic information.

2.3 Deliverables and Development Requirements

Deliverables and development requirements are as follows:

- Project Scope document to define the scope of the system,
- Project Status reports to gather the status of the ongoing project.
- The main goal of the project was to build a web application and mobile phone application for users to coordinate with each other and maintain the data of their properties.
- Time sheet report for the demonstration of work of every team member.
- SRS document (System Requirement Specification)
- SDS document (System Design Specification)
- STP document (Software Test Plan)
- User Manuals for user guidance.

- Final financial report document.
- Requirement Analysis

2.4 Requirement Elicitation Techniques

Following requirements gathering techniques were implemented.

Questionnaire and Surveys:

A set of Questions were given to the public for their thoughts on application. Requirements for our system were extracted from these Questionnaires. Data was gathered for Improvement and best features that were to be included.

Group Discussion:

Group discussions with public and group partner were held for gathering the information necessary for development of this application.

Studying Related Systems:

Various related system was studied to improve the requirements and cope up with the problems of the users. Research was complete and adequate to add value to the users.

Observation:

Different types of people were observed in different cases to make the system more reliable to the user and help solve their main problems through the system.

2.5 Use Cases Diagram(s)

The Use case diagrams of System, are given below:




Figure 2: Use Case Diagram for User




Figure 3: Use Case Diagram for User




Figure 4: Use Case Diagram for User




Figure 5: Use Case Diagram for Security Person

2.6 Detailed Use Case (Tabular- Module Wise)

2.6.1 List of Use Cases

List of use cases per module is given below:

➤ ***Module 1: Profile Management***

UC-ID	Use Case Name
UC-1.1	Sign up
UC-1.2	Log in
UC-1.3	Sign in Via Phone
UC-1.4	Sign in Via Voice
UC-1.5	Update Profile
UC-1.6	Logout

Table 2: List of Use Cases (Module 1: Profile Management)

➤ ***Module 2: Place A Voice Record***

UC-ID	Use Case Name
UC-2.1	Record Voice
UC-2.2	Upload Existing Voice
UC-2.3	Upload Existing Video to Fetch Voice
UC-2.4	Update Voice

UC-2.5	Update Video
UC-2.6	Delete Voice
UC-2.7	Delete Video

Table 3: List of Use Cases (Module 2: User Interaction Chat Box)

➤ **Module 3: Sound to Face Vector Model**

UC-ID	Use Case Name
UC-3.1	Sound to Vector Modeling Via Deep Learning
UC-3.2	Generate Vector Model

Table 4: List of Use Cases (Module 3: Sound to Face vector Model)

➤ **Module 4: Vector to Image Model**

UC-ID	Use Case Name
UC-4.1	Sound to Vector Modeling Via Deep Learning
UC-4.2	Generate Image Model

Table 5: List of Use Cases (Module 4: Vector to Image Model)

➤ **Module 5: Image View Customization**

UC-ID	Use Case Name
UC-5.1	Brightness Control

UC-5.2	Saturation Management
UC-5.3	Skin Tone Management
UC-5.4	Filters
UC-5.5	Avatar Maker

Table 6: List of Use Cases (Module 5: Tenant Management Portal)

➤ **Module 6: Features Enhancer**

UC-ID	Use Case Name
UC-6.1	Edit Picture
UC-6.2	Nose Enhancement
UC-6.3	Eyebrow Enhancement
UC-6.4	Beard Maker
UC-6.5	Eye Enhancement

Table 7: List of Use Cases (Module 6: Features Enhancer)

➤ **Module 7: Insight Panel**

UC-ID	Use Case Name
UC-7.1	View Report
UC-7.2	Download Report
UC-7.3	Share Via Socials

Table 8: List of Use Cases (Module 7: Insight panel)

➤ ***Module 8: Setting and Configuration***

UC-ID	Use Case Name
UC-8.1	Sent Feedback
UC-8.2	View Feedback History
UC-8.3	Dark Mode
UC-8.4	Change Language
UC-8.5	Privacy Policy

Table 9: List of Use Cases (Module 8: Setting and Configuration)

➤ ***Module 9: Help and Support***

UC-ID	Use Case Name
UC-9.1	Chat with AI Bot
UC-9.2	Contact with Support Team
UC-9.3	Change Bots' Language

Table 12: List of Use Cases (Module 8: Help and Support)

2.6.2 Tabular Form of Use Cases:

Following are the Use Cases in detailed Tabular Form:

➤ ***Module 1: Profile Management***

The tabular use cases of the module profile management are provided below:

- **Sign Up**

The tabular use cases are given below:

Use Case ID:	UC-1.1
Use Case Name:	Sign Up
Actors:	User / Security agencies authority
Description:	User will create their account in order to use the application.
Priority:	High
Precondition:	User should have an authentic and valid email address and contact number.
Trigger:	User will click on the Sign-up button from main screen.
Include:	None.
Normal Flow:	<ol style="list-style-type: none"> 1. The user will enter authentic credentials (email, name, Voice) and password in the sign-up window. 2. Then user will click on the sign-up button. 3. OTP will be generated and sent to the user's contact or email. 4. On correct input of OTP, successful sign-up message will be displayed to the user.
Alternative Flows:	None.
Exceptions:	<ul style="list-style-type: none"> • In step 4 of normal flow, if the user enters an invalid email address, and password: <ol style="list-style-type: none"> 1. An appropriate error message will be displayed 2. Asking the user to enter the data and credentials again 3. Then user will provide correct data. Use Case resumes from step 2 of normal flow • if the user enters incorrect OTP: <ol style="list-style-type: none"> 1. An appropriate error message will be displayed. 2. User will be asked to enter OTP again. 3. If fails to enter within 30 seconds, OTP will expire.

	4. User will have to request another OTP and correctly enter it for successful sign-up.
Post condition:	After successful entry of credentials, new user account will be formed and control will move to home screen from where the user can log in or sign up.
Business Rules:	User should have a verified email address
Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to enter data correctly.

Table 13: Tabular Use Case UC-1.1

- **Log In**

The tabular use cases are given below:

Use Case ID:	UC-1.2
Use Case Name:	Log In
Actors:	User/ Security Agency Authority
Description:	User will log in to their account in order to use the application.
Priority:	High
Precondition:	User must have signed up for an account.
Trigger:	User will click on the Log-in button from main screen.
Include:	UC-1.1
Normal Flow:	<ol style="list-style-type: none"> 1. The user will enter an authentic email and password used at the time of account creation in the login window. 2. Then user will click on the log in button.
Alternative Flows:	None.

Exceptions:	In step 1 of normal flow, if the user enters an invalid email address and password with which no account was formed: 1. An appropriate error message will be displayed 2. Asking the user to enter the credentials again 3. Then user will provide correct data. Use Case resumes from step 2 of normal flow
Post condition:	After logging in, the user will reach to the main menu of the application from where they can see the main screen
Business Rules:	User should log in with correct email and password combination.
Notes & Issues:	None.
Assumptions:	1. User will have a stable internet connection. 2. User will be able to enter data correctly.

Table 14: Tabular Use Case UC-1.2

- **Sign in Via Phone**

Use Case ID:	UC-1.3
Use Case Name:	Sign in Via Phone
Actors:	User/ Security Agency Authority
Description:	User will log in to their account in order to use the application.
Priority:	Medium
Precondition:	User must have signed up for an account.

Trigger:	User will click on the Log-in button from main screen.
Include:	UC-1.1
Normal Flow:	1. Click the button Sign in via Phone.
Alternative Flows:	None.
Exceptions:	None
Post condition:	After logging in, the user will reach to the main menu of the application from where they can choose their role between generic user or security agent.
Business Rules:	None
Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to enter data correctly.

Table 15: Tabular Use Case UC-1.3

- **Sign in Via Voice**

Use Case ID:	UC-1.4
Use Case Name:	Sign in via Voice
Actors:	User
Description:	User will log in to their account in order to use the application.

Priority:	Medium
Precondition:	User must have signed up for an account.
Trigger:	User will click on the Log-in button from main screen.
Include:	UC-1.1
Normal Flow:	<p>1.Click sign in via voice</p> <p>2.Now the roller waiting symbol will appear for 30 secs and user should record the voice to get whole out of it.</p>
Alternative Flows:	None.
Exceptions:	<p>In step 1 of normal flow, if the user enters an invalid email address and voice with which no account was formed:</p> <ul style="list-style-type: none"> 4. An appropriate error message will be displayed 5. Asking the user to enter the credentials again 6. Then user will provide correct data. <p>Use Case resumes from step 2 of normal flow</p>
Post condition:	After logging in, the user will reach to the main menu of the application from where they can see the main screen.
Business Rules:	User should log in with correct email and Voice combination.
Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to enter data correctly.

Table 16: Tabular Use Case UC-1.4

- Update Profile

Use Case ID:	UC-1.5
Use Case Name:	Update Profile
Actors:	User
Description:	User can update info of their account.
Priority:	High
Precondition:	User must be logged in an account.
Trigger:	User will click on the edit profile button from side pane.
Include:	UC-1.2
Normal Flow:	<ol style="list-style-type: none"> 1. The user can change/edit any detail of the given module including email , name,password, and voice record (for login)
Alternative Flows:	None.
Exceptions:	While logging out, if internet connection is lost the logging out process will be cancelled and user will be redirected to the main menu instead of the home screen. Use case resumes from step 1.
Post condition:	After successfully logging out, the user will be redirected to home screen from where they can sign up or log in again.
Business Rules:	User should have stable internet connection
Notes & Issues:	None.

Assumptions:	1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.
---------------------	--

Table 17: Tabular Use Case UC-1.5

- **Logout**

Use Case ID:	UC-1.6
Use Case Name:	Log out
Actors:	User
Description:	User can log out from their account.
Priority:	High
Precondition:	User must be logged in an account.
Trigger:	User will click on the Log-out button from side pane.
Include:	UC-1.2
Normal Flow:	1. After using the application, the user wants to switch off their account. 2. From the main account settings, the user will click on the log out button.
Alternative Flows:	None.

Exceptions:	While logging out, if internet connection is lost the logging out process will be cancelled and user will be redirected to the main menu instead of the home screen. Use case resumes from step 1.
Post condition:	After successfully logging out, the user will be redirected to home screen from where they can sign up or log in again.
Business Rules:	User should have stable internet connection
Notes & Issues:	None.
Assumptions:	3. User will have a stable internet connection. 4. User will be able to find and select the option from the menu correctly.

Table 18: Tabular Use Case UC-1.6

➤ **Module 2: Place Voice Record**

The tabular use cases of the module named Place voice record are given below:

- **Record Voice**

Use Case ID:	UC-2.1
Use Case Name:	Record Voice
Actors:	User
Description:	The goal is to enable the users to record the voice which is then used for conversion of image of that person.
Priority	High
Preconditions:	<ul style="list-style-type: none"> • User must be logged into the application.

Trigger	The user will click convert button.
Include	UC-1.2
Normal Flow:	<ul style="list-style-type: none"> • The user will open the web or mobile application • The user will sign into his/her account • After the home screen appears, move to the Add a voice option, then record voice.
Alternative Flows:	None
Exceptions:	<ul style="list-style-type: none"> • Microphone must be present in system to record a voice.
Post condition:	None
Business Rules:	None
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> • The user must understand the English language. • The user must be able to find the correct menu.

Table 19: Tabular Use Case UC-2.1

- Upload Existing Voice

Use Case ID:	UC-2.2
Use Case Name:	Upload Existing Voice
Actors:	Primary Actor: User

	Secondary Actor: Security User
Description:	The goal is to enable the users to upload existing voice which is recorded previously by person.
Priority	High
Preconditions:	<ul style="list-style-type: none"> User must be logged into the application.
Trigger	The user will click convert button.
Include	UC-1.2
Normal Flow:	<ul style="list-style-type: none"> The users will open the web or mobile application The users will sign into his/her account <p>After the home screen appears, move to the upload existing voice option, and then upload voice</p>
AlternativeFlows:	<ul style="list-style-type: none"> When user click upload existing option then two options appear: Upload voice from Music folder or Upload voice from saved voice
Exceptions:	None
Post condition:	None
Business Rules:	None
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> The user must understand the English language. User must have a stable internet connection. The user must be able to find the correct menu.

Table 20: Tabular Use Case UC-2.2

- Upload Existing Video to Fetch Voice

Use Case ID:	UC-2.3
Use Case Name:	Upload Existing Video to Fetch Voice
Actors:	Primary Actor: User Secondary Actor: Security User
Description:	The goal is to enable the users to upload existing video and voice is being extracted by video which is then converted to image.
Priority	High
Preconditions:	<ul style="list-style-type: none"> User must be logged into the application.
Trigger	The user will click convert button.
Include	UC-1.2
Normal Flow:	<ul style="list-style-type: none"> The user will open the web or mobile application The user will sign into his/her account After the home screen appears, move to the upload existing video option, and then upload video.
AlternativeFlows:	<ul style="list-style-type: none"> When user click upload existing option then two options appear: Upload video from gallery or Upload video from saved videos.
Exceptions:	None
Post condition:	None
Business Rules:	None
Notes and Issues	None

Assumptions:	<ul style="list-style-type: none"> The user must understand the English language. User must have a stable internet connection. The user must be able to find the correct menu.
---------------------	---

Table 21: Tabular Use Case UC-2.3

- Update Voice**

Use Case ID:	UC-2.4
Use Case Name:	Update Voice
Actors:	Primary Actor: User Secondary Actor: Security User
Description:	The goal is to enable the users to update voice which is recorded previously by person.
Priority	High
Preconditions:	<ul style="list-style-type: none"> User must be logged into the application. User must record voice at least one time.
Trigger	The user will click convert button.
Include	UC-2.1
Normal Flow:	<ul style="list-style-type: none"> The user will open the web or mobile application The user will sign into his/her account When user record voice then he/she has option to update voice by clicking update voice option.
AlternativeFlows:	None

Exceptions:	None
Post condition:	<ul style="list-style-type: none"> The user will again allow to record voice or upload voice.
Business Rules:	None
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> The user must understand the English language. The user must be able to find the correct menu. User must have a stable internet connection. Microphone must be present in application.

Table 22: Tabular Use Case UC-2.4

- Update Video

Use Case ID:	UC-2.5
Use Case Name:	Update Video
Actors:	Primary Actor: User Secondary Actor: Security Person
Description:	The goal is to enable the users to provide facility to update video, which is previously uploaded by his/her.
Priority	High
Preconditions:	<ul style="list-style-type: none"> User must be logged into the application. User must upload video at least one time.
Trigger	The user will click convert button.

Include	UC-2.3
Normal Flow:	<ul style="list-style-type: none"> The user will open the web or mobile application The user will sign into his/her account When user upload video he/she has option to update video by clicking update video option.
Alternative Flows:	<ul style="list-style-type: none"> When user click update video option then two options appear: Upload video from gallery or Upload video from saved videos.
Exceptions:	None
Post condition:	<ul style="list-style-type: none"> The user will again allow to upload video.
Business Rules:	None
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> The user must understand the English language. User must have a stable internet connection. The user must be able to find the correct menu.

Table 23: Tabular Use Case UC-2.5

- Delete Voice

Use Case ID:	UC-2.6
Use Case Name:	Delete Voice
Actors:	Primary Actor: User Secondary Actor: Security Person
Description:	The goal is to enable the users to provide facility to delete saved voices.

Priority	High
Preconditions:	<ul style="list-style-type: none"> • User must be logged into the application. • User must have at least one saved voice.
Trigger	None.
Include	UC-1.2
Normal Flow:	<ul style="list-style-type: none"> • The user will open the web or mobile application • The user will sign into his/her account • User will select saved voices option. • Then, User will delete voice which he/she wants.
AlternativeFlows:	None
Exceptions:	None
Post condition:	None
Business Rules:	None
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> • The user must understand the English language. • User must have a stable internet connection. • The user must be able to find the correct menu.

Table 24: Tabular Use Case UC-2.6

- Delete Video

Use Case ID:	UC-2.7
Use Case Name:	Delete Video
Actors:	Primary Actor: User Secondary Actor: Security Person
Description:	The goal is to enable the users to provide facility to delete saved videos.
Priority	High
Preconditions:	<ul style="list-style-type: none"> • Users must be logged into the application. • Users must have at least one saved video.
Trigger	None.
Include	UC-1.2
Normal Flow:	<ul style="list-style-type: none"> • The user will open the web or mobile application • The user will sign into his/her account • User will select saved videos option. • Then, User will delete video which he/she wants.
AlternativeFlows:	None
Exceptions:	None
Post condition:	None
Business Rules:	None
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> • The users must understand the English language. • Users must have a stable internet connection. • The users must be able to find the correct menu.

--	--

Table 25: Tabular Use Case UC-2.7

➤ ***Module 3: Sound to Face Vector Model***

The tabular use cases of Sound to Face Vector Model are provided below:

- **Sound to Vector Modeling via Deep Learning**

Use Case ID:	UC-3.1
Use Case Name:	Sound to Vector Modeling via Deep Learning
Actors:	User and System
Description:	User the initiate the Deep Learning Module of converting the sound to vector model.
Priority:	Medium
Preconditions:	User must be logged in to their account.
Trigger:	The user will click on the “vector form” button.
Include:	UC-1.2
Normal Flow:	<ol style="list-style-type: none"> 1. The DL library will start working on the voice and the user will have to wait for a minute or so. 2.
Alternative Flows:	None.

Exceptions:	If the internet connection fails, the application will reload the loading process till it has been loaded.
Post condition:	None.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.

Table 26: Tabular Use Case UC-3.1

- Generate Vector Model

Use Case ID:	UC-3.2
Use Case Name:	Generate Vector Model
Actors:	User
Description:	User can generate and view their vector pictures.
Priority:	Medium
Preconditions:	User must be logged in to their account.
Trigger:	The user will click on the display picture icon from the side pane.

Include:	UC-1.2
Normal Flow:	<p>3. Three options will be provided. Whether view picture, upload picture from device or take a new picture. The user will select view picture.</p> <p>4. The display picture will be opened.</p>
Alternative Flows:	None.
Exceptions:	If the internet connection fails, the application will reload the display picture till it has been loaded.
Post condition:	View frame of profile picture will be opened.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.
Assumptions:	<p>1. User will have a stable internet connection.</p> <p>2. User will be able to find and select the option from the menu correctly.</p>

Table 27: Tabular Use Case UC-3.2

➤ **Module 4: Face Vector to Face Image Model**

The tabular use cases of Face Vector to Face Image Model are provided below:

- **Vector to Image Modeling via Deep Learning**

Use Case ID:	UC-4.1
Use Case Name:	Vector to image Modeling via Deep Learning
Actors:	User
Description:	The goal is to enable the users to see how vector is converted to image using Machine learning.

Priority	High
Preconditions:	<ul style="list-style-type: none"> • Users must be logged into the application. • User must have stable internet connection.

Trigger	Convert image button plays role of trigger here.
Include	UC-1.2, UC-3.1
Normal Flow:	<ul style="list-style-type: none"> • The user will open the web or mobile application • The user will sign into his/her account • When voice is converted to vector then • User enter convert image button to convert vector to image.

Table 28: Tabular Use Case UC-4.1

➤ **Module 5: Image View Customization**

The tabular use cases of tenant management portal are provided in the following:

- **Brightness Control**

Use Case ID:	UC-5.1
Use Case Name:	Brightness Control
Actors:	User
Description:	User can control the brightness of image.
Priority:	Medium

Preconditions:	Image Should be formed beforehand via DL model.
Trigger:	The user will click on the brightness control tab and then the brightness screen will appear.
Include:	UC-4.2
Normal Flow:	<ol style="list-style-type: none"> 1. The slider will be present to control the level of brightness. 2. There are two main ways to control via shadows and via brightness.
Alternative Flows:	None.
Exceptions:	None
Post condition:	The brightness of the image is customized.
Business Rules:	None
Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.

Table 29: Tabular Use Case UC-5.1

- **Saturation Management**

Use Case ID:	UC-5.2
---------------------	--------

Use Case Name:	Saturation Management
Actors:	User
Description:	The saturation of the image can be managed in this module.
Priority:	Medium
Preconditions:	Image should be formed via the DL Model
Trigger:	The user will click on the saturation module and then the screen with the image will appear.
Include:	4.2
Normal Flow:	1. The user will click on the three different categories provided by the module including hew, darkness and contrast and manage them by scrolling the slider.
Alternative Flows:	None.
Exceptions:	If the internet connection fails, the application will reload the display picture till it has been loaded.
Post condition:	The image with enhanced saturation will be available for the record.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.

Table 30: Tabular Use Case UC-5.2

- Skin Tone Management

Use Case ID:	UC-5.3
Use Case Name:	Skin Tone Management
Actors:	User
Description:	User can modify the skin tone produced by the ML model according to his/her desire.
Priority:	Medium
Preconditions:	The Image should be already formed by the Image formation module.
Trigger:	The user will click on the skin tone enhancement button.
Include:	UC-4.2
Normal Flow:	1. The user will select the category of skin tones from given 5 options depending upon the preferred race 2. They can also change the intensity of color from mild to dark with the slider
Alternative Flows:	None.
Exceptions:	None.
Post condition:	The image with the preferred skin tone will be available for proceedings.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.

Assumptions:	1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.
---------------------	--

Table 31: Tabular Use Case UC-5.3

- **Filters**

Use Case ID:	UC-5.4
Use Case Name:	Filters
Actors:	User
Description:	Users can apply filter to the images formed
Priority:	Medium
Preconditions:	The image should be formed beforehand.
Trigger:	The user will click on the Filters button
Include:	UC-4.2
Normal Flow:	1. The user can select the filters and select the one they like the most 2. Then they have to click the tick Icon to confirm the filter.
Alternative Flows:	None.
Exceptions:	If the internet connection fails, the application will reload the display picture till it has been loaded.

Post condition:	The image with filter will be available for the proceedings.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.
Assumptions:	1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.

Table 32: Tabular Use Case UC-5.4

- Avatar Maker

Use Case ID:	UC-5.5
Use Case Name:	Avatar Maker
Actors:	User
Description:	User can make their avatar and customize it.
Priority:	Medium
Preconditions:	The image should be formed before hand.
Trigger:	The user will click on the Create Avatar button.
Include:	UC-4.2
Normal Flow:	1. The avatar will be made from the image generated.

	2. It can be Further customized.
Alternative Flows:	None.
Exceptions:	None.
Post condition:	None.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.

Table 33: Tabular Use Case UC-5.5

➤ **Module 6: Features Enhancer**

The tabular use cases of Features enhancer are provided in the following:

- **Face Shape Enhancement**

Use Case ID:	UC-6.1
Use Case Name:	Edit Picture
Actors:	Security Person
Description:	The goal is to enable the person to edit the face of person after generation of image model.
Priority	High
Preconditions:	<ul style="list-style-type: none"> • person must be logged into the application.

	<ul style="list-style-type: none"> • The person must use place a voice option. • conversion of voice to image model is compulsory.
Trigger	None
Include	UC-4.2
Normal Flow:	<ul style="list-style-type: none"> • The person will open the web or mobile application • The person will sign into his/her account • After the home screen appears, move to the Add a voice, then select conversion to image button. • After generation of image click edit button and select face enhancement option and enhance according to your need.
Alternative Flows:	None
Exceptions:	<ul style="list-style-type: none"> • If the user is not connected to the internet, then: • Conversion of image is not possible. • Face enhancement is also not possible.
Post condition:	None
Business Rules:	Person should have a stable internet connection.
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> • Person must have a stable internet connection. • The Person must understand the English language. • The Person must be able to find the correct menu.

Table 34: Tabular Use Case UC-6.1

- Nose Enhancement

Use Case ID:	UC-6.2
Use Case Name:	Nose Enhancement

Actors:	Security Person
Description:	The goal is to enable the person to enhance the Nose of person after generation of image model.
Priority	High
Preconditions:	<ul style="list-style-type: none"> • person must be logged into the application.
	<ul style="list-style-type: none"> • The person must use place a voice option. • conversion of voice to image model is compulsory.
Trigger	None
Include	UC-4.2
Normal Flow:	<ul style="list-style-type: none"> • The person will open the web or mobile application • The person will sign into his/her account • After the home screen appears, move to the Add a voice, then select conversion to image button. • After generation of image click edit button and select nose enhancement option and enhance according to your need.
Alternative Flows:	None
Exceptions:	<ul style="list-style-type: none"> • If the person is not connected to the internet, then: • Conversion of image is not possible. • Nose enhancement is also not possible.
Post condition:	None
Business Rules:	User should have a stable internet connection.
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> • person must have a stable internet connection. • The person must understand the English language. • The person must be able to find the correct menu.

Table 35: Tabular Use Case UC-6.2

- **Eyebrow Enhancement**

Use Case ID:	UC-6.3
Use Case Name:	Eyebrow Enhancement
Actors:	Security Person
Description:	The goal is to enable the person to enhance the Eyebrow of person after generation of image model.
Priority	High
Preconditions:	<ul style="list-style-type: none"> • person must be logged into the application.

	<ul style="list-style-type: none"> • The Person must use place a voice option. • conversion of voice to image model is compulsory.
Trigger	None
Include	UC-4.2
Normal Flow:	<ul style="list-style-type: none"> • The person will open the web or mobile application • The person will sign into his/her account • After the home screen appears, move to the Add a voice, then selectconversion to image button. • After generation of image click edit button and select Eyebrow enhancement option and enhance according to your need.
AlternativeFlows:	None

Exceptions:	<ul style="list-style-type: none"> • If the person is not connected to the internet, then: • Conversion of image is not possible. • Eyebrow enhancement is also not possible.
Post condition:	None
Business Rules:	User should have a stable internet connection.
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> • person must have a stable internet connection. • The person must understand the English language. • The person must be able to find the correct menu.

Table 36: Tabular Use Case UC-6.3

- Beard Maker

Use Case ID:	UC-6.4
Use Case Name:	Beard Maker
Actors:	Security Person
Description:	The goal is to enable the person to make the beard of person after generation of image model.
Priority	High
Preconditions:	<ul style="list-style-type: none"> • Person must be logged into the application.

	<ul style="list-style-type: none"> • The person must use place a voice option. • conversion of voice to image model is compulsory.
Trigger	None

Include	UC-4.2
Normal Flow:	<ul style="list-style-type: none"> The person will open the web or mobile application The person will sign into his/her account After the home screen appears, move to the Add a voice, then select conversion to image button. After generation of image click edit button and select beard option and make according to your need.
Alternative Flows:	None
Exceptions:	<ul style="list-style-type: none"> If the person is not connected to the internet, then: Conversion of image is not possible. Making of beard is also not possible.
Post condition:	None
Business Rules:	person should have a stable internet connection.
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> User must have a stable internet connection. The user must understand the English language. The user must be able to find the correct menu.

Table 37: Tabular Use Case UC-6.4

➤ *Module 7: Insight Panel*

The tabular use cases of property management portal are provided in the following:

- View Report

Use Case ID:	UC-7.1
Use Case Name:	Insight Panel
Actors:	User

Description:	User can view the report of their image generated.
Priority:	Medium
Preconditions:	The user must be logged in and should have generated some image via sound.
Trigger:	The user will click on the view report button.
Include:	UC-1.2 and UC-4.2
Normal Flow:	1.The user can view the report and generate it with different details.
Alternative Flows:	If internet is not present, the user will be prompt to check the connection and try again
Exceptions:	None.
Post condition:	The report will be generated.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.
Assumptions:	1.User will have a stable internet connection. 2.User will be able to find and select the option from the menu correctly.

Table 38: Tabular Use Case UC-7.1

- Download Report

Use Case ID:	UC-7.2
Use Case Name:	Download Report
Actors:	User
Description:	User can download the report generated.
Priority:	Medium
Preconditions:	User must have generated the image.
Trigger:	The user will click on the display picture icon from the side pane.
Include:	UC-7.1
Normal Flow:	1.The user can download via PDF or export the JPG image format.
Alternative Flows:	None.
Exceptions:	If the internet connection fails, the application will not download instead it will show some error.
Post condition:	None.

Business Rules:	User should have stable internet connection.
------------------------	--

Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.

Table 39: Tabular Use Case UC-7.2

- Share Via Socials

Use Case ID:	UC-7.3
Use Case Name:	Share Via Socials
Actors:	Users
Description:	Users will be able to share reports on their social handles.
Priority:	Medium
Preconditions:	User must be logged in to their account.
Trigger:	The user will click on the social button,
Include:	UC-4.2
Normal Flow:	1.The user can share their reports or images generated on social media platforms.

Alternative Flows:	None.
Exceptions:	If the internet connection fails, the application will not be able to share rather it will prompt that there is no internet connection.
Post condition:	The image will be shared on socials.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.
Assumptions:	<ol style="list-style-type: none"> 1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.

Table 40: Tabular Use Case UC-7.3

➤ *Module 8: Settings and Configuration*

The tabular use cases of Setting and Configuration are provided in the following:

- Send Feedback

Use Case ID:	UC-8.1
Use Case Name:	Send Feedback
Actors:	User
Description:	The goal is to enable the users to send feedback to the management team about the app.
Priority	High
Preconditions:	<ol style="list-style-type: none"> 1. User must be logged into the application.

	<p>2. The user must select the feedback option available in the interface of the app.</p>
Trigger	When the user wants to send the feedback.
Include	None.
Normal Flow:	<ul style="list-style-type: none"> • The user will open the web or mobile application • The user will sign into his/her account • After the home screen appears, move to the feedback section, then select the feedback option to add description. • The user can also rate the app while sending feedback.
Alternative Flows:	None
Exceptions:	<ul style="list-style-type: none"> • If the user is not connected to the internet, then: • The feedback will fail to be sent. • The feedback might reload if the internet facility comes back. • The feedback is blank. • No rating star is selected.
Post condition:	The feedback would be sent to the management team which will help them make their application better and get notified about any bugs
Business Rules:	User should have a stable internet connection.
Notes and Issues	None
Assumptions:	<ul style="list-style-type: none"> • User must have a stable internet connection. • The user must understand the English language. • The user must be able to find the correct menu.

Table 41: Tabular Use Case UC-8.1

- View Feedback History

Use Case ID:	UC-8.2
Use Case Name:	View Feedback History
Actors:	User
Description:	The user can view the history of the feedbacks provided.
Priority	Low
Preconditions:	<ol style="list-style-type: none"> 1. User must be logged into the application. 2. The user must go to the help and support option to view the feedbackhistory.
Trigger	When the user clicks the view history button.
Include	None
Normal Flow:	None
Alternative Flows:	None
Exceptions:	The user must be connected to the internet otherwise the page will fail to load and move to the previous menu.
Post condition:	The user will be able to view the history of the feedbacks given by the user.
Business Rules:	None
Notes and Issues	None.
Assumptions:	<ol style="list-style-type: none"> 1. The user must understand the English language. 2. The user must be able to find the correct menu.

Table 42: Tabular Use Case UC-8.2

- Dark Mode

Use Case ID:	UC-8.3
Use Case Name:	Dark Mode
Actors:	User
Description:	The user can switch the mode of application.
Priority	Medium
Preconditions:	User must be logged into the application with active internet connection
Trigger	When the user clicks the view history button.
Include	UC-1.2
Normal Flow:	User will click on Dark mode button and click on the check to on it and then the system will apply dark mode to application
Alternative Flows:	None
Exceptions:	The user must be connected to the internet.
Post condition:	Dark mode will apply to the application.
Business Rules:	None
Notes and Issues	None.
Assumptions:	<ol style="list-style-type: none"> 1. The user must understand the English language. 2. The user must be able to find the correct menu.

Table 43: Tabular Use Case UC-8.3

- Change Language

Use Case ID:	UC-8.4
Use Case Name:	Change Language
Actors:	User
Description:	The user can change language of application according to his or her need.
Priority	Medium
Preconditions:	User must be logged into the application with active internet connection
Trigger	When the user clicks the language button.
Include	UC-1.2
Normal Flow:	User will click on Change Language button and then the system will apply that language to the application which user clicks
AlternativeFlows:	None
Exceptions:	The user must be connected to the internet.
Post condition:	Chosen language will apply to the application.
Business Rules:	None
Notes and Issues	None.
Assumptions:	<ol style="list-style-type: none"> 3. The user must understand the English language. 4. The user must be able to find the correct menu.

Table 44: Tabular Use Case UC-8.4

- Privacy Policy

Use Case ID:	UC-8.5
Use Case Name:	Privacy Policy
Actors:	User
Description:	The user can read the privacy policies about the application.
Priority	Low
Preconditions:	User must be logged into the application with active internet connection
Trigger	None
Include	UC-1.2
Normal Flow:	User will click on Privacy Policy button and then the system will show the user the privacy policy of the application.
Alternative Flows:	None
Exceptions:	The user must be connected to the internet.
Post condition:	None
Business Rules:	None
Notes and Issues	None.
Assumptions:	<ol style="list-style-type: none"> 1. The user must understand the English language. 2. The user must be able to find the correct menu.

Table 45: Tabular Use Case UC-8.5

➤ ***Module 9: Help and Support***

- Chat With AI Bot

Use Case ID:	UC-9.1
Use Case Name:	Chat With AI Bot
Actors:	Users
Description:	The goal is to enable the users to chat with bot to get the automated answers of the AI Bot.
Priority	High
Preconditions:	<ol style="list-style-type: none"> 1. User must be logged into the application. 2. The user must select the FAQ option tab.
Trigger	When the user clicks the Bot at the lower section of the interface.
Include	None
Normal Flow:	<ol style="list-style-type: none"> 1. The user will open the web or mobile application 2. The user will sign into his/her account 3. After the home screen appears, move to the FAQ section. 4. The AI implemented bot will answer user's queries.
Alternative Flows:	If the user is not connected to the internet, then he/she cannot chat with bot.
Exceptions:	None
Post condition:	The user will be able to chat with the bot.
Business Rules:	None
Notes and Issues	The bot might not answer the query if it is not fed into automated answers.
Assumptions:	<ol style="list-style-type: none"> 1. User must have a stable internet connection. 2. The user must understand the English language. 3. The user's query exists in the answers fed into the bot.

Table 46: Tabular Use Case UC-9.1

- Contact Support team

Use Case ID:	UC-9.2
Use Case Name:	Contact Support Team
Actors:	User
Description:	User can contact the support team
Priority:	Medium
Preconditions:	User must be logged in to their account.
Trigger:	The user will click on contact support team option.
Include:	UC-1.2
Normal Flow:	<ol style="list-style-type: none"> 1. The user will open the web or mobile application 2. The user will sign into his/her account 3. After the home screen appears, move to the FAQ section. 4. Then select Contact us option.
Alternative Flows:	None.
Exceptions:	None.
Post condition:	User can propose his/her problem to the support team and get it sorted out in 24 hours.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.

Assumptions:	1. User will have a stable internet connection. 2. User will be able to find and select the option from the menu correctly.
---------------------	--

Table 47: Tabular Use Case UC-9.2

9.3 Change Bot's Language

Use Case ID:	UC-9.3
Use Case Name:	Bot Language
Actors:	User
Description:	The goal is to enable the user to change the language
Priority	Low
Preconditions:	1. User must be logged into the application. 2. The user must go to the setting option to change the language.
Trigger	When the user clicks the change language button.
Include	None
Normal Flow:	1. The user will open the web or mobile application 2. The user will sign into his/her account 3. After the home screen appears, move to the settings menu, then select the language option to select.
Alternative Flows:	None
Exceptions:	If the user is not connected to the internet, then bot's language will not change.
Post condition:	The feedback would be sent to the management team which will help them make their application better and get notified about any bugs
Business Rules:	None
Notes and Issues	None

Assumptions:	1. The user must understand the English language. 2. The user must be able to find the correct menu.
---------------------	---

Table 48: Tabular Use Case UC-9.3

- View Bot's Query History

Use Case ID:	UC-9.4
Use Case Name:	Bot's Query
Actors:	User
Description:	User can see the Query History
Priority:	Low
Preconditions:	User must be logged in to their account and he should have some past queries.
Trigger:	The user will click on the view queries,
Include:	UC-1.2
Normal Flow:	1. User must be logged into the application. 2. The user must go to the help and support option to view the history.
Alternative Flows:	None.
Exceptions:	None.

Post condition:	The bot Query's history will be projected.
Business Rules:	User should have stable internet connection.
Notes & Issues:	None.
Assumptions:	The user must understand the English language. The user must be able to find the correct menu.

Table 49: Tabular Use Case UC-9.4

2.7 Functional Requirements

The Functional Requirements of the system are listed below:

➤ ***Module 1 (Profile Management):***

- **Sign-Up**

Identifier	FR-1.1.1
Title	Get first Name
Requirement	Users first name is needed
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user registered for their account.
Business Rule	N/A
Dependencies	N/A

Priority	High
-----------------	------

Table 50: Description of FR-1.1.1

Identifier	FR-1.1.2
Title	Get second Name
Requirement	Users second name is needed
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user registered for their account.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 51: Description of FR-1.1.2

Identifier	FR-1.1.3
Title	Get email address
Requirement	Users email address is required
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user registered for their account.

Business Rule	N/A
Dependencies	N/A
Priority	High

Table 52: Description of FR-1.1.3

Identifier	FR-1.1.4
Title	Get Voice Record
Requirement	Voice Record is necessary for Sign up.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user registered for their account.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 53: Description of FR-1.1.4

Identifier	FR-1.1.5
Title	Get Password
Requirement	User password is needed

Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user registered for their account.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 54: Description of FR-1.1.5

Identifier	FR-1.1.6
Title	Get confirm Password
Requirement	User confirm password is needed
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user registered for their account.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 55: Description of FR-1.1.6

- Login

Identifier	FR-1.2.1
Title	Get email
Requirement	User email is need for login
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user login
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 56: Description of FR-1.2.1

Identifier	FR-1.2.2
Title	Get password
Requirement	Users password is needed for login
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user login
Business Rule	N/A
Dependencies	N/A

Priority	High
-----------------	------

Table 57: Description of FR-1.2.2

- Sign in Via Phone

Identifier	FR-1.3.1
Title	Get email
Requirement	Users email is required for login
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user login
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 58: Description of FR-1.3.1

Identifier	FR-1.3.2
Title	Get voice for login
Requirement	Users voice for login is needed
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user login into the system

Business Rule	N/A
Dependencies	N/A
Priority	High

Table 59: Description of FR-1.3.2

- Update Profile

Identifier	FR-1.4.1
Title	Get new first name
Requirement	Users first name to be updated
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to update the first name
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 60: Description of FR-1.4.1

Identifier	FR-1.4.2
Title	Get new second name
Requirement	Users second name is needed

Source	Shahzaneer (Developer 1)
Rationale	The purpose is to update the second name
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 61: Description of FR-1.4.2

Identifier	FR-1.4.3
Title	Get new email
Requirement	Users email is to be updated
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the email updated against that user
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 62: Description of FR-1.4.3

Identifier	FR-1.4.4
Title	Delete the profile
Requirement	To delete the current user
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to delete the current user
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 63: Description of FR-1.4.4

Identifier	FR-1.4.5
Title	Get new password
Requirement	User's new password is needed for login
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to update the user password
Business Rule	N/A
Dependencies	N/A

Priority	High
-----------------	------

Table 64: Description of FR-1.4.5

Identifier	FR-1.4.6
Title	Get first Name
Requirement	Users first name is needed
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user registered for their account.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 65: Description of FR-1.4.6

- Logout

Identifier	FR-15.1
Title	Logout
Requirement	To logout the user
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the user logged out.

Business Rule	N/A
Dependencies	N/A
Priority	High

Table 66: Description of FR-1.5.1

➤ **Module 2 (Place Voice Record):**

- Record Voice

Identifier	FR-2.1.1
Title	Add voice
Requirement	The user will record voice which is then converted to image later.
Source	Shayan Zameer
Rationale	Voice to be record.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 67: Description of FR-2.1.1

Identifier	FR-2.1.2
Title	Play voice
Requirement	The user will play voice which is previously record.
Source	Shayan Zameer
Rationale	Voice to be played.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 68: Description of FR-2.1.2

Identifier	FR-2.1.3
Title	Pause voice
Requirement	The user will have option to pause a voice.
Source	Shayan Zameer
Rationale	Voice to be paused.
Business Rule	N/A
Dependencies	UC-1.2

Priority	High
-----------------	------

Table 69: Description of FR-2.1.3

- Upload Existing Voice

Identifier	FR-2.2.1
Title	Selection of folder
Requirement	The user will select the folder from where voice to be uploaded.
Source	Shayan Zameer
Rationale	Selection of folder.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 70: Description of FR-2.2.1

Identifier	FR-2.2.2
Title	Upload Voice
Requirement	The user will Upload voice to application.
Source	Shayan Zameer

Rationale	Upload voice.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 71: Description of FR-2.2.2

Identifier	FR-2.2.3
Title	Check Saved Voices
Requirement	The user will have option to check saved voices folder where he/ she wants to upload voice.
Source	Shayan Zameer
Rationale	Saved voices checking.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 72: Description of FR-2.2.3

- Upload Existing Video

Identifier	FR-2.3.1
Title	Upload Existing Video
Requirement	The user will upload video from where voice is extracted and then converted to image later.
Source	Shayan Zameer
Rationale	Upload video.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 73: Description of FR-2.3.1

Identifier	FR-2.3.2
Title	Pause video
Requirement	The user will have option to pause a video.
Source	Shayan Zameer
Rationale	Video to be paused.

Business Rule	N/A
Dependencies	UC-1.2
Priority	Medium

Table 74: Description of FR-2.3.2

Identifier	FR-2.3.3
Title	Play video
Requirement	The user will have option to play a video.
Source	Shayan Zameer
Rationale	Video to be played.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 75: Description of FR-2.3.3

Identifier	FR-2.3.3
Title	Check Saved Videos
Requirement	The user will have option to check saved videos where he/ she wants to upload video.
Source	Shayan Zameer
Rationale	Saved videos checking.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 76: Description of FR-2.3.4

- Update Video

Identifier	FR-2.3.1
Title	Update Video
Requirement	The user will update video which is previously uploaded.
Source	Shayan Zameer
Rationale	Video to be updated.

Business Rule	N/A
Dependencies	UC-1.2, FR-2.3.1
Priority	High

Table 77: Description of FR-2.4.1

- Update Voice

Identifier	FR-2.5.1
Title	Update Voice
Requirement	The user will update voice which is previously uploaded.
Source	Shayan Zameer
Rationale	Voice to be updated.
Business Rule	N/A
Dependencies	UC-1.2, FR-2.2.1
Priority	High

Table 78: Description of FR-2.5.1

- Delete Voice

Title	Delete Voice
Requirement	The user will delete voices from saved voices folder.
Source	Shayan Zameer
Rationale	Voice to be deleted.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 79: Description of FR-2.6.1

- Delete Video

Title	Delete Video
Requirement	The user will delete videos from saved videos folder.
Source	Shayan Zameer
Rationale	Videos to be deleted.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 80: Description of FR-2.7.1

➤ ***Module 3 (Sound to Face Vector Model):***

- Sound to vector modeling

Identifier	FR-3.1.1
Title	Convert into Vector
Requirement	DL Module to be initiated for this purpose.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to initiate the ML/DL Libraries.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 81: Description of FR-3.1.1

- Generate Vector Model:

Identifier	FR-3.2.1
Title	Show Vector Formed
Requirement	It will show the vector that is formed
Source	Shahzaneer (Developer 1)

Rationale	The purpose is to get the vector formed.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 82: Description of FR-3.2.1

➤ ***Module 4(Face Vector to Image Model):***

- **Face Vector to Image Model:**

Title	Vector to image
Requirement	The vector is converted to image using Machine learning and AI.
Source	Shayan Zameer
Rationale	Conversion of vector to image.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 83: Description of FR-4.1.1

- Generate Image Model:

Title	Generate Image
Requirement	When vector is converted to image by using Machine learning and AI the image is generated.
Source	Shayan Zameer
Rationale	Generation of image.
Business Rule	N/A
Dependencies	UC-1.2
Priority	High

Table 84: Description of FR-4.1.2

➤ **Module 5(Image View Customization):**

- Brightness Control

Identifier	FR-5.1.1
Title	Brightness Scroller
Requirement	It is used for changing the brightness level.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to customize the brightness of the image formed.

Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 85: Description of FR-5.1.1

Identifier	FR-5.1.2
Title	Shadow Controller
Requirement	To change the shadow intensity.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to enhance the shadow by leveling it.
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 86: Description of FR-5.1.2

- **Saturation Management**

Identifier	FR-5.2.1
Title	Hue Control
Requirement	To change the Hue level of the image formed.

Source	Shahzaneer (Developer 1)
Rationale	The purpose is to enhance the hue coloring of the image
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 87: Description of FR-5.2.1

Identifier	FR-5.2.2
Title	Contrast Control
Requirement	To manage the contrast of image
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to enhance the contrast of the system
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	High

Table 88: Description of FR-5.2.2

Identifier	FR-5.2.3
Title	Darkness Control
Requirement	To manage the darkness level
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to specify the darkness aspect in the image.
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 89: Description of FR-5.2.3

- **Skin Tone Management:**

Identifier	FR-5.3.1
Title	Skin Category
Requirement	To Decide what Skin Category is needed to modify the image.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to decide one skin category.
Business Rule	N/A
Dependencies	FR-4.2.1

Priority	Medium
-----------------	--------

Table 90: Description of FR-5.3.1

Identifier	FR-5.3.2
Title	Tone Management Slider
Requirement	To manage the tone for the selected Skin category.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to manage the tone from mild to dark for the selected category
Business Rule	N/A
Dependencies	FR-5.3.1
Priority	Medium

Table 91: Description of FR-5.3.2

- **Filters**

Identifier	FR-5.4.1
Title	Filter Slider
Requirement	To apply different filters to the image formed.
Source	Shahzaneer (Developer 1)

Rationale	The purpose is to beautify the image formed.
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 92: Description of FR-5.4.1

- Avatar Maker

Identifier	FR-5.5.1
Title	Get Avatar
Requirement	To get the avatar.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the avatar of the image formed.
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 93: Description of FR-5.5.1

Identifier	FR-5.5.2
Title	Customize avatar
Requirement	To Customize the avatar to a limited extend
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to enhance the avatar made.
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 94: Description of FR-5.5.2

➤ ***Module 6 (Features Enhancement)***

- **Face Enhancement**

Identifier	FR-6.1.1
Title	Adjust Brightness
Requirement	The Security person will adjust brightness according to his/her need
Source	Shayan Zameer
Rationale	Brightness to be adjusted.
Business Rule	N/A

Dependencies	UC-1.2, UC 4.2
Priority	High

Table 95: Description of FR-6.1.1

Identifier	FR-6.1.2
Title	Adjust Saturation
Requirement	The Security person will adjust Saturation according to his/her need
Source	Shayan Zameer
Rationale	Saturation to be adjusted.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	High

Table 96: Description of FR-6.1.2

Identifier	FR-6.1.3
Title	Applying Filter
Requirement	The Security person will have authority to apply filter

Source	Shayan Zameer
Rationale	Filter to be applied.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	High

Table 97: Description of FR-6.1.3

Identifier	FR-6.1.4
Title	Crop Picture
Requirement	The Security person will have authority to crop picture.
Source	Shayan Zameer
Rationale	Picture to be cropped.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	Medium

Table 98: Description of FR-6.1.3

Identifier	FR-6.1.5
Title	Applying Lightning Effects
Requirement	The Security person will have authority to apply some effects on picture.
Source	Shayan Zameer
Rationale	Lightning affects to be applied on picture.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	Medium

Table 99: Description of FR-6.1.5

Identifier	FR-6.1.6
Title	Selection of tool for enhancement
Requirement	The Security person will select the tools for editing such as liquify tool , dodge and run tool or any other tool etc.
Source	Shayan Zameer
Rationale	Selection of tool for Enhancement
Business Rule	N/A

Dependencies	UC-1.2, UC 4.2
Priority	High

Table 100: Description of FR-6.1.6

- Nose Enhancement

Identifier	FR-6.2.1
Title	Adjust Nose Length
Requirement	The Security person will have authority to adjust length of nose in picture.
Source	Shayan Zameer
Rationale	Adjustment of length of nose.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	High

Table 101: Description of FR-6.2.1

Identifier	FR-6.2.1
Title	Adjust Nose Width
Requirement	The Security person will have authority to adjust width of nose in picture.
Source	Shayan Zameer
Rationale	Adjustment of width of nose.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	High

Table 102: Description of FR-6.2.2

Identifier	FR-6.2.3
Title	Add New Layer
Requirement	The Security person will have authority to add new layer to nose.
Source	Shayan Zameer
Rationale	Addition of new layer to nose.
Business Rule	N/A

Dependencies	UC-1.2, UC 4.2
Priority	Low

Table 103: Description of FR-6.2.3

- **Eyebrow Enhancement**

Identifier	FR-6.3.1
Title	Change Eyebrow Colour
Requirement	The Security person will have authority to change eyebrow colour.
Source	Shayan Zameer
Rationale	Colour changing of eyebrow.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	Medium

Table 104: Description of FR-6.3.1

Identifier	FR-6.3.2
Title	Add some hairs

Requirement	The Security person will have authority to add hairs to eyebrow.
Source	Shayan Zameer
Rationale	Adding hairs to eyebrows.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	Medium

Table 105: Description of FR-6.3.2

Identifier	FR-6.3.3
Title	Selection of Brush
Requirement	The Security person will select the brush for the enhancement of eyebrows.
Source	Shayan Zameer
Rationale	Selection of brush.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2

Priority	High
-----------------	------

Table 106: Description of FR-6.3.3

Identifier	FR-6.3.4
Title	Adjust Size of Brush
Requirement	The Security person will have to adjust the size of brush for the enhancement of eyebrows.
Source	Shayan Zameer
Rationale	Adjustment of size of brush.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2, FR-6.3.3
Priority	High

Table 107: Description of FR-6.3.4

- Beard Maker

Identifier	FR-6.4.1
Title	Selection of Brush tool
Requirement	The Security person will have to select the brush tool for beard making.

Source	Shayan Zameer
Rationale	Selection of brush tool.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	High

Table 108: Description of FR-6.4.1

Identifier	FR-6.4.2
Title	Selection of Existing Template of beard
Requirement	The Security person will have option to select beard that are already existing.
Source	Shayan Zameer
Rationale	Selecting existing template of beard.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	High

Table 109: Description of FR-6.4.2

Identifier	FR-6.4.3
Title	Change beard color
Requirement	The Security person will have option to change the color of beard.
Source	Shayan Zameer
Rationale	Changing beard color.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	High

Table 110: Description of FR-6.4.3

- Eye Enhancement

Identifier	FR-6.4.3
Title	Add Lens
Requirement	The Security person will have option to add lens to the eye.
Source	Shayan Zameer
Rationale	Adding lenses.

Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	Medium

Table 111: Description of FR-6.5.1

Identifier	FR-6.5.2
Title	Adjust Eyelashes
Requirement	The Security person will have option to adjust the eyelashes.
Source	Shayan Zameer
Rationale	Adjusting eyelashes.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	Medium

Table 112: Description of FR-6.5.2

Identifier	FR-6.5.3
Title	Adjust Eye Width

Requirement	The Security person will have option to adjust the width of eye.
Source	Shayan Zameer
Rationale	Adjusting eye width.
Business Rule	N/A
Dependencies	UC-1.2, UC 4.2
Priority	Medium

Table 113: Description of FR-6.5.3

➤ **Module 7(Insight Panel)**

- **View Report**

Identifier	FR-7.1.1
Title	Generate Complete Report
Requirement	To show up all the details of the image formed.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to give the insights of the result
Business Rule	N/A

Dependencies	FR-4.2.1
Priority	High

Table 114: Description of FR-7.1.1

Identifier	FR-7.1.2
Title	Generate image only
Requirement	To generate image only
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to generate the image for insights.
Business Rule	N/A
Dependencies	N/A
Priority	Medium

Table 115: Description of FR-7.1.2

- Download Report

Identifier	FR-7.2.1
Title	Get PDF
Requirement	To get the PDF format copy.

Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the insights in a specific format of PDF.
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 116: Description of FR-7.2.1

Identifier	FR-7.2.2
Title	Get JPG
Requirement	To get the JPG format copy.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to get the insights in a specific format of JPG
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Medium

Table 117: Description of FR-7.2.2

- Share via Socials

Identifier	FR-7.3.1
Title	Share via Facebook
Requirement	To share the insight report on Fb
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to share the insights on social media for marketing
Business Rule	N/A
Dependencies	FR-4.2.1
Priority	Low

Table 118: Description of FR-7.3.1

Identifier	FR-7.3.2
Title	Share via Linkedin
Requirement	To share the insight report on LinkedIn
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to share the insights on social media for marketing
Business Rule	N/A
Dependencies	N/A

Priority	Low
-----------------	-----

Table 119: Description of FR-7.3.2

Identifier	FR-7.3.3
Title	Share Via Twitter
Requirement	To share the insight report on Twitter
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to share the insights on social media for marketing
Business Rule	N/A
Dependencies	N/A
Priority	Low

Table 120: Description of FR-7.3.3

Identifier	FR-7.3.4
Title	Share Via Instagram
Requirement	To share the insight report on Instagram
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to share the insights on social media for marketing

Business Rule	N/A
Dependencies	N/A
Priority	Low

Table 121: Description of FR-7.3.4

➤ ***Module 8(Setting and Configuration)***

- Sent Feedback

Identifier	FR-8.1.1
Title	Write Feedback
Requirement	The user will be able to write feedback in the text box provided
Source	Shayan Zameer
Rationale	To send feedback to the support team about the app
Business Rule	N/A
Dependencies	UC-1.2
Priority	Medium

Table 122: Description of FR-8.1.1

Identifier	FR-8.1.2
Title	Give Rating
Requirement	The user will be able to give rating out of 10.
Source	Shayan Zameer
Rationale	To send feedback
Business Rule	N/A
Dependencies	UC-1.2
Priority	Medium

Table 123: Description of FR-8.1.2

- View Feedback History

Identifier	FR-8.3.1
Title	View Feedback History
Requirement	The user will be able to view the feedback history.
Source	Shayan Zameer
Rationale	To view feedback history.
Business Rule	N/A
Dependencies	UC-1.2

Priority	Medium
-----------------	--------

Table 124: Description of FR-8.3.1

- **Dark Mode**

Identifier	FR-8.4.1
Title	Dark Mode
Requirement	The user will be able to convert the mode of application into dark colour.
Source	Shayan Zameer
Rationale	To change the mode of application.
Business Rule	N/A
Dependencies	UC-1.2
Priority	Medium

Table 125: Description of FR-8.4.1

- **Select Language**

Identifier	FR-8.5.1
Title	Select Language
Requirement	The user can select the any language including Urdu and English.
Source	Shayan Zameer

Rationale	To Select a Language
Business Rule	N/A
Dependencies	UC-1.2
Priority	Medium

Table 126: Description of FR-8.5.1

- Privacy Policy

Identifier	FR-8.6.1
Title	Privacy Policy
Requirement	The user can read the privacy policy of system.
Source	Shayan Zameer
Rationale	To read a privacy policy.
Business Rule	N/A
Dependencies	UC-1.2
Priority	Medium

Table 127: Description of FR-8.6.1

➤ **Module 9(Help and Support):**

- Chat with AI Bot

Identifier	FR-9.1.1
Title	Display Auto Generated msg
Requirement	To show the chat bot's msgs
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to help user with the understandings of the app.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 128: Description of FR-9.1.1

Identifier	FR-9.1.2
Title	Display Reply
Requirement	To show the reply against the message
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to help the user with the understandings of the app.
Business Rule	N/A

Dependencies	N/A
Priority	High

Table 129: Description of FR-9.1.2

Identifier	FR-9.1.3
Title	Write questions
Requirement	To make the user enable for writing question
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to provide some pre-existing questions
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 130: Description of FR-9.1.3

Identifier	FR-9.1.4
Title	Enter Question
Requirement	To provide interface for users to enter their queries.
Source	Shahzaneer (Developer 1)

Rationale	The purpose is to provide the user ability to interact with chat bot.
Business Rule	N/A
Dependencies	N/A
Priority	High

Table 131: Description of FR-9.1.4

- Contact Support Team

Identifier	FR-9.2.1
Title	Select support team member
Requirement	To provide user with facility of selecting the desired member from support team.
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to help the user in order to report the bugs.
Business Rule	N/A
Dependencies	N/A
Priority	Medium

Table 132: Description of FR-9.2.1

- Change Bot's Language

Identifier	FR-9.3.1
Title	Change bots language
Requirement	To allow the user to change language
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to help the user toggle between Urdu and English.
Business Rule	N/A
Dependencies	N/A
Priority	Low

Table 133: Description of FR-9.3.1

- View Bot's Query History

Identifier	FR-9.4.1
Title	See Query History
Requirement	To provide user an interface to look into history
Source	Shahzaneer (Developer 1)
Rationale	The purpose is to help ther user back track their queries.
Business Rule	N/A

Dependencies	N/A
Priority	Low

Table 134: Description of FR-9.4.1

2.8 Non-Functional Requirements

The non-functional requirements which would affect the quality of the system are described below:

2.8.1 Reliability

- **MTBF (Mean Time between Failures):**
The estimated mean time between failures will be **24 hours ÷ 4 Errors**. So the estimated MTBF value is **6**.
- **Consequences of the Software Failure:**
The software can fail in multiple ways:
 - Interface Bug (i.e., Buttons not working correctly)
 - Payment Reminder Bug (i.e., Payment reminder did not receive on time)
 - Late Chat Reply Notification Bug.
 - App not responding bug.

The users can report the bug by contacting the management of the Software and each bug will be fixed as soon as possible to maintain the rating of the Application.

Even if the software fails due to an error, the user will not lose his/her data. Every detail of the user's data will be recovered because the backup system of software will always update the backup file after every change the user made in his/her profile. So in case the system fails, the backup program will execute automatically to recover all the data.

- **Protection from Failure:**
At the testing phase of the Software development, the software would be thoroughly checked before going on to the next phase. So, there would be a **10%** chance that an error could be faced by any user.
- **Strategy of Error Detection:**
The feedback feature of the system will allow the user to report bugs which will get the management notified about the errors and it would be fixed within **42 hours**.
- **Strategy for Correction:**
As the design methodology that will be used is Object Oriented, so even if the error shows up, it will be easier to detect the line of code where the bug is present. So, the average time to fix an error would be **3-4 hours**.

2.8.2 Usability

Use-1: A new user of the software will take only **10-15 minutes** to understand the use of the system. Although AI Chat bot is also available in case of any difficulty in usage.

Use-2: The software will be easy to use as the system will be using the phenomenon of shared preferences i.e., no need to log in again if the user is already logged in.

Use-3: The lost data can be recovered in less than 15 minutes through the backup system.

2.8.3 Performance

- **Response Time**

The system will have a minimum response time of **1.5 second** and maximum response time of **5 seconds**. After reaching 5 seconds limit, user will receive a prompt message and previous activity will be restored.

- **Throughput**

The application will work on minimum Internet speed of **4 mbps**.

- **Memory Utilization**

The average memory required by the application will be **50 MBs**.

- **Degradation Modes**

If the system crashes, it will work towards restoring the previous app activity. If it is not achieved within **5 seconds**, the app will restart.

2.8.4 Security

The system will ensure the security of data and information of users. The online payment process will be secured from any fraud. Proper authentication of users will be simultaneously performed as they try to access their accounts, taking less than **1 minute**.

4. Architecture and Design

This chapter thoroughly discusses about the system architecture and design of our Speech2Face

4.1. System Architecture

The System has a **Model View Controller (MVC) architecture**. The system will have static pages or menus which will be viewed by the user. All the independent pages of the View will be connected to the Controller of the system which will manage the sequences of instructions added by the user. The Model of the system is the database which will be used to store data. The model will update anything on the view based on the queries. The Controller will take the query to the model in order to fetch data.




Figure 3: System Architecture Diagram

4.2. Design Methodology

The design methodology we will be using is **Object Oriented Approach** because it increases the reusability of the code, and it would be easier for the team members to work together without any confusion. Therefore, we are using Flutter, HTML, CSS languages which follows object-oriented approach. Also, it is easier to describe the code using UML diagrams. So, OOP is the best approach which fits our framework.

4.3. Data Representation

4.3.1. ERD

The Entity-Relationship Diagram of Speech2Face System is given below:




Figure 4: Entity Relation Diagram of Speech2FaceSystem

4.4. Process Flow

Following are some of the activity diagrams of the application “**Speech2Face System**”:

Module 1: Profile Management






Figure 5: Activity Diagram for Module 1

Module 2: Place Voice Record**Figure 6: Activity Diagram for Module 2**

Module 3 and 4: Vector and Image Generation Via Voice*Figure 7: Activity Diagram for Module 3 and 4*

Module 5: Image View Customization








Figure 8: Activity Diagram for Module 5

Module 6: Features Enhancer**Figure 9: Activity Diagram for Module 6**

Module 7: Insight Module**Figure 10: Activity Diagram for Module 7**

Module 8: Feedback Panel



*Figure 11: Activity Diagram for Module 8***Module 9: Help and Support***Figure 12: Activity Diagram for Module 9*

4.5. Design Models

4.5.1. Class Diagram

Following are some of the Class diagram of the application “Speech2Face System”:




Figure 13: Class Diagram for Speech2Face System

4.5.2. Sequence Diagrams

Following are some of the Sequence diagram of the application Speech2Face System:

Module 1: Profile Management






Figure 14: Sequence Diagram for Module 1

Module 2: Place Voice Record*Figure 15: Sequence Diagram for Module 2*

Module 3 and 4: Vector and Image Generation Via Voice*Figure 16: Sequence Diagram for Module 3 and 4**Figure 15: Sequence Diagram for Module 2*

Module 5: Image View Customization





Figure 17: Sequence Diagram for Module 5

Module 6: Features Enhancer*Figure 18: Sequence Diagram for Module 6*

Module 7: Insight Module




Figure 19: Sequence Diagram for Module 7

Module 8: Feedback Panel




Figure 20: Sequence Diagram for Module 8

Module 9: Help and Support




Figure 21: Sequence Diagram for Module 9

5. Implementation

This chapter thoroughly discusses the implementation procedures used in the Speech2face System
Our project is divided into 9 modules.

5.1. Algorithm

- **Sign up and Login**

DO

INPUT email

IF(verifyEmail NOT EQUAL true)

 DISPLAY “Invalid Email”

WHILE (verifyEmail EQUAL false)

INPUT password

IF(account NOT found)

 DISPLAY “Invalid login credentials! Please try again!”

ELSE

 DISPLAY “Successfully logged in!”

- **Adding Voice Record**

IF(Login)

 Do

 INPUT VOICE RECORD

 INPUT USER_ID

IF(VOICE NOT DELETED)

 DISPLAY “VOICE SAVED”

- **Voice to Vector Modeling**

IF (Login && voiceSaved)

 InitializeVectorModeling

```
WHILE(!Modeling successful)
    Initialize Again
ELSE
    Generate Vector
DISPLAY "Generate and Save Vector Image"
```

- **Vector to Image Modeling**

```
IF (Login && VectorIsSaved)
    InitializeImageModeling
WHILE(!Modeling successful)
    Initialize Again
ELSE
    GENERATE Image
```

```
DISPLAY "Image Saved"
```

- **Image View Customization**

```
IF (Login && ImageSaved)
    ShowCutomizeButton
IF(CustomizedButtonClicked)
    ShowCustomizeScreen
WHILE(Brightness || saturation || hue)
    setController;
MODIFY Image
DISPLAY Image
```

- **Features Enhancer**

```
IF(login && ImageGenerated)
    ShowFeaturesEnhancer
    SELECT NOSE , EYE, HAIR , SKIN COLOR
```

```
WHILE (NOSE || EYE || HAIR || SKIN is Modifying)
```

```
    setController;
```

```
MODIFY Image
```

```
DISPLAY Image
```

- **Insight Panel**

```
IF(login && ImageGenerated)
```

```
    ShowInsightsPanel
```

```
SELECT (Download via JPG || DOCX || Share via socials)
```

```
ExecuteSelectedCommand();
```

Following are the API used by Speech2face -System:


Name of API	Description	Purpose
Dialog-flow API	Dialog-flow API is an AI powered chatbot for user support. It turns FAQ content into a helper bot.	Eliminates the need for a human to be available 24/7 to resolve redundant and common queries.
Face net API by Google	Google's face net is a powerful dataset governed by Deep learning modules.	Google is working on speech2face functionality, and it has maintained great data sets so we will use it to transform voice into image

Firebase (Auth,Firestore)	Firebase is the ready-made backend. Auth is used for the authentication-purpose whereas Firestore serves as the noSQL based Database.	It eliminates the need of custom backend which costs the user high and is time consuming for making one.
Google Ads API	The Google Ads API lets advertisers manage large Google Ads accounts and lets developers make applications that use these ads	A way to provides user free services but the development team still gets revenue out of it.

Table 134: Description of FR-9.4.1

5.2. User Interface

- Mobile User Interface



Who are you?

Generic User

Security Agent



Figure 22: Mobile Screen Account Type



Figure 22: Mobile Screen Customize Image



Figure 23: Mobile Screen Enhance Features




Figure 24: Mobile Screen Feedback




Figure 25: Mobile Screen Chatbot



Figure 26: Mobile Screen Image View




Figure 27: Mobile Screen Features Dashboard





Figure 28: Mobile Screen Insights



Processing!

It can take a minute or
so kindly wait!



Go back ?



Figure 29: Mobile Screen Processing



Record a Voice note of 30 sec to
setup Voice Login



Re-Record?

Proceed

Sign Up

Figure 30: Mobile Screen Setup Voice



Speak Now!

we are hearing you!



Sign in Via Credentials?



Figure 31: Mobile Screen Speak Now



Sign In

Email

Password

Sign in via Voice?

Don't have an account ? [Sign Up here!](#)

Sign In



Sign In

Figure 32: Mobile Screen Sign in




Figure 33: Mobile Screen Sign up



Figure 34: Mobile Screen Splash Screen




Figure 35: Mobile Screen Record Voice




Figure 36: Mobile Screen upload existing Voice




Figure 37: Mobile Screen upload Video



Figure 38: Mobile Screen Vector Image





Figure 39: Mobile Screen Main Dashboard



**Hey
Shahzaneer!**

Speech2Face aims to predicts
the vector and facial features
from voice by using the power
of its powerful AI Engine!
So ready to witness the
greatness of Speech2Face!

Get Started?



Figure 40: Mobile Screen Welcome Screen

- Web User Interface




Figure 41: Web Screen Account Creation




Figure 42: Web Screen Feedback




Figure 43: Web Screen Welcome






Figure 44: Web Screen Image View



If you tell the truth you don't remember anything .

Mark Twain

Your Predicted Insights are



Share

Feedback

Speech2face.

Figure 45: Web Screen Insights




Figure 46: Web Screen Account type




Figure 47: Web Screen Setup Voice





Figure 48: Web Screen Speak now



Welcome to your Speech2Face Application



Sign In

Email

Password

Sign in via Voice?

Don't have an account? [Sign Up](#) here!

Sign In



Figure 49: Web Screen Sign in



Vector Image



get Image Form

Speech2face.

Figure 50: Web Screen Vector View

6. Testing and Evaluation

This chapter discusses the verification and validation process of the overall working of the implemented system. Using Grey Box testing technique, each project use case is thoroughly tested with carefully curated test cases to ensure the product is producing desired results. These test cases are documented in this section to give an overview of the testing phase along with the contrast between expected and actual results of these test cases. Grey Box testing was opted because of its property of efficient and thorough testing at both internal and external level of product.

6.1. Verification

All the processes cycle of the system are tested thoroughly to make sure that the system is bug free as much as possible. All the prepared documents, design and code are tested to check whether they are according to the requirements or not. All the security measures are evaluated in detail. The data from each user needs to be verified because the app has to deal with it.

6.2. Validation

The key objective of validation is to make sure that whether the product being built is according to the user requirements or not. So, validation of the system is done make sure that all the built product is in accordance with the user requirements.

6.3. Usability Testing

The features and uses of the system are checked whether they are user-friendly or not. The usability will be tested to make sure that the end-user can understand the product easily. As the system will be used by both technical and non-technical users, they should not face any major bugs.

6.4. Module/Unit Testing

It is the most basic level of testing. So, each functional requirement is tested individually by the group members. The functional requirements of each module are tested. Most of the bugs can be found in this phase because each basic functional requirement is checked thoroughly.

6.5. Integration Testing

Integration level testing is done to make sure that the modules and major components of the system are working properly as an entire entity. Testing is done to detect all kinds of major and minor bugs.

6.6. System Testing

In system level testing, the system is tested as a whole after the implementation of each module. Unusual operations are performed to find any bugs or failure of the system. The functionalities of the system are tested to ensure that the system's result satisfy the user requirements.

6.7. Acceptance Testing

The software is deployed to the users or clients, and it will be checked whether the system is accepted by them or not. It is also made sure that the system is fulfilling their requirements.

6.8. Manual Testing

The software is used by testers, clients and customers manually without any access to the source code. Each module and functionality is tested thoroughly to check whether it produces the desired results at the end user level.

6.9. Test Cases

The testing of our system are discussed in detail below:

6.9.1. Unit Testing

- *Module 1: Profile Management*

UC-ID	Use Case Name
UC-1.1	Sign up
UC-1.2	Log in
UC-1.3	Sign in Via Phone
UC-1.4	Sign in Via Voice
UC-1.5	Update Profile
UC-1.6	Logout

Table 135: Description of List of Use Cases of Module 1

- TC-1.1 against UC-1.1

Test Id:	TC-1.1	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Sign Up	Test Case Executed by:	Shayan Zameer
Module Name:	Profile Management	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Create new Account. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role		1. Main application homepage will open. 2. Sign up screen will open. 3. Email is accepted. 4. Password and confirm password are accepted. 5. Account is logged in. Role Selection Page is displayed. 6. You are directed to the login Screen	
Expected Result:		Successfully Signed up.	
Actual Result:		Successfully Signed up.	
Status:		Pass.	

Table 136: Test Case 1.1 against UC-1.1

- TC-1.2 against UC-1.2

Test Id:	TC-1.2	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Login in	Test Case Executed by:	Shayan Zameer
Module Name:	Profile Management	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened.	
Expected Result:		Successfully Logged in.	
Actual Result:		Successfully Logged in.	
Status:		Pass.	

Table 137: Test Case 1.2 against UC-1.2

- TC-1.3 against UC-1.3

Test Id:	TC-1.3	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Sign in Via phone	Test Case Executed by:	Shayan Zameer
Module Name:	Profile Management	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123 Phone No: 03164606490	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter login via phone. 5. Enter the phone no. 6. Enter the OTP sent to your number. 7. Select User or Security Person as your Role		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Phone number is accepted. 5. OTP is accepted. 6. Account is logged in. Role Selection Page is displayed. 7. Dashboard is opened. 8. Voice option is displayed and to be recorded successfully.	
Expected Result:		Login Successful	
Actual Result:		Login Successful	
Status:		Pass.	

Table 138: Test Case 1.3 against UC-1.3

- TC-1.4 against UC-1.4

Test Id:	TC-1.4	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Sign in Via Voice	Test Case Executed by:	Shayan Zameer
Module Name:	Profile Management	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123 Voice record in MP3 form	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Select the login via voice option. 5. Record your voice till 30 sec. 6. The main Dashboard will be shown		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Voice is recorded. 5. Voice is matched 6. Dashboard is opened or error message to record again or go back is shown.	
Expected Result:		Login Successfully	
Actual Result:		Login Successfully	
Status:		Pass.	

Table 139: Test Case 1.4 against UC-1.4

- TC-1.5 against UC-1.5

Test Id:	TC-1.5	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Update Profile	Test Case Executed by:	Shayan Zameer
Module Name:	Profile Management	Test Case Execution Date:	20-12-2022
Test Data:	Updated-Email: Sp21@gmail.com , Updated Password: sp_1299	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Select update profile. 8. Enter valid email and password.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Update Page will be shown which will prompt the user to add the updated details 7. Updated password and email is accepted	
Expected Result:		Profile updated Successfully	
Actual Result:		Profile updated Successfully	

Status:	Pass.
----------------	-------

Table 140: Test Case 1.5 against UC-1.5

- **TC-1.6 against UC-1.6**

Test Id:	TC-1.6	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Log Out	Test Case Executed by:	Shayan Zameer
Module Name:	Profile Management	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Click logout button in your profile section. 8. Confirm Logout.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. You will be asked to confirm if you want to logout. 8. You will be logged out. 9. You will be directed to the sign up/ login screen.	
Expected Result:		Logout Successfully.	

Actual Result:	Logout Successfully.
Status:	Pass.

Table 141: Test Case 1.6 against UC-1.6

- *Module 2: Place a voice record*

UC-ID	Use Case Name
UC-2.1	Record Voice
UC-2.2	Upload Existing Voice
UC-2.3	Upload Existing Video to fetch Voice
UC-2.4	Update Voice
UC-2.5	Update Video
UC-2.6	Delete Voice
UC-2.7	Delete Video

Table 142: Description of list of Use case of Module 2

- **TC-2.1 against UC-2.1**

Test Id:	TC-2.1	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Check Record Voice	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Place Voice Record	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	High
Steps /Action		System Response	
7. Load the web URL or click on mobile application icon. 8. Select Get Started. 9. Enter registered email to log in. 10. Enter registered password to login. 11. Press Login Button. 12. Select User or Security Person as your Role 13. Select the Record Voice option and record Voice.		7. Main application homepage will open. 8. Log in screen will open. 9. Email is accepted. 10. Password is accepted 11. Account is logged in. Role Selection Page is displayed. 12. Dashboard is opened. 13. Voice option is displayed and to be recorded successfully.	
Expected Result:		Voice Recorded Successfully.	
Actual Result:		Voice Recorded Succesfully.	
Status:		Pass.	

Table 143: Test Case 2.1 against UC-2.1

- TC-2.2 against UC-2.2

Test Id:	TC-2.2	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Verify Upload Existing Voice	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Place Voice Record	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then select upload voice option and Upload Existing voice.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Response of Uploaded Voice Successfully is displayed.	
Expected Result:		Voice Uploaded Successfully.	
Actual Result:		Voice was Uploaded.	
Status:		Pass	

Table 144: Test Case 2.2 against UC-2.2

- TC-2.3 against UC-2.3

Test Id:	TC-2.3	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Verify Upload Existing Video	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Place Voice Record	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
<ul style="list-style-type: none"> • Load the web URL or click on mobile application icon. • Select Get Started. • Enter registered email to log in. • Enter registered password to login. • Press Login Button. • Select User or Security Person as your Role. • Select the Voice option and then select upload Video option and Upload Existing video. 		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Response of Uploaded Voice Successfully is displayed.	
Expected Result:		Video Uploaded Successfully.	
Actual Result:		Video Was Uploaded.	
Status:		Pass.	

Table 145: Test Case 2.3 against UC-2.3

- **TC-2.4 against UC-2.4**

Test Id:	TC-2.4	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Verify Update Voice	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Place Voice Record	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then select record voice option. 8. User clicks update voice option to update voice.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Response of Updated Voice Successfully is displayed.	
Expected Result:		Voice Uploaded Successfully.	
Actual Result:		Voice was Uploaded Successfully.	
Status:		Pass.	

Table 146: Test Case 2.4 against UC-2.4

- TC-2.5 against UC-2.5

Test Id:	TC-2.5	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Verify Update Video	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Place Voice Record	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then select Upload video option. 8. When Video is uploaded, user must click update option to update the video.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Response of Updated Video Successfully is displayed.	
Expected Result:		Voice Updated Successfully.	
Actual Result:		Voice Updated Successfully	
Status:		Pass.	

Table 147: Test Case 2.5 against UC-2.5

- **TC-2.6 against UC-2.6**

Test Id:	TC-2.6	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Verify Delete Voice	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Place Voice Record	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
9. Load the web URL or click on mobile application icon. 10. Select Get Started. 11. Enter registered email to log in. 12. Enter registered password to login. 13. Press Login Button. 14. Select User or Security Person as your Role. 15. Select the Voice option and then select saved voice option. 16. User must mark the voices and the click to delete button.		8. Main application homepage will open. 9. Log in screen will open. 10. Email is accepted. 11. Password is accepted 12. Account is logged in. Role Selection Page is displayed. 13. Dashboard is opened. 14. Response of Delete Voices Successfully is displayed.	
Expected Result:		Voice deleted Successfully.	
Actual Result:		Voice was deleted Successfully.	
Status:		Pass.	

Table 148: Test Case 2.6 against UC-2.6

- **TC-2.7 against UC-2.7**

Test Id:	TC-2.7	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Verify Delete Video	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Place Voice Record	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then select saved videos option. 8. User must mark the videos and the click to delete button.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Response of Delete Videos Successfully is displayed.	
Expected Result:		Videos deleted Successfully.	
Actual Result:		Videos deleted Successfully.	
Status:		Pass.	

Table 149: Test Case 2.7 against UC-2.7

- **Module 3: Sound to Face Vector Model**

UC-ID	Use Case Name
UC-3.1	Sound to Vector Modeling Via Deep Learning
UC-3.2	Generate Vector Model

Table 150: Description of list of Use cases of Module 3

- **TC-3.1 against UC-3.1**

Test Id:	TC-3.1	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Sound to Vector Modelling	Test Case Executed by:	Shayan Zameer
Module Name:	Sound-to-vector	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123 Machine Learning Model by Face.net (Google)	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted	

5. Press Login Button. 6. Select User or Security Person as your Role 7. Select the Record Voice option and record Voice and select your voice note. 8. Now select sound to vector conversion.	5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice is recorded and selected. 8. Sound to vector conversion is started.
Expected Result:	Sound to Vector Conversion Modeling taking place Successfully.
Actual Result:	Sound to Vector Conversion Modeling taking place Successfully.
Status:	Pass.

Table 151: Test Case 3.1 against UC-3.1

- **TC-3.2 against UC-3.2**

Test Id:	TC-3.2	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Generate vector	Test Case Executed by:	Shayan Zameer
Module Name:	Sound-to-vector	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted.	

<p>3. Enter registered email to log in.</p> <p>4. Enter registered password to login.</p> <p>5. Press Login Button.</p> <p>6. Select User or Security Person as your Role</p> <p>7. Select the Record Voice option and record Voice.</p> <p>8. Select the Record Voice option and record Voice and select your voice note.</p> <p>9. Now select sound to vector conversion.</p> <p>10. Generate Vector Mode.</p>	<p>4. Password is accepted</p> <p>5. Account is logged in. Role Selection Page is displayed.</p> <p>6. Dashboard is opened.</p> <p>7. Voice option is displayed and to be recorded successfully.</p> <p>8. Voice-Vector modelling is taking place</p> <p>9. The Vector model is displayed.</p>
Expected Result:	The Vector Model is Displayed
Actual Result:	The Vector Model is Displayed
Status:	Pass.

Table 152: Test Case 3.2 against UC-3.2

- **Module 4: Vector to Image Model**

UC-ID	Use Case Name
UC-4.1	Vector to image Modeling
UC-4.2	Generate Image Model

Table 153: Description of list of Use Case of Module 4

- TC-4.1 against UC-4.1

Test Id:	TC-4.1	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Check Vector to Image Model	Test Case Executed by:	Not Executed
Module Name:	Vector to Image Modeling Via Deep Learning	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then record voice. 8. By clicking to convert to vector button vector image will be generated. 9. Then by clicking get Image option user will get Image Model.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice Options are Displayed. 8. Vector Model is Displayed. 9. Image Model is then Displayed.	
Expected Result:		Image is Displayed on Screen Successfully.	
Actual Result:		Not Executed.	
Status:		Not Executed.	

Table 154: Test Case 4.1 against UC-4.1

- **TC-4.2 against UC-4.2**

Test Id:	TC-4.2	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Check Generate Image Model.	Test Case Executed by:	Not Executed
Module Name:	Vector to Image Modeling Via Deep Learning	Test Case Execution Date:	Soon
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then record voice. 8. By clicking to convert to vector button vector image will be generated. 9. Then by clicking get Image option user will get Image Model and Check Image Generated Successfully or not.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice Options are Displayed. 8. Vector Model is Displayed. 9. Generation Of image Successfully.	
Expected Result:		Image Generated Successfully.	
Actual Result:		Image was not generated.	

Status:	Fail.
----------------	-------

Table 155: Test Case 4.2 against UC-4.2

- *Module 5: Image view Customization*

UC-ID	Use Case Name
UC-5.1	Brightness Control
UC-5.2	Saturation Management
UC-5.3	Skin Tone Management
UC-5.4	Filters
UC-5.5	Avatar Maker

Table 156: Description of list of Use cases of Module 5

- **TC-5.1 against UC-5.1**

Test Id:	TC-5.1	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Brightness Control	Test Case Executed by:	Shayan Zameer
Module Name:	Image-View Customization	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com ,	Priority:	Medium

	Password: sp_123		
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Select the Record Voice option and record Voice. 8. Now select the voice and start modeling it into the vector and image form. 9. Now click to the customize Image button 10. Select Brightness. 11. Scroll the slider to change the level of Brightness. 12. Click the tick button above.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The Brightness' intensity is changing with the slider 10. The brightness is now enhanced with the preferred priority.	
Expected Result:		Brightness is enhanced Successfully.	
Actual Result:		Brightness is enhanced Successfully.	
Status:		Pass.	

Table 157: Test Case 5.1 against UC-5.1

- **TC-5.2 against UC-5.2**

Test Id:	TC-5.2	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Saturation Management	Test Case Executed by:	Shayan Zameer
Module Name:	Image-View Customization	Test Case Execution Date:	20-12-2022

Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Select the Record Voice option and record Voice. 8. Now select the voice and start modeling it into the vector and image form. 9. Now click to the customize Image button 10. Select Saturation. 11. Scroll the slider to change the level of Saturation. 12. Click the tick button above.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The Saturation intensity is changing with the slider 10. The saturation is now enhanced with the preferred priority.	
Expected Result:		Saturation is enhanced Successfully.	
Actual Result:		Saturation is enhanced Successfully.	
Status:		Pass.	

Table 158: Test Case 5.2 against UC-5.2

- TC-5.3 against UC-5.3

Test Id:	TC-5.3	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Skin-Tone Management	Test Case Executed by:	Shayan Zameer
Module Name:	Image-View Customization	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Select the Record Voice option and record Voice. 8. Now select the voice and start modeling it into the vector and image form. 9. Now click to the customize Image button 10. Select Skin Tone. 11. Scroll the slider to change the level of Skin tone. 12. Click the tick button above.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The Skin Tone's intensity is changing with the slider 10. The Skin Tone is now enhanced with the preferred priority.	
Expected Result:		Skin Tone is enhanced Successfully.	
Actual Result:		Skin Tone is enhanced Successfully.	

Status:	Pass.
----------------	-------

Table 159: Test Case 5.3 against UC-5.3

- **TC-5.4 against UC-5.4**

Test Id:	TC-5.4	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Filters	Test Case Executed by:	Shayan Zameer
Module Name:	Image-View Customization	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Low
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Select the Record Voice option and record Voice. 8. Now select the voice and start modeling it into the vector and image form. 9. Now click to the customize Image button 10. Select Filters. 11. Scroll the slider to select the filter of your choice. 12. Click the tick button above.		11. Main application homepage will open. 12. Log in screen will open. 13. Email is accepted. 14. Password is accepted 15. Account is logged in. Role Selection Page is displayed. 16. Dashboard is opened. 17. Voice option is displayed and to be recorded successfully. 18. The Image is converted into vector and image form. 19. The filter selected is changing on run time. 20. The Filter is now applied with the preferred priority.	

Expected Result:	Filter applied successfully.
Actual Result:	Filter applied successfully.
Status:	Pass.

Table 160: Test Case 5.4 against UC-5.4

- **TC-5.5 against UC-5.5**

Test Id:	TC-5.5	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Avatar Maker	Test Case Executed by:	Shayan Zameer
Module Name:	Image-View Customization	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Low
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully.	

7. Select the Record Voice option and record Voice. 8. Now select the voice and start modeling it into the vector and image form. 9. Now click the avatar generator. 10. Click the tick button above.	8. The Image is converted into vector and image form. 9. Your Avatar will be generated.
Expected Result:	Avatar Generated Successfully
Actual Result:	Avatar Generated Successfully
Status:	Pass.

Table 161: Test Case 5.5 against UC-5.5

- ***Module 6: Features Enhancement***

UC-ID	Use Case Name
UC-6.1	Face Shape Enhancement
UC-6.2	Nose Enhancement
UC-6.3	Eyebrow Enhancement
UC-6.4	Beard Maker
UC-6.5	Eye Enhancement

Table 162: Description of Use cases of Module 6

- TC-6.1 against UC-6.1

Test Id:	TC-6.1	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Check Face Shape Enhancement.	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Features Enhancer	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then record voice. 8. By clicking to convert to vector button vector image will be generated. 9. Then by clicking get Image option Security Person will get Image Model. 10. User will click features enhancer option and select Face Shape enhancement.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice Options are Displayed. 8. Vector Model is Displayed. 9. Image Model is then Displayed. 10. Feature enhancer option is displayed and Face Shape Enhancement.	
Expected Result:		Face Shape Enhancement option working Properly.	
Actual Result:		Face Shape Enhancement option working Properly.	

Status:	Pass.
----------------	-------

Table 163: Test Case 6.1 against UC-6.1

- **TC-6.2 against UC-6.2**

Test Id:	TC-6.2	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Check Nose Enhancement.	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Features Enhancer	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then record voice. 8. By clicking to convert to vector button vector image will be generated. 9. Then by clicking get Image option Security Person will get Image Model. 10. User will click features enhancer option and select Nose enhancement option.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice Options are Displayed. 8. Vector Model is Displayed. 9. Image Model is then Displayed. 10. Feature enhancer option is displayed and Nose Enhancement option.	

Expected Result:	Nose Enhancement option working Properly.
Actual Result:	Nose Enhancement option working Properly.
Status:	Pass.

Table 164: Test Case 6.2 against UC-6.2

- **TC-6.3 against UC-6.3**

Test Id:	TC-6.3	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Check Eyebrow Enhancement.	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Features Enhancer	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice Options are Displayed. 8. Vector Model is Displayed.	

<p>7. Select the Voice option and then record voice.</p> <p>8. By clicking to convert to vector button vector image will be generated.</p> <p>9. Then by clicking get Image option Security Person will get Image Model.</p> <p>10. User will click features enhancer option and select Eyebrow enhancement option.</p>	<p>9. Image Model is then Displayed.</p> <p>10. Feature enhancer option is displayed and Eyebrow Enhancement option.</p>
Expected Result:	Eyebrow Enhancement option working Properly.
Actual Result:	Eyebrow Enhancement option working Properly.
Status:	Pass

Table 165: Test Case 6.3 against UC-6.3

- **TC-6.4 against UC-6.4**

Test Id:	TC-6.3	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Check Beard Maker.	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Features Enhancer	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	

<ol style="list-style-type: none"> 1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role. 7. Select the Voice option and then record voice. 8. By clicking to convert to vector button vector image will be generated. 9. Then by clicking get Image option Security Person will get Image Model. 10. User will click features enhancer option and select Beard Maker option. 	<ol style="list-style-type: none"> 1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice Options are Displayed. 8. Vector Model is Displayed. 9. Image Model is then Displayed. 10. Feature enhancer option is displayed and options against Beard maker option.
Expected Result:	Beard Maker option working Properly.
Actual Result:	Beard Maker option working Properly.
Status:	Pass

Table 166: Test Case 6.4 against UC-6.4

- **TC-6.5 against UC-6.5**

Test Id:	TC-6.5	Test Case Designed by:	SHAYAN ZAMEER
Test Case Title:	Check Eye Enhancement.	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Features Enhancer	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com ,	Priority:	Medium

	Password: sp_123		
Steps /Action		System Response	
11. Load the web URL or click on mobile application icon. 12. Select Get Started. 13. Enter registered email to log in. 14. Enter registered password to login. 15. Press Login Button. 16. Select User or Security Person as your Role. 17. Select the Voice option and then record voice. 18. By clicking to convert to vector button vector image will be generated. 19. Then by clicking get Image option Security Person will get Image Model. 20. User will click features enhancer option and select Eye enhancement option.		11. Main application homepage will open. 12. Log in screen will open. 13. Email is accepted. 14. Password is accepted 15. Account is logged in. Role Selection Page is displayed. 16. Dashboard is opened. 17. Voice Options are Displayed. 18. Vector Model is Displayed. 19. Image Model is then Displayed. 20. Feature enhancer option is displayed and options against Eye Enhancement option.	
Expected Result:		Eye Enhancement option working Properly.	
Actual Result:		Eye Enhancement option working Properly.	
Status:		Pass.	

Table 167: Test Case 6.5 against UC-6.5

- **Module 7: Insight Panel**

UC-ID	Use Case Name
UC-7.1	View Report
UC-7.2	Download Report
UC-7.3	Share Via Socials

Table 168: Description of list of Use cases of Module 7

- **TC-7.1 against UC-7.1**

Test Id:	TC-7.1	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	View Report	Test Case Executed by:	Shayan Zameer
Module Name:	Insights Panel	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened.	

6. Select User or Security Person as your Role 7. Select the Record Voice option and record Voice. 8. Now select the voice and start modeling it into the vector and image form. 9. Now click on insights panel and then on view report.	7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The generated report will be viewed.
Expected Result:	Viewed Report Successfully
Actual Result:	Viewed Report Successfully.
Status:	Pass.

Table 169: Test Case 7.1 against UC-7.1

- TC-7.2 against UC-7.2**

Test Id:	TC-7.2	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Download Report	Test Case Executed by:	Shayan Zameer
Module Name:	Insights Panel	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted	

4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Select the Record Voice option and record Voice. 8. Now select the voice and start modeling it into the vector and image form. 9. Now click on insights panel and then on view report. 10. Download it.	5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The generated report will be viewed 10. The report will be downloaded.
Expected Result:	The report will be downloaded successfully.
Actual Result:	Report is downloaded successfully
Status:	Pass.

Table 170: Test Case 7.2 against UC-7.2

- **TC-7.3 against UC-7.3**

Test Id:	TC-7.3	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Share Via Socials	Test Case Executed by:	Shayan Zameer
Module Name:	Insights Panel	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	

<ol style="list-style-type: none"> 1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Select the Record Voice option and record Voice. 8. Now select the voice and start modeling it into the vector and image form. 9. Now click on insights panel and then on view report. 10. Now select share via socials options 11. Select Social media platform of your own choice and enter select. 	<ol style="list-style-type: none"> 1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The generated report will be viewed 10. The Share via socials options appears in terms of twitter, fb, Instagram and LinkedIn. 11. The selected platform will be opened and the image will be uploaded to it.
Expected Result:	Will be Shared on Social-Media successfully.
Actual Result:	Shared on Social-Media successfully.
Status:	Pass.

Table 171: Test Case 7.3 against UC-7.3

- ***Module 8: Setting and Configuration***

UC-ID	Use Case Name
UC-8.1	Rate System
UC-8.2	Sent feedback
UC-8.3	System Lagging Checks

Table 172: Description of List of Use cases of Module 8

- **TC-8.1 against UC-8.1**

Test Id:	TC-8.1	Test Case Designed by:	Shayan Zameer
Test Case Title:	Check Rate Result	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Feedback Panel	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123, Rating: "5", Rating Stars: "****"	Priority:	Medium
Steps /Action		System Response	

1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Open Feedback option from webpage header or application's side-pane menu. 7. Enter Rating 8. Enter Rating with Stars 9. Click Submit button.	1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Feedback page opens. 7. Rating accepted 8. Feedback accepted 9. Feedback submitted successfully
Expected Result:	Successfully result of Rating is submitted.
Actual Result:	Successfully result of Rating is submitted.
Status:	Pass

Table 173: Test Case 8.1 against UC-8.1

- TC-8.2 against UC-8.2

Test Id:	TC-8.2	Test Case Designed by:	Shayan Zameer
Test Case Title:	Verify Feedback Uploadation	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Feedback Panel	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123, Rating: "5",	Priority:	Medium

	Feedback: “Check Feedback”		
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Open Feedback option from webpage header or application's side-pane menu. 7. Enter Feedback 8. Click Submit button		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Feedback page opens. 7. Rating accepted 8. Feedback accepted 9. Feedback submitted successfully	
Expected Result:		Successfully system feedback is submitted.	
Actual Result:		Feedback submission successful	
Status:		Pass	

Table 174: Test Case 8.2 against UC-8.2

- TC-8.3 against UC-8.3

Test Id:	TC-8.3	Test Case Designed by:	Shayan Zameer
Test Case Title:	Verify System Lagging Checks	Test Case Executed by:	Shahzaneer Ahmad
Module Name:	Feedback Panel	Test Case Execution Date:	20-12-2022

Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Medium
Steps /Action		System Response	
9. Load the web URL or click on mobile application icon. 10. Select Get Started. 11. Enter registered email to log in. 12. Enter registered password to login. 13. Press Login Button. 14. Open Feedback option from webpage header or application's side-pane menu. 15. Enter System lagging Checks option.		10. Main application homepage will open. 11. Log in screen will open. 12. Email is accepted. 13. Password is accepted 14. Account is logged in. Role Selection Page is displayed. 15. Feedback page opens. 16. System lagging checks Verified Successfully.	
Expected Result:		Successfully system lagging checks is verified.	
Actual Result:		Successfully system lagging checks is verified	
Status:		Pass.	

Table 175: Test Case 8.3 against UC-8.3

- **Module 9: Help and Support**

UC-ID	Use Case Name
UC-9.1	Chat with AI Bot
UC-9.2	Contact with Support Team
UC-9.3	Change Bots' Language
UC-9.4	View Bot's Query History

Table 176: description of list of Use Cases of Module 9

- **TC-9.1 against UC-9.1**

Test Id:	TC-9.1	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Chat with AI Bot	Test Case Executed by:	Shayan Zameer
Module Name:	Helps and Support	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	High
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted	

<ol style="list-style-type: none"> 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Main Dashboard appears. 8. Now select the Help and support option and then choose the Chat with bot. 9. Send message by typing in the console. 10. Receive message. 	<ol style="list-style-type: none"> 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The chat bot will be opened 10. The chat bot will reply to the query.
Expected Result:	Chat Bot integrated successfully
Actual Result:	Chat Bot integrated successfully
Status:	Pass.

Table 177: Test Case 9.1 against UC-9.1

- **TC-9.2 against UC-9.2**

Test Id:	TC-2.1	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Contact support team	Test Case Executed by:	Shayan Zameer
Module Name:	Helps and Support	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com . Password: sp_123	Priority:	High
Steps /Action		System Response	

<ol style="list-style-type: none"> 1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Main Dashboard appears. 8. Now select the Help and support option and then choose the Contact support team. 9. Select the profile you want to chat with. 10. Now through email you can chat. 	<ol style="list-style-type: none"> 1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The Current available support team will be displayed 10. The Email account will be opened.
Expected Result:	Contacted Support team successfully
Actual Result:	Contacted Support team successfully
Status:	Pass.

Table 178: Test Case 9.2 against UC-9.2

- **TC-9.3 against UC-9.3**

Test Id:	TC-9.3	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Change-Bot's Language	Test Case Executed by:	Shayan Zameer
Module Name:	Helps and Support	Test Case Execution Date:	20-12-2022
Test Data:	Email: Sp21@gmail.com ,	Priority:	Low

	Password: sp_123		
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Main Dashboard appears. 8. Now select the Help and support option and then choose the Chat with bot. 9. Select the change language option. 10. Select language Urdu.		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The chat bot will be opened 10. The chat bot's language options are displayed and Urdu is selected.	
Expected Result:		Changed The Chatbot's Language successfully	
Actual Result:		Changed the Chatbot's Language successfully	
Status:		Pass.	

Table 179: Test Case 9.3 against UC-9.3

- **TC-9.4 against UC-9.4**

Test Id:	TC-9.4	Test Case Designed by:	Shahzaneer Ahmed
Test Case Title:	Bot's query History	Test Case Executed by:	Shayan Zameer
Module Name:	Helps and Support	Test Case Execution Date:	20-12-2022

Test Data:	Email: Sp21@gmail.com , Password: sp_123	Priority:	Low
Steps /Action		System Response	
1. Load the web URL or click on mobile application icon. 2. Select Get Started. 3. Enter registered email to log in. 4. Enter registered password to login. 5. Press Login Button. 6. Select User or Security Person as your Role 7. Main Dashboard appears. 8. Now select the Help and support option and then choose the Chat with bot. 9. Select the query history option		1. Main application homepage will open. 2. Log in screen will open. 3. Email is accepted. 4. Password is accepted 5. Account is logged in. Role Selection Page is displayed. 6. Dashboard is opened. 7. Voice option is displayed and to be recorded successfully. 8. The Image is converted into vector and image form. 9. The chat bot will be opened and query history will be appeared.	
Expected Result:		Query history will be appeared.	
Actual Result:		Query history will be appeared.	
Status:		Pass.	

Table 180: Test Case 9.4 against UC-9.4

6.10. Environmental Needs

Following are the environmental needs for carrying out our test plan:

- Stable internet connection for both mobile and web applications
- Devices with Android 6 and above, or iOS 11 and above.
- Web browsers that support HTML 5.
- .

7. Conclusion and Future Work

This is the concluding chapter of the document that concludes the purpose of our product. Any improvements or future work that can be done to improve the working of our product are discussed. Alongside, the work contributions of each group member throughout the project have been shared.

7.1. Conclusion

This Software Speech2face aims to help the security agencies to identify the culprits and the criminals so that the ratio of crime could be normalize. It helps its general users to predict the image from voice. As it is an R & D product so it is subjected to improvement with the feedback and the research process.

7.2. Future Work

- Artificial Intelligence can be introduced to login using fingerprint detection, face or voice recognition.
- The application availability can be made global by introducing more language and usability support.
- Using better data structures and coding techniques, we can improve the system performance and reduce the maximum response time from 5 seconds to 2 seconds.
- Through better machine learning techniques, security and fraud detection can be improved and the system can be made more secure.

7.3. Lessons Learnt

- Shahzaneer Ahmed (SP21-BCS-087)
 - ✓ Technical Aspect
 - 1. I learned the difference between the big debate BCS vs BSE as a major.
 - 2. I learned that I am more interested in Software Engineering as a major with a slight interest in other CS domains.
 - 3. I learned UI Designing using Figma and developed the UI of my First Application.
 - 4. Got to know about the SDLC Life Cycle which is going to help me throughout my journey in Software Engineering as a Career.
 - 5. I learned about Software Testing in detail and the career opportunities besides coding jobs.

6. I learned about Flutter Application development with MVVM architecture and good coding practices along with design patterns.
7. I learned how to use Firebase for authentication and database
8. I learned to use Dialog-flow for training my chatbot and its integration in Flutter App.

✓ **Non-Technical Aspect**

1. I learned Leadership Skills while leading the project work throughout the semester.
2. Stress Management while dealing with the tight deadlines and work under pressure.
3. Improved my decision-making capability while working on different modules.
4. Enjoyed the trip to Mabali Island and learned we should have separate time for enjoying life too.
5. I started believing in myself more than what I used to a semester ago.

• **Shayan Zameer (SP21-BCS-088)**

✓ **Technical Aspect**

1. During this project I learnt HTML CSS.
2. I learnt how to use Figma and create UI of Mobile and web applications.
3. I learned about Software Testing in detail and the career opportunities.

✓ **Non-Technical Aspect**

1. My Presentation Documentation preparation skills were enhanced.
2. Polished my team working skills in handling bigger projects like Speech2Face System.
3. Stress Management while dealing with the tight deadlines and work under pressure.

7.4. Work Division

- Scope Document

Shahzaneer Ahmed (SP21-BCS-087)	Shayan Zameer (SP21-BCS-088)
<ol style="list-style-type: none"> 1. Abstract 2. Introduction 3. Problem Statement 4. Problem Solution for the proposed system and Objectives 5. Vision Statement 6. Modules 7. System Limitations/Constraints 8. WBS and Gantt Chart 9. Conclusion 10. Final Format Preparation of Scope Document (Word .docx file) 	<ol style="list-style-type: none"> 1. Related System Analysis/Literature Review 2. Advantages/Benefits of Proposed System 3. Project Scope 4. Software Process and Design Methodology 5. Tools and Technologies 6. Project Stakeholders and Roles 7. Work Division 8. Concepts 9. Mockups 10. Presentation (PowerPoint .ppt file)

- SRS Document

Shahzaneer Ahmed (SP21-BCS-087)	Shayan Zameer (SP21-BCS-088)
<ol style="list-style-type: none"> 1. Overall Description 2. Requirement Identifying Technique (Module 1, 3, 5, 7,9) 3. Functional Requirements 4. (Module 1, 3, 5, 7,9) 5. External Interface Requirements (Software & Communication interfaces) 6. Final Format Preparation of SRS Document (Word .docx file) 	<ol style="list-style-type: none"> 1. Introduction & Conclusion 2. Requirement Identifying Technique (Module 2, 4, 6, 8) 3. Functional Requirements 4. (Module 2, 4, 6, 8) 5. External Interface Requirements (User interfaces & Mockups) 6. Presentation (PowerPoint .ppt file)

- SDS Document

Shahzaneer Ahmed (SP21-BCS-087)	Shayan Zameer (SP21-BCS-088)
<ol style="list-style-type: none"> 1. SDS Document (Word .docx file) 2. Activity-Diagram (Module 1, 3, 5, 7,9) 3. Sequence-Diagram (Module 1, 3, 5, 7,9) 4. Data Dictionary 5. User Interface Design (collaborated) 6. Class Diagram (collaborated) 7. ERD (collaborated) 8. Algorithm and Implementation (4 modules) 	<ol style="list-style-type: none"> 1. SDS Presentation (PowerPoint .ppt file) 2. Activity Diagram (Module 2, 4, 6, 8) 3. Sequence Diagram (Modules 2,4,6,8) 4. JSON Schema 5. User Interface Design (collaborated) 6. Class Diagram (collaborated) 7. ERD (collaborated) 8. Algorithm and Implementation (4 modules)

- Project Implementation

Shahzaneer Ahmed (SP21-BCS-087)	Shayan Zameer (SP21-BCS-088)
Mobile App Implementation	Web Implementation
<ol style="list-style-type: none"> 1. Modules Implemented. <ol style="list-style-type: none"> i) User Profiling ii) AI Chatbot iii) Image view Customization 2. Technologies Used: <ol style="list-style-type: none"> i) Flutter ii) Dart iii) Firebase 3. Tools Used: <ol style="list-style-type: none"> i) Visual Studio Code 2019 	<ol style="list-style-type: none"> 1. Modules Implemented. 2. Technologies Used: 3. Tools Used:

- STP Document

Headings Division	
Shahzaneer Ahmed (SP21-BCS-087)	Shayan Zameer (SP21-BCS-088)
4. Introduction (Heading 1) 5. Test Deliverables (Heading 5) 6. Conclusion (Heading 6)	1. Executive Summary (Heading 2) 2. Testing and Evaluation (Heading 3)
Test Case Division	
Shahzaneer Ahmed (SP21-BCS-087)	Shayan Zameer (SP21-BCS-088)
Heading 4 : Test Cases Module (1,3,5,7,9)	Heading 4 : Test Cases Module (2,4,6,8)

- Final Document

Shahzaneer Ahmed (SP21-BCS-087)	Shayan Zameer (SP21-BCS-088)
1. Introduction (Heading 1) 2. Implementation (Heading 5) 3. Testing and Evaluation (Heading 6.8-6.11) 4. Conclusion (Heading 7) + Lesson Learnt (Heading 7.3) 5. Final Doc formatting	1. Problem Definition (Heading 2) 2. Requirement Analysis (Heading 3) 3. Architecture & Design (Heading 4) 4. Testing and Evaluation (Heading 6.1-6.7) 5. Lesson Learnt (Heading 7.3) 6. Final ppt. formatting

8. References

Related System:

[https://www.github.com/topics/sound-classification.](https://www.github.com/topics/sound-classification)

<https://speech2face.github.io/>

[Google Facenet](#)

YouTube Resources:

<https://www.youtube.com/watch?v=aKYISIIs3UDY&t=334s>

9. Appendix

9.1. Figma UI

Mobile UI:

<https://www.figma.com/file/2cnbvpco1PohBbW6qkxKSk/Speech2Face?node-id=231%3A832&t=E1N4Nwrc7zcLQNko-0>

Web UI:

<https://www.figma.com/file/2cnbvpco1PohBbW6qkxKSk/Speech2Face?node-id=304%3A781&t=E1N4Nwrc7zcLQNko-0>

9.2. Figma Prototypes

Mobile Prototype:

<https://www.figma.com/proto/2cnbvpco1PohBbW6qkxKSk/Speech2Face?node-id=295%3A527&scaling=scale-down&page-id=231%3A832&starting-point-node-id=295%3A527>

Web Prototype:

<https://www.figma.com/proto/2cnbvpco1PohBbW6qkxKSk/Speech2Face?node-id=104%3A7&scaling=scale-down&page-id=0%3A1&starting-point-node-id=104%3A7>

9.3. GitHub Repositories

Mobile App:

<https://github.com/shahzaneer/Speech2Face>

Web App:

<https://github.com/ShayanZameer>

9.4. YouTube Link

<https://www.youtube.com/channel/UCNxBD47Sv6nJumfAAME0V9A>

9.5. Guidelines

• Website Guide:

1. Download the project files and folders from GitHub repository.
2. Open “homepage.html” file. You will be directed to the homepage of our website.
3. Firstly, you will have to login in order to access the Speech2Face System. [Credentials are not mandatory to be added]
4. You can either login through **Sign up** button or by clicking on **Get Started**. You will be directed to **Role Selection** page.
5. After logging in, you can choose your role as **User** or **Security person** by clicking on the relevant button.
6. You can use system according to your desire.
7. You can logout or go to the respective homepage whenever you want.

• Mobile Guide:

1. Download the project code from GitHub repository.
2. Open the project through Android Studio.
3. Now open the android emulator for the app.
4. Make sure that the mobile emulator is Google Pixel 4 Q Version as it works better on it.
5. Now Run the code, the designed flutter App will open.
6. The first menu will be the **Get Started** Screen.
7. Now click on the **Get Started** button.
8. The login screen will appear.

9. If the user has not created an account then click on Sign Up button to create a new account.
10. The user information will be stored to firebase google.
11. Now Login to the account and choose your role.
12. Now open the side menu and **sign out**.

10. Plagiarism Report

N/A

