



if we want to skip any testcase from project give this command

--> mvn test -Dtest=!testcaseName (Syntax)


--> mvn test -Dtest=!testcase1 (Reality) (To skip that paticular testcase)




if we want to skip any testcase from particular package give this command

--> `mvn test -Dtest=!packageName.testcaseName` (Syntax)

--> `mvn test -Dtest=!package1.testcase1` (Reality) (To skip that particular testcase from particular package)







if we want to skip multiple testcase at a time give this command

--> mvn test -Dtest=!testcaseNameX,!testcaseNameY (Syntax)

--> mvn test -Dtest=!testcase1,!testcase3 (Reality) (To skip that multiple testcases)




elagea same cmd nunchi run chailyali antea evea commands cmd lo estea saripotundi

if we want to skip any testcase from project give this command

--> mvn test -Dtest=!testcaseName (Syntax)

--> mvn test -Dtest=!testcase1 (Reality) (To skip that paticular testcase)



```
C:\Windows\System32\cmd.exe
Microsoft Windows [Version 10.0.22621.2428]
(c) Microsoft Corporation. All rights reserved.

D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands>mvn test -Dtest=!testcase1
[INFO] Scanning for projects...
[INFO]
-----< a:Skip_Single_TestCase_using_Maven_Commands >-----
[INFO] Building Skip_Single_TestCase_using_Maven_Commands 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
--- maven-resources-plugin:3.0.2:resources (default-resources) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands\src\main\resources
[INFO]
--- maven-compiler-plugin:3.8.0:compile (default-compile) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
--- maven-resources-plugin:3.0.2:testResources (default-testResources) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands\src\test\resources
[INFO]
--- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
--- maven-surefire-plugin:2.22.1:test (default-test) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running TestSuite
SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
SLF4J: Defaulting to no-operation (NOP) logger implementation
SLF4J: See http://www.slf4j.org/codes.html#StaticLoggerBinder for further details.
Running Package1 ==> Testcase2
Running Package1 ==> Testcase3
Running Package2 ==> Testcase4
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.843 s - in TestSuite
[INFO]
[INFO] Results:
[INFO]
```

if we want to skip any testcase from particular package give this command

--> mvn test -Dtest=!packageName.testcaseName (Syntax)

--> mvn test -Dtest=!package1.testcase1 (Reality) (To skip that paticular testcase from particular package)

```
C:\Windows\System32\cmd.exe x + v
D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands>mvn test -Dtest=!package1.testcase1
[INFO] Scanning for projects...
[INFO]
[INFO] -----< a:Skip_Single_TestCase_using_Maven_Commands >-----
[INFO] Building Skip_Single_TestCase_using_Maven_Commands 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:compile (default-compile) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running TestSuite
SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
SLF4J: Defaulting to no-operation (NOP) logger implementation
SLF4J: See http://www.slf4j.org/codes.html#StaticLoggerBinder for further details.
Running Package1 ==> Testcase2
Running Package1 ==> Testcase3
Running Package2 ==> Testcase1
Running Package2 ==> Testcase4
[INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.831 s - in TestSuite
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0
```

if we want to skip multiple testcase at a time give this command

--> mvn test -Dtest=!testcaseNameX,!testcaseNameY (Syntax)

--> mvn test -Dtest=!testcase1,!testcase3 (Reality) (To skip that multiple testcases)

```
C:\Windows\System32\cmd.exe x + v
D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands>mvn test -Dtest=!testcase1,!testcase2
[INFO] Scanning for projects...
[INFO]
[INFO] -----< a:Skip_Single_TestCase_using_Maven_Commands >-----
[INFO] Building Skip_Single_TestCase_using_Maven_Commands 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:compile (default-compile) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\12.Skip_Single_TestCase_using_Maven_Commands\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ Skip_Single_TestCase_using_Maven_Commands ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running TestSuite
SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
SLF4J: Defaulting to no-operation (NOP) logger implementation
SLF4J: See http://www.slf4j.org/codes.html#StaticLoggerBinder for further details.
Running Package1 ==> Testcase2
Running Package2 ==> Testcase4
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.841 s - in TestSuite
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] -----
```