

1. Skipping Tests in Maven
2. Create JAR directly without running test cases in Maven

There are 2 ways to Skip test cases:

1. Add Properties in pom.xml= `skipTests true /skipTests`
2. Set configuration for surefire plugin in pom.xml=
`skipTests ${skipTests} skipTests`

Use following commands :



`-DskipTests install`

OR

`-DskipTests=true install`

-If u want to run the tests then use

`-DskipTests=false install`



Maven - 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases/pom.xml - Eclipse IDE

File Edit Source Refactor Source Navigate Search Project Run Window Help

Package Explorer

- 1.WhatIsMaven_WhyuseMaven_WhatIsPOM.XMLfile
- 10.Maven_Commands
- 11.Run_multiple_tests_in_Parallel_using_Maven
- 12.Skip_Single_TestCase_using_Maven_Commands
- 13.Run_multiple_TestNG_XML_Files_simultaneously_sequentially
- 14.Pass_Parameters_at_Run_time_via_Maven_Command
- 15.Convert_JavaProject_to_mavenProject
- 17.Create_Executable_JAR_of_Maven_Project
- 18.1.BankingApplication-Module1-Internet_Banking
- 18.2.BankingApplicationModule2-Credit_Cards
- 18.Create_MultiModule_Maven_Project-BankingApplication
- 19.Create_and_Activate_and_Run_automation_with_Maven
- 2.WhatIsMavenLifecycleindetail_BuildLifecyclePhases_Maven
- 3.Setup_Maven_for_Eclipse_Windows
- 4.Run_Maven_Project_from_Eclipse_mvn_test_mvn_install
- 5.Run_Maven_Project_from_command_line_mvn_cleaninstall
- 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases

src/main/java

- src/test/java
 - package1
 - firstTest.java
 - secondTest.java
- JRE System Library [JavaSE-1.7]
- Maven Dependencies
- src
- target
 - generated-test-sources
 - maven-archiver
 - maven-status
 - 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases
 - pom.xml

6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases/pom.xml

```
<url>http://www.example.com</url>

<properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  <maven.compiler.source>1.7</maven.compiler.source>
  <maven.compiler.target>1.7</maven.compiler.target>
  <skipTests>true</skipTests>
</properties>

<dependencies>
  <dependency>
    <groupId>org.seleniumhq.selenium</groupId>
    <artifactId>selenium-java</artifactId>
  </dependency>
</dependencies>
```

Overview | Dependencies | Dependency Hierarchy | Effective POM | pom.xml

Console

```
<terminated> C:\Users\Asus\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64.17.0.4.v20221004-1257\jre\bin\javaw.exe (25-Nov-2023, 5:18:28 pm) [pid: 14348]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases
[INFO] Tests are skipped.
[INFO] --- maven-jar-plugin:3.0.2:jar (default-jar) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases
[INFO] Building jar: D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases.jar
[INFO] --- maven-install-plugin:2.5.2:install (default-install) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases
[INFO] Installing D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases.jar to D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\repository
[INFO] Installing D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases.pom to D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\repository
[INFO] BUILD SUCCESS
[INFO] Total time: 2.219 s
[INFO] Finished at: 2023-11-25T17:18:32+05:30
```

2 items selected

31°C Mostly cloudy

Search

ENG IN 17:19 25-11-2023

Maven - 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases/pom.xml - Eclipse IDE

File Edit Source Refactor Source Navigate Search Project Run Window Help

Package Explorer

- 1.WhatIsMaven_WhyuseMaven_WhatIsPOM.XMLfile
- 10.Maven_Commands
- 11.Run_multiple_tests_in_Parallel_using_Maven
- 12.Skip_Single_TestCase_using_Maven_Commands
- 13.Run_multiple_TestNG_XML_Files_simultaneously_sequentially
- 14.Pass_Parameters_at_Run_time_via_Maven_Command
- 15.Convert_JavaProject_to_mavenProject
- 17.Create_Executable_JAR_of_Maven_Project
- 18.1.BankingApplication-Module1-Internet_Banking
- 18.2.BankingApplicationModule2-Credit_Cards
- 18.Create_MultiModule_Maven_Project-BankingApplication
- 19.Create_and_Activate_and_Run_automation_with_Maven
- 2.WhatIsMavenLifecycleindetail_BuildLifecyclePhases_Maven
- 3.Setup_Maven_for_Eclipse_Windows
- 4.Run_Maven_Project_from_Eclipse_mvn_test_mvn_install
- 5.Run_Maven_Project_from_command_line_mvn_cleaninstall
- 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases

src/main/java

- src/test/java
 - package1
 - firstTest.java
 - secondTest.java
- JRE System Library [JavaSE-1.7]
- Maven Dependencies
- src
- target
 - generated-test-sources
 - maven-archiver
 - maven-status
 - surefire-reports
 - 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases
 - pom.xml

6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases/pom.xml

```
<properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  <maven.compiler.source>1.7</maven.compiler.source>
  <maven.compiler.target>1.7</maven.compiler.target>
  <skipTests>false</skipTests>
</properties>

<dependencies>
  <dependency>
    <groupId>org.seleniumhq.selenium</groupId>
    <artifactId>selenium-java</artifactId>
    <version>3.141.59</version>
  </dependency>
</dependencies>
```

Overview | Dependencies | Dependency Hierarchy | Effective POM | pom.xml

Console



```
<terminated> C:\Users\Asus\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64.17.0.4.v20221004-1257\jre\bin\javaw.exe (25-Nov-2023, 5:19:54 pm) [pid: 5024]
SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
SLF4J: Defaulting to no-operation (NOP) logger implementation
SLF4J: See http://www.slf4j.org/codes.html#StaticLoggerBinder for further details.
== Running Test1 -> firstTest ==
== Running Test2 -> firstTest ==
== Running Test3 -> firstTest ==
== Running Test1 -> secondTest ==
== Running Test2 -> secondTest ==
== Running Test3 -> secondTest ==
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.619 s - in TestSuite
[INFO] Results:
[INFO]
```



Writtable Insert 19:9 [28]

31°C Mostly cloudy

Search

ENG IN 17:20 25-11-2023





```
C:\Windows\System32\cmd.e x + v
Microsoft Windows [Version 10.0.22621.2428]
(c) Microsoft Corporation. All rights reserved.

D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>mvn clean
[INFO] Scanning for projects...
[INFO]
[INFO] --< a:6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases >--
[INFO] Building 4.Run_Maven_Project_from_Eclipse_mvn_test_mvn_install_mvn_clean_install_Different_ways_to_run 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Deleting D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\target
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 0.479 s
[INFO] Finished at: 2023-11-25T17:30:13+05:30
[INFO] -----

D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>
```

```
C:\Windows\System32\cmd.e x + v
D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>mvn test
[INFO] Scanning for projects...
[INFO]
[INFO] --< a:6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases >--
[INFO] Building 4.Run_Maven_Project_from_Eclipse_mvn_test_mvn_install_mvn_clean_install_Different_ways_to_run 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:compile (default-compile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO]
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 2 source files to D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\target\test-classes
[INFO]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running TestSuite
SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
SLF4J: Defaulting to no-operation (NOP) logger implementation
SLF4J: See http://www.slf4j.org/codes.html#StaticLoggerBinder for further details.
== Running Test1 -> firstTest ==
== Running Test2 -> firstTest ==
== Running Test3 -> firstTest ==
== Running Test1 -> secondTest ==
== Running Test2 -> secondTest ==
== Running Test3 -> secondTest ==
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.875 s - in TestSuite
```

```
C:\Windows\System32\cmd.e x + v

D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>mvn install
[INFO] Scanning for projects...
[INFO]
[INFO] <-- a:6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases >--
[INFO] Building 4.Run_Maven_Project_from_Eclipse_mvn_test_mvn_install_mvn_clean_install_Different_ways_to_run 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:compile (default-compile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running TestSuite
SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
SLF4J: Defaulting to no-operation (NOP) logger implementation
SLF4J: See http://www.slf4j.org/codes.html#StaticLoggerBinder for further details.
== Running Test1 -> firstTest ==
== Running Test2 -> firstTest ==
== Running Test3 -> firstTest ==
== Running Test1 -> secondTest ==
== Running Test2 -> secondTest ==
== Running Test3 -> secondTest ==
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.882 s - in TestSuite
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- maven-jar-plugin:3.0.2:jar (default-jar) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[WARNING] JAR will be empty - no content was marked for inclusion!
[INFO] Building jar: D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\target\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases-0.0.1-SNAPSHOT.jar
[INFO]
[INFO] --- maven-install-plugin:3.0.2:install (default-install) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Installing D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\target\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases-0.0.1-SNAPSHOT.jar to C:\Users\Asus\m2\repository\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\0.0.1-SNAPSHOT.jar
[INFO] Installing D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\pom.xml to C:\Users\Asus\m2\repository\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\0.0.1-SNAPSHOT\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases-0.0.1-SNAPSHOT.pom
[INFO]
[INFO] BUILD SUCCESS
[INFO] -----
```

```
C:\Windows\System32\cmd.e x + v

D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>mvn test -DskipTests
[INFO] Scanning for projects...
[INFO]
[INFO] <-- a:6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases >--
[INFO] Building 4.Run_Maven_Project_from_Eclipse_mvn_test_mvn_install_mvn_clean_install_Different_ways_to_run 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:compile (default-compile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Tests are skipped
[INFO]
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.446 s
[INFO] Finished at: 2023-11-25T17:33:03+05:30
[INFO]
[INFO] D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>
```



```
C:\Windows\System32\cmd.e x + v

D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>mvn install -DskipTests=true
[INFO] Scanning for projects...
[INFO]
[INFO] --> a:6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases >--
[INFO] Building 4.Run_Maven_Project_from_Eclipse_mvn_test_mv_n_install_mv_n_clean_install_Different_ways_to_run 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:compile (default-compile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Tests are skipped.
[INFO]
[INFO] --- maven-jar-plugin:3.0.2:jar (default-jar) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[WARNING] JAR will be empty - no content was marked for inclusion!
[INFO]
[INFO] --- maven-install-plugin:2.5.2:install (default-install) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Installing D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\target\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases-0.0.1-SNAPSHOT.jar to C:\Users\Asus\.m2\repository\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\0.0.1-SNAPSHOT.jar
[INFO] Installing D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\pom.xml to C:\Users\Asus\.m2\repository\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\0.0.1-SNAPSHOT.pom
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.832 s
[INFO] Finished at: 2023-11-25T17:33:55+05:30
[INFO] -----

D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>
```

```
C:\Windows\System32\cmd.e x + v

D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases>mvn install -DskipTests=false
[INFO] Scanning for projects...
[INFO]
[INFO] --> a:6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases >--
[INFO] Building 4.Run_Maven_Project_from_Eclipse_mvn_test_mv_n_install_mv_n_clean_install_Different_ways_to_run 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:compile (default-compile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running TestSuite
SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
SLF4J: Defaulting to no-operation (NOP) logger implementation
SLF4J: See http://www.slf4j.org/codes.html#StaticLoggerBinder for further details.
== Running Test1 -> firstTest ==
== Running Test2 -> firstTest ==
== Running Test3 -> firstTest ==
== Running Test1 -> secondTest ==
== Running Test2 -> secondTest ==
== Running Test3 -> secondTest ==
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.99 s - in TestSuite
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- maven-jar-plugin:3.0.2:jar (default-jar) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[WARNING] JAR will be empty - no content was marked for inclusion!
[INFO]
[INFO] --- maven-install-plugin:2.5.2:install (default-install) @ 6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases ---
[INFO] Installing D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\target\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases-0.0.1-SNAPSHOT.jar to C:\Users\Asus\.m2\repository\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\0.0.1-SNAPSHOT.jar
[INFO] Installing D:\Maven\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\pom.xml to C:\Users\Asus\.m2\repository\6.Skip_testcase_execution_in_Maven_Create_JAR_without_running_TestNG_testcases\0.0.1-SNAPSHOT.pom
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 4.491 s
```