```
┌──(kali㉿kali)-[~]
└─$ theHarvester -h

theHarvester 4.11.1

usage: theHarvester [-h] -d DOMAIN [-l LIMIT] [-S START] [-p] [-s]
                    [--screenshot SCREENSHOT] [-e DNS_SERVER] [-t]
                    [-r [DNS_RESOLVE]] [-n] [-c] [-f FILENAME]
                    [-w WORDLIST] [-a] [-q] [-b SOURCE]

Options:
-h, --help              show this help message and exit
-d, --domain DOMAIN     Company name or domain to search.
-l, --limit LIMIT       Limit the number of search results, default=500.
-f, --filename          Save results to XML and JSON files.
-b, --source SOURCE     Select a data source.

Available sources shown include baidu, brave, duckduckgo, hunter,
crtsh, virustotal, yahoo and other individual sources.

┌──(kali㉿kali)-[~]
└─$ mkdir -p ~/W2-PM4
cd ~/W2-PM4

┌──(kali㉿kali)-[~/W2-PM4]
└─$ theHarvester -d microsoft.com -l 1000 -b baidu

Read proxies.yaml from /etc/theHarvester/proxies.yaml

[*] Target: microsoft.com
[*] Searching Baidu.
[*] No IPs found.
[*] No emails found.
[*] No people found.
[*] Hosts found: 9

account.microsoft.com
c.urs.microsoft.com
developer.microsoft.com
dotnet.microsoft.com
learn.microsoft.com
o15.officeredir.microsoft.com
prod.support.services.microsoft.com
support.microsoft.com
ti.defender.microsoft.com

┌──(kali㉿kali)-[~/W2-PM4]
└─$ theHarvester -d microsoft.com -l 50 -b all~

Read proxies.yaml from /etc/theHarvester/proxies.yaml

The following engines are not supported: {'all~'}
[!] Invalid source.

┌──(kali㉿kali)-[~/W2-PM4]
└─$ theHarvester -d microsoft.com -l 50 -b duckduckgo

Read proxies.yaml from /etc/theHarvester/proxies.yaml

[*] Target: microsoft.com
[*] Searching Duckduckgo.
[*] No IPs found.
[*] No emails found.
[*] No people found.
[*] Hosts found: 27

2Fblogs.microsoft.com
2Fdocs.microsoft.com
2Fdownload.microsoft.com
2Fmsdn.microsoft.com
2Fnews.microsoft.com
Docs.microsoft.com
account.microsoft.com
appsource.microsoft.com
azure.microsoft.com
azuremarketplace.microsoft.com
blogs.microsoft.com
browserdefaults.microsoft.com
careers.microsoft.com
choice.microsoft.com
```

```
copilot.microsoft.com
developer.microsoft.com
docs.microsoft.com
download.microsoft.com
go.microsoft.com
learn.microsoft.com
msdn.microsoft.com
news.microsoft.com
privacy.microsoft.com
schemas.microsoft.com
support.microsoft.com
techcommunity.microsoft.com
visualstudio.microsoft.com

┌──(kali㉿kali)-[~/W2-PM4]
└─$ theHarvester -d microsoft.com -l 1000 -b baidu -f task1-baidu

Read proxies.yaml from /etc/theHarvester/proxies.yaml

[*] Target: microsoft.com
[*] Searching Baidu.
[*] No IPs found.
[*] No emails found.
[*] No people found.
[*] No hosts found.

[*] Reporting started.
[*] XML File saved.
[*] JSON File saved.

┌──(kali㉿kali)-[~/W2-PM4]
└─$ theHarvester -d microsoft.com -l 50 -b duckduckgo -f task2-duckduckgo

Read proxies.yaml from /etc/theHarvester/proxies.yaml

[*] Target: microsoft.com
[*] Searching Duckduckgo.
[*] No IPs found.
[*] No emails found.
[*] No people found.
[*] Hosts found: 27

[*] Reporting started.
[*] XML File saved.
[*] JSON File saved.

┌──(kali㉿kali)-[~/W2-PM4]
└─$ ls -lh

total 16K
-rw-rw-r-- 1 kali kali    81 Nov 12 14:33 task1-baidu.json
-rw-rw-r-- 1 kali kali   126 Nov 12 14:33 task1-baidu.xml
-rw-rw-r-- 1 kali kali   745 Nov 12 14:34 task2-duckduckgo.json
-rw-rw-r-- 1 kali kali  1.1K Nov 12 14:34 task2-duckduckgo.xml

┌──(kali㉿kali)-[~/W2-PM4]
└─$ cat task1-baidu.json

{
    "cmd": "-d microsoft.com -l 1000 -b baidu -f task1-baidu",
    "hosts": [],
    "shodan": []
}

┌──(kali㉿kali)-[~/W2-PM4]
└─$ cat task2-duckduckgo.json

{
    "cmd": "-d microsoft.com -l 50 -b duckduckgo -f task2-duckduckgo",
    "hosts": [
        "2Fblogs.microsoft.com",
        "2Fdocs.microsoft.com",
        "2Fdownload.microsoft.com",
        "2Fmsdn.microsoft.com",
        "2Fnews.microsoft.com",
        "Docs.microsoft.com",
        "account.microsoft.com",
        "appsource.microsoft.com",
        "azure.microsoft.com",
        "azuremarketplace.microsoft.com",
```

```
        "blogs.microsoft.com",
        "browserdefaults.microsoft.com",
        "careers.microsoft.com",
        "choice.microsoft.com",
        "copilot.microsoft.com",
        "developer.microsoft.com",
        "docs.microsoft.com",
        "download.microsoft.com",
        "go.microsoft.com",
        "learn.microsoft.com",
        "msdn.microsoft.com",
        "news.microsoft.com",
        "privacy.microsoft.com",
        "schemas.microsoft.com",
        "support.microsoft.com",
        "techcommunity.microsoft.com",
        "visualstudio.microsoft.com"
    ],
    "shodan": []
}

┌──(kali㉿kali)-[~/W2-PM4]
└─$ cat task1-baidu.xml

<?xml version="1.0" encoding="UTF-8"?>
<theHarvester>
  <cmd>-d microsoft.com -l 1000 -b baidu -f task1-baidu</cmd>
</theHarvester>

┌──(kali㉿kali)-[~/W2-PM4]
└─$ cat task2-duckduckgo.xml

<?xml version="1.0" encoding="UTF-8"?>
<theHarvester>
  <cmd>-d microsoft.com -l 50 -b duckduckgo -f task2-duckduckgo</cmd>
  <host>support.microsoft.com</host>
  <host>msdn.microsoft.com</host>
  <host>privacy.microsoft.com</host>
  <host>choice.microsoft.com</host>
  <host>download.microsoft.com</host>
  <host>azuremarketplace.microsoft.com</host>
  <host>browserdefaults.microsoft.com</host>
  <host>appsource.microsoft.com</host>
  <host>copilot.microsoft.com</host>
  <host>schemas.microsoft.com</host>
  <host>2Fnews.microsoft.com</host>
  <host>careers.microsoft.com</host>
  <host>docs.microsoft.com</host>
  <host>www.microsoft.com</host>
  <host>techcommunity.microsoft.com</host>
  <host>learn.microsoft.com</host>
  <host>2Fwww.microsoft.com</host>
  <host>account.microsoft.com</host>
  <host>2Fmsdn.microsoft.com</host>
  <host>Docs.microsoft.com</host>
  <host>2Fblogs.microsoft.com</host>
  <host>news.microsoft.com</host>
  <host>go.microsoft.com</host>
  <host>azure.microsoft.com</host>
  <host>2Fdocs.microsoft.com</host>
  <host>developer.microsoft.com</host>
  <host>2Fdownload.microsoft.com</host>
  <host>blogs.microsoft.com</host>
  <host>visualstudio.microsoft.com</host>
</theHarvester>
```