

Business Problem - Predict the Price of Bangalore House

Using Linear Regression - Supervised Machine Learning Algorithm

Load Libraries

```
In [1]: import pandas as pd
```

Load Data

```
In [2]: # path = r"https://drive.google.com/uc?export=download&id=1xxDtrZKfuWQfL-6KA9XEd_eatitNPnKB"  
# df = pd.read_csv(path)
```


```
In [3]: df = pd.read_csv("bangalore house price prediction OHE-data.csv")
```

In [4]: `df.head()`

Out[4]:

| | bath | balcony | price | total_sqft_int | bhk | price_per_sqft | area_typeSuper built-up Area | area_typeBuilt- up Area | area_typePlot Area | avail |
|---|------|---------|-------|----------------|-----|----------------|---------------------------------|----------------------------|-----------------------|-------|
| 0 | 3.0 | 2.0 | 150.0 | 1672.0 | 3 | 8971.291866 | 1 | 0 | 0 | |
| 1 | 3.0 | 3.0 | 149.0 | 1750.0 | 3 | 8514.285714 | 0 | 1 | 0 | |
| 2 | 3.0 | 2.0 | 150.0 | 1750.0 | 3 | 8571.428571 | 1 | 0 | 0 | |
| 3 | 2.0 | 2.0 | 40.0 | 1250.0 | 2 | 3200.000000 | 1 | 0 | 0 | |
| 4 | 2.0 | 2.0 | 83.0 | 1200.0 | 2 | 6916.666667 | 0 | 0 | | 1 |

5 rows × 108 columns



Split Data

```
In [5]: X = df.drop('price', axis=1)
        y = df['price']

        print('Shape of X = ', X.shape)
        print('Shape of y = ', y.shape)
```

Shape of X = (7120, 107)

Shape of y = (7120,)

```
In [6]: from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=51)

print('Shape of X_train = ', X_train.shape)
print('Shape of y_train = ', y_train.shape)
print('Shape of X_test = ', X_test.shape)
print('Shape of y_test = ', y_test.shape)

Shape of X_train = (5696, 107)
Shape of y_train = (5696,)
Shape of X_test = (1424, 107)
Shape of y_test = (1424,)
```

Feature Scaling

```
In [7]: from sklearn.preprocessing import StandardScaler
sc = StandardScaler()
sc.fit(X_train)
X_train = sc.transform(X_train)
X_test = sc.transform(X_test)
```

Linear Regression - ML Model Training

```
In [8]: from sklearn.linear_model import LinearRegression
lr = LinearRegression()

lr.fit(X_train, y_train)
```

Out[8]: LinearRegression()

```
In [9]: lr.coef_
```

```
Out[9]: array([-5.70206143e+00, -1.25679916e+00,  8.27341833e+01, -1.44906911e+01,  
              5.75662723e+01,  1.88468905e-01, -1.72593897e+00, -4.51058311e+00,  
              -2.22589244e+00, -4.28978455e+00, -2.44590976e+00,  5.40246226e-01,  
              -1.03633400e+00,  1.43064873e+00, -6.25029424e-02, -1.51548783e+00,  
              -2.14422789e-01,  2.16244155e+00, -1.48710228e+00,  1.95250816e+00,  
              -3.10761125e+00, -1.28138668e+00, -1.01367155e+00,  1.37968545e-02,  
              1.10383858e+00,  1.26497611e+00, -3.52405517e+00, -1.21398741e+00,  
              -5.04622019e-01,  1.46299181e+00, -5.50064233e-01, -8.46468162e-02,  
              6.84882188e-01, -1.39849820e+00, -1.94761710e-02, -1.57716300e+00,  
              4.20886278e-01,  8.03443207e-01,  2.99182164e+00,  3.86430413e-03,  
              1.05037261e-01,  2.89115612e-01, -3.16916626e-01,  1.05625868e+00,  
              -1.39649279e+00, -3.10533604e+00,  1.01764011e-01, -7.49672917e-02,  
              -8.03271555e-01, -1.27061856e+00, -8.54046164e-01,  2.64566484e-01,  
              9.10688839e-01, -8.23059458e-01, -9.07215234e-01,  1.22059216e+00,  
              2.11418894e+00, -5.38187400e-01, -1.32164338e+00, -8.28349340e-01,  
              1.28167980e+00, -1.92911295e-01,  6.65824485e-02,  3.65563139e-02,  
              -1.85069853e+00,  1.49068024e+00, -9.57964753e-01, -9.36110163e-01,  
              -7.45634897e-01,  7.22643165e-02, -6.79260144e-01, -1.70853833e-01,  
              -1.72288643e+00, -1.15833746e+00,  5.78931788e-01,  1.37836966e+00,  
              -1.14424496e+00,  3.96188294e-01, -6.08013157e-01, -2.20959218e+00,  
              3.45270810e-01,  1.01747431e-03,  1.06563895e-01,  3.04728530e+00,  
              2.09496392e+00, -8.13481923e-01, -4.18437282e-01,  2.30993396e+00,  
              3.31858800e-02,  8.07865914e-02,  5.37064987e-02,  1.55347699e+00,  
              8.13889657e-01, -1.14636462e+00,  3.41805788e-01, -8.28022037e-01,  
              1.68897360e+00,  2.97657524e-01,  9.59437517e-01,  4.57297702e-01,  
              -2.22729515e-01, -1.48290835e+00, -6.26342867e-01,  5.86538254e-01,  
              -1.78547310e+00,  2.19020231e-01, -3.45032599e-01])
```

```
In [10]: lr.intercept_
```

```
Out[10]: 95.0802729985955
```

Predict the value of Home and Test

```
In [11]: X_test[0, :]
```

```
Out[11]: array([ 0.71301986,  0.0112734 ,  0.30202307,  0.65677518, -0.48064341,  
                -1.7385623 ,  2.11587407, -0.25430867,  0.51007548, -0.18373025,  
                -0.16389438, -0.1473229 , -0.13023539, -0.12812824, -0.12598816,  
                -0.12454231, -0.12953656, -0.12381344, -0.12010681, -0.11551113,  
                -0.10992018, -0.10909925, -0.10660036, -0.11234866, -0.09315135,  
                -0.08618799, -0.08923672, -0.09023078, -0.08721571, -0.09023078,  
                -0.08721571, -0.08195215, -0.08195215, -0.07633675, -0.0751646 ,  
                -0.08085949, -0.0739743 , -0.07975227, -0.07153563, -0.0751646 ,  
                -0.0677166 , -0.08085949, -0.07153563, -0.07862985, -0.0751646 ,  
                -0.07862985, -0.06504853, -0.0751646 , -0.06901264, -0.0751646 ,  
                -0.06901264, -0.07028523, -0.07276497, -0.07028523, -0.06367332,  
                -0.06226825, -0.06226825, -0.06639573, -0.06504853, -0.05935999,  
                -0.06083125, -0.06639573, -0.06639573, -0.06226825, -0.06367332,  
                -0.05935999, -0.06639573, -0.06367332, -0.06226825, -0.06226825,  
                -0.05935999, -0.05935999, -0.05935999, -0.05630391, -0.05935999,  
                -0.05785186, -0.05935999, -0.05935999, -0.06083125, -0.06083125,  
                -0.05471275, -0.06083125, -0.06226825, -0.05935999, -0.05935999,  
                -0.06226825, -0.06226825, -0.05785186, -0.06504853, -0.06226825,  
                -0.06083125, -0.05935999, -0.05307449, -0.05630391, -0.06226825,  
                -0.05471275, -0.05935999, -0.05471275, -0.05471275, -0.05138463,  
                -0.05307449, -0.05307449, -0.05471275, -0.05471275, -0.05630391,  
                -0.05630391, -0.05138463])
```

```
In [12]: lr.predict([X_test[0, :]])
```

```
Out[12]: array([76.90661876])
```

```
In [13]: lr.predict(X_test)
```

```
Out[13]: array([ 76.90661876, 15.25005377, 113.6828165 , ..., 21.30296864,  
                71.43462962, 230.0414626 ])
```

In [14]: `y_test`

Out[14]:

| | |
|------|--------|
| 2435 | 80.00 |
| 3113 | 40.00 |
| 426 | 120.00 |
| 1124 | 79.00 |
| 1161 | 45.00 |
| ... | |
| 2078 | 28.34 |
| 6855 | 84.00 |
| 4381 | 32.00 |
| 3862 | 63.00 |
| 43 | 180.00 |

Name: price, Length: 1424, dtype: float64

In [15]: `lr.score(X_test, y_test)`

Out[15]: 0.7903837092682249

In []: