
```
In [1]: # pip install -- upgrade seborn
In [2]: import warnings
        warnings.filterwarnings('ignore', category= FutureWarning)
        import seaborn as sns
In [3]: import matplotlib.pyplot as plt
In [4]: sns.get_dataset_names()
Out[4]: ['anagrams',
          'anscombe',
          'attention',
          'brain_networks',
          'car_crashes',
          'diamonds',
          'dots',
          'dowjones',
          'exercise',
          'flights',
          'fmri',
          'geyser',
          'glue',
          'healthexp',
          'iris',
          'mpg',
          'penguins',
          'planets',
          'seaice',
          'taxis',
          'tips',
          'titanic']
In [5]: tips = sns.load_dataset("tips")
        sns.set_theme(style= 'darkgrid')
In [6]: tips
```

Out[6]:		total_bill	tip	sex	smoker	day	time	size
	0	16.99	1.01	Female	No	Sun	Dinner	2
	1	10.34	1.66	Male	No	Sun	Dinner	3
	2	21.01	3.50	Male	No	Sun	Dinner	3
	3	23.68	3.31	Male	No	Sun	Dinner	2
	4	24.59	3.61	Female	No	Sun	Dinner	4
	•••	•••						
	239	29.03	5.92	Male	No	Sat	Dinner	3
	240	27.18	2.00	Female	Yes	Sat	Dinner	2
	241	22.67	2.00	Male	Yes	Sat	Dinner	2
	242	17.82	1.75	Male	No	Sat	Dinner	2
	243	18.78	3.00	Female	No	Thur	Dinner	2


244 rows × 7 columns






In [11]: sns.lineplot(data=tips, x="size", y="total_bill", hue="sex", ci=None, marker="o"
 plt.title("Line Plot: Total Bill by Party Size and Sex");






In [12]: sns.barplot(data=tips, x="day", y="total_bill", hue="sex", palette="muted")
 plt.title("Bar Plot: Average Total Bill by Day and Sex")
 plt.show()






```
In [13]: sns.boxplot(data=tips, x="day", y="tip", hue="smoker", palette="Set2")
    plt.title("Box Plot: Tips by Day and Smoker Status")
    plt.show()
```

Box Plot: Tips by Day and Smoker Status




In [14]: sns.violinplot(data=tips, x="day", y="total_bill", hue="time", split=True)
 plt.title("Violin Plot: Total Bill by Day and Time")
 plt.show()




```
In [15]: sns.countplot(data=tips, x="day", hue="smoker", palette="dark")
    plt.title("Count Plot: Orders by Day and Smoker Status")
    plt.show()
```

Count Plot: Orders by Day and Smoker Status




```
In [16]: sns.regplot(data=tips, x="total_bill", y="tip", scatter_kws={"s": 50}, line_kws=
    plt.title("Regression Plot: Total Bill vs Tip")
    plt.show()
```







In [17]: sns.histplot(data=tips, x="total_bill", kde=True, bins=20, color="blue")
 plt.title("Histogram: Distribution of Total Bill")
 plt.show()



In [18]: sns.pairplot(tips, hue="sex", vars=["total_bill", "tip", "size"], palette="husl"
 plt.suptitle("Pair Plot: Numerical Variables by Sex", y=1.02)
 plt.show()




In [19]: sns.catplot(data=tips, x="day", y="tip", hue="sex", kind="point", palette="brigh
 plt.title("Catplot (Point): Tips by Day and Sex")
 plt.show()





In [20]: sns.jointplot(data=tips, x="total_bill", y="tip", kind="scatter", hue="smoker",
 plt.suptitle("Joint Plot: Total Bill vs Tip by Smoker", y=1.02)
 plt.show()

Joint Plot: Total Bill vs Tip by Smoker




In [21]: g = sns.FacetGrid(tips, col="time", row="smoker", margin_titles=True)
 g.map(sns.histplot, "total_bill", bins=15)
 g.fig.suptitle("FacetGrid: Total Bill by Time and Smoker", y=1.02)
 plt.show()






In [22]: plt.figure(figsize=(8, 6))
 sns.stripplot(data=tips, x="day", y="tip", hue="sex", palette="Set1", jitter=Tru
 plt.title("Strip Plot: Tips by Day and Sex")
 plt.show()





```
In [24]: plt.figure(figsize=(8, 6))
    sns.kdeplot(data=tips, x="total_bill", hue="sex", fill=True, palette="tab10")
    plt.title("KDE Plot: Total Bill Density by Sex")
    plt.show()
```



In []: