

Login Page:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>WD College</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <style>
    @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700
&display=swap');

    body {
      font-family: 'Poppins', sans-serif;
      background-color: #f8fafc;
    }

    .auth-container {
      background: linear-gradient(135deg, #ffffff 0%, #f1f5f9 100%);
      box-shadow: 0 10px 25px -5px rgba(0, 0, 0, 0.1);
      border-radius: 1rem;
      overflow: hidden;
    }

    .form-tab {
      transition: all 0.3s ease;
    }

    .form-tab.active {
      background-color: #3b82f6;
      color: white;
    }

    .input-field {
      transition: all 0.2s ease;
    }

    .input-field:focus {
      border-color: #3b82f6;
      box-shadow: 0 0 0 3px rgba(59, 130, 246, 0.2);
    }

    .bg-pattern {
      background-image: url('https://edgroom-blogs.s3.ap-south-
1.amazonaws.com/202303081918548085460_sijoule.jpg');
    }
  </style>
</head>
<body>
  <div class="auth-container">
    <div class="form-tab active">
      <div class="input-field">
        <input type="text" />
      </div>
    </div>
  </div>
</body>
</html>
```



```

        Login
    </button>
    <button id="signup-tab" class="form-tab flex-1 py-4 font-
medium text-center">
        Sign Up
    </button>
</div>

<!-- Forms Container -->
<div class="relative overflow-hidden p-6">
    <!-- Login Form -->
    <div id="login-form" class="form-panel active">
        <h1 class="text-2xl font-bold text-gray-800 mb-2">Welcome
Back</h1>
        <p class="text-gray-600 mb-6">Please enter your
credentials to login</p>

        <form>
            <div class="mb-4">
                <label for="login-email" class="block text-gray-
700 text-sm font-medium mb-2">Email Address</label>
                <input type="email" id="login-email" class="input-
field w-full px-4 py-2 border border-gray-300 rounded-lg focus:outline-none"
placeholder="example@email.com" required>
            </div>

            <div class="mb-6">
                <label for="login-password" class="block text-
gray-700 text-sm font-medium mb-2">Password</label>
                <input type="password" id="login-password"
class="input-field w-full px-4 py-2 border border-gray-300 rounded-lg
focus:outline-none" placeholder="....." required>
                <div class="flex justify-end mt-2">
                    <a href="#" class="text-blue-600 text-sm
hover:underline">Forgot password?</a>
                </div>
            </div>

            <button type="submit" class="w-full bg-blue-600 text-
white py-3 px-4 rounded-lg font-medium hover:bg-blue-700 transition duration-
200 mb-4">

                Login
            </button>

            <div class="text-center text-sm text-gray-600">
                Don't have an account? <button type="button"
onclick="switchToSignup()" class="text-blue-600 hover:underline">Sign
up</button>

```

```

        </div>
    </form>

    <div class="mt-6">
        <div class="relative flex items-center py-4">
            <div class="flex-grow border-t border-gray-
300"></div>

            <span class="flex-shrink mx-4 text-gray-
500">OR</span>

            <div class="flex-grow border-t border-gray-
300"></div>

        </div>

        <div class="grid grid-cols-2 gap-4">
            <button class="flex items-center justify-center
gap-2 border border-gray-300 rounded-lg py-2 px-4 hover:bg-gray-50">
                
                <span class="text-gray-700 text-
sm">Google</span>
            </button>
            <button class="flex items-center justify-center
gap-2 border border-gray-300 rounded-lg py-2 px-4 hover:bg-gray-50">
                
                <span class="text-gray-700 text-
sm">Facebook</span>
            </button>
        </div>
    </div>
</div>

<!-- Sign Up Form -->
<div id="signup-form" class="form-panel">
    <h1 class="text-2xl font-bold text-gray-800 mb-2">Create
Account</h1>

    <p class="text-gray-600 mb-6">Fill in your details to get
started</p>

    <form>
        <div class="grid grid-cols-1 md:grid-cols-2 gap-4 mb-
4">

            <div>

```

```

        <label for="signup-firstname" class="block
text-gray-700 text-sm font-medium mb-2">First Name</label>
        <input type="text" id="signup-firstname"
class="input-field w-full px-4 py-2 border border-gray-300 rounded-lg
focus:outline-none" placeholder="John" required>
    </div>
    <div>
        <label for="signup-lastname" class="block
text-gray-700 text-sm font-medium mb-2">Last Name</label>
        <input type="text" id="signup-lastname"
class="input-field w-full px-4 py-2 border border-gray-300 rounded-lg
focus:outline-none" placeholder="Doe" required>
    </div>
</div>

    <div class="mb-4">
        <label for="signup-email" class="block text-gray-
700 text-sm font-medium mb-2">Email Address</label>
        <input type="email" id="signup-email"
class="input-field w-full px-4 py-2 border border-gray-300 rounded-lg
focus:outline-none" placeholder="example@email.com" required>
    </div>

    <div class="mb-4">
        <label for="signup-password" class="block text-
gray-700 text-sm font-medium mb-2">Password</label>
        <input type="password" id="signup-password"
class="input-field w-full px-4 py-2 border border-gray-300 rounded-lg
focus:outline-none" placeholder="....." required>
        <p class="text-xs text-gray-500 mt-1">Must be at
least 8 characters</p>
    </div>

    <div class="mb-6">
        <label for="signup-confirm-password" class="block
text-gray-700 text-sm font-medium mb-2">Confirm Password</label>
        <input type="password" id="signup-confirm-
password" class="input-field w-full px-4 py-2 border border-gray-300 rounded-
lg focus:outline-none" placeholder="....." required>
    </div>

    <div class="flex items-center mb-4">
        <input type="checkbox" id="signup-terms" class="w-
4 h-4 text-blue-600 rounded border-gray-300 focus:ring-blue-500 mr-2"
required>
        <label for="signup-terms" class="text-sm text-
gray-700">I agree to the <a href="#" class="text-blue-600

```

```

hover:underline">Terms of Service</a> and <a href="#" class="text-blue-600
hover:underline">Privacy Policy</a></label>
    </div>

    <button type="submit" class="w-full bg-blue-600 text-
white py-3 px-4 rounded-lg font-medium hover:bg-blue-700 transition duration-
200 mb-4">
        Sign Up
    </button>

    <div class="text-center text-sm text-gray-600">
        Already have an account? <button type="button"
onclick="switchToLogin()" class="text-blue-600 hover:underline">Login</button>
    </div>
</form>
</div>
</div>
</div>
</div>

<script>
    function switchToSignup() {
        document.getElementById('login-tab').classList.remove('active');
        document.getElementById('signup-tab').classList.add('active');
        document.getElementById('login-form').classList.remove('active');
        document.getElementById('signup-form').classList.add('active');
    }

    function switchToLogin() {
        document.getElementById('signup-tab').classList.remove('active');
        document.getElementById('login-tab').classList.add('active');
        document.getElementById('signup-form').classList.remove('active');
        document.getElementById('login-form').classList.add('active');
    }

    document.getElementById('login-tab').addEventListener('click',
switchToLogin);
    document.getElementById('signup-tab').addEventListener('click',
switchToSignup);

    // Form validation
    document.addEventListener('DOMContentLoaded', function() {
        const loginForm = document.querySelector('#login-form form');
        const signupForm = document.querySelector('#signup-form form');

        if (loginForm) {
            loginForm.addEventListener('submit', function(e) {
                e.preventDefault();

```

```

        alert('Login form submitted! (Demo purpose)');
    });
}

if (signupForm) {
    signupForm.addEventListener('submit', function(e) {
        e.preventDefault();
        const password = document.getElementById('signup-
password').value;
        const confirmPassword = document.getElementById('signup-
confirm-password').value;

        if (password !== confirmPassword) {
            alert('Passwords do not match!');
            return;
        }

        if (!document.getElementById('signup-terms').checked) {
            alert('You must agree to the terms and conditions');
            return;
        }

        alert('Account created successfully! (Demo purpose)');
        switchToLogin();
    });
}
});
</script>
</body>
</html>

```

Admin Page:

If the user was admin then he logs into the Admin page to access all the required details about the college.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>College Management</title>

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.cs
s" rel="stylesheet">

  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">

  <style>

    :root {

      --primary: #4361ee;

      --secondary: #3a0ca3;

      --accent: #f72585;

      --light: #f8f9fa;

      --dark: #212529;

    }

    body {

      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;

      background-color: #f5f7fa;

    }

    .auth-container {
```



```
max-width: 500px;
margin: 0 auto;
padding: 2rem;
background: white;
border-radius: 10px;
box-shadow: 0 4px 20px rgba(0, 0, 0, 0.1);
margin-top: 5rem;
}
```

```
.nav-tabs .nav-link.active {
  color: var(--primary);
  border-bottom: 3px solid var(--primary);
  font-weight: 600;
}
```

```
.dashboard-card {
  transition: all 0.3s ease;
  border-radius: 10px;
  overflow: hidden;
  border: none;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.08);
}
```

```
.dashboard-card:hover {
  transform: translateY(-5px);
  box-shadow: 0 10px 20px rgba(0, 0, 0, 0.15);
}
```

```
}
```

```
.table-responsive {  
  border-radius: 10px;  
  overflow: hidden;  
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.08);  
}
```

```
.form-control:focus {  
  border-color: var(--primary);  
  box-shadow: 0 0 0 0.25rem rgba(67, 97, 238, 0.25);  
}
```

```
.btn-primary {  
  background-color: var(--primary);  
  border-color: var(--primary);  
}
```

```
.btn-primary:hover {  
  background-color: var(--secondary);  
  border-color: var(--secondary);  
}
```

```
.sidebar {  
  background: white;  
  min-height: 100vh;
```

```
    box-shadow: 4px 0 10px rgba(0, 0, 0, 0.08);  
}
```

```
.sidebar .nav-link {  
    color: var(--dark);  
    border-radius: 5px;  
    margin: 0.2rem 0;  
}
```

```
.sidebar .nav-link.active {  
    background-color: rgba(67, 97, 238, 0.1);  
    color: var(--primary);  
    font-weight: 600;  
}
```

```
.sidebar .nav-link: hover: not(.active) {  
    background-color: rgba(0, 0, 0, 0.05);  
}
```

```
.sidebar .nav-link i {  
    margin-right: 10px;  
    width: 20px;  
    text-align: center;  
}
```

```
.page-content {
```

```
padding: 2rem;
background-color: #f8f9fa;
min-height: 100vh;
}
```

```
.card-icon {
  font-size: 2rem;
  margin-bottom: 1rem;
}
```

```
.student-photo {
  width: 100px;
  height: 100px;
  object-fit: cover;
  border-radius: 50%;
  border: 3px solid white;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}
```

```
.progress {
  height: 10px;
}
```

```
.search-box {
  position: relative;
}
```

```
.search-box i {  
    position: absolute;  
    top: 12px;  
    left: 15px;  
    color: #6c757d;  
}
```

```
.search-box input {  
    padding-left: 40px;  
}
```

```
@media (max-width: 768px) {  
    .sidebar {  
        position: fixed;  
        z-index: 1000;  
        width: 250px;  
        transform: translateX(-100%);  
        transition: transform 0.3s ease;  
    }
```

```
.sidebar.show {  
    transform: translateX(0);  
}
```

```
.overlay {
```

```

        position: fixed;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background-color: rgba(0, 0, 0, 0.5);
        z-index: 999;
        display: none;
    }

    .overlay.show {
        display: block;
    }
}

</style>
</head>
<body>

<!-- Dashboard Section (Hidden by default) -->
<div id="dashboard-section" class="d-flex" style="display: none;">
    <!-- Sidebar -->
    <div class="sidebar p-3">
        <div class="d-flex justify-content-between align-items-center mb-4">
            <h4 class="m-0">
                <i class="fas fa-graduation-cap text-primary me-2"></i>

```

```
        <span>College WD</span>
    </h4>
    <button id="sidebarToggle" class="btn btn-sm d-md-none">
        <i class="fas fa-times"></i>
    </button>
</div>
```

```
<div class="mb-4 text-center">
    
    <h5 id="currentUserName">Admin User</h5>
    <small class="text-muted">Administrator</small>
</div>
```

```
<ul class="nav flex-column">
    <li class="nav-item">
        <a class="nav-link active" href="Admin.html" data-
section="dashboard">
            <i class="fas fa-tachometer-alt"></i>
            Dashboard
        </a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="Student.html" data-section="students">
            <i class="fas fa-users"></i>
            Students
        </a>
    </li>
</ul>
```


<li class="nav-item">

<i class="fas fa-clipboard-list"></i>

Marks

<li class="nav-item">

<i class="fas fa-book"></i>

Courses

<li class="nav-item">

<i class="fas fa-money-bill-wave"></i>

Fees

<li class="nav-item mt-4">

<i class="fas fa-sign-out-alt"></i>

Logout


```

        </ul>
    </div>

    <!-- Overlay for mobile sidebar -->
    <div class="overlay"></div>

    <!-- Main Content -->
    <div class="flex-grow-1">
        <!-- Top Navigation -->
        <nav class="navbar navbar-expand-lg navbar-light bg-white shadow-sm">
            <div class="container-fluid">
                <button id="mobileSidebarToggle" class="btn d-md-none me-2">
                    <i class="fas fa-bars"></i>
                </button>
                <h4 class="m-0" id="currentSectionTitle">Dashboard</h4>

                <div class="d-flex align-items-center">
                    <div class="dropdown">
                        <button class="btn dropdown-toggle" type="button"
id="userDropdown" data-bs-toggle="dropdown">
                            
                            <span>Admin</span>
                        </button>
                        <ul class="dropdown-menu dropdown-menu-end">

```

```

        <li><a class="dropdown-item" href="#"><i class="fas fa-user
me-2"></i> Profile</a></li>

```

```

        <li><a class="dropdown-item" href="#"><i class="fas fa-cog
me-2"></i> Settings</a></li>

```

```

        <li><hr class="dropdown-divider"></li>

```

```

        <li><a class="dropdown-item text-danger" href="#"
id="topLogoutBtn"><i class="fas fa-sign-out-alt me-2"></i> Logout</a></li>

```

```

    </ul>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</nav>

```

```

<!-- Page Content -->

```

```

<div class="page-content">

```

```

    <!-- Dashboard Content -->

```

```

    <div id="dashboard-content" class="section-content">

```

```

        <div class="row mb-4">

```

```

            <div class="col-md-3 mb-4">

```

```

                <div class="card dashboard-card h-100">

```

```

                    <div class="card-body text-center">

```

```

                        <i class="fas fa-users card-icon text-primary"></i>

```

```

                        <h5 class="card-title">Total Students</h5>

```

```

                        <h2 class="mb-3">2,254</h2>

```

```

                        <p class="text-success mb-0"><i class="fas fa-arrow-
up"></i> 12% from last month</p>

```

```

                    </div>

```

</div>

</div>

<div class="col-md-3 mb-4">

<div class="card dashboard-card h-100">

<div class="card-body text-center">

<i class="fas fa-book card-icon text-success"></i>

<h5 class="card-title">Total Courses</h5>

<h2 class="mb-3">24</h2>

<p class="text-success mb-0"><i class="fas fa-plus"></i> 2
new courses</p>

</div>

</div>

</div>

<div class="col-md-3 mb-4">

<div class="card dashboard-card h-100">

<div class="card-body text-center">

<i class="fas fa-money-bill-wave card-icon text-
warning"></i>

<h5 class="card-title">Pending Fees</h5>

<h2 class="mb-3">₹4,22,500</h2>

<p class="text-danger mb-0"><i class="fas fa-exclamation-
circle"></i> 10% overdue</p>

</div>

</div>

</div>

<div class="col-md-3 mb-4">

<div class="card dashboard-card h-100">

```
<div class="card-body text-center">
  <i class="fas fa-chalkboard-teacher card-icon text-
info"></i>

  <h5 class="card-title">Faculty</h5>
  <h2 class="mb-3">86</h2>
  <p class="text-success mb-0"><i class="fas fa-arrow-
up"></i> 5 new hires</p>
</div>
</div>
</div>
</div>
```

```
<div class="row">
  <div class="col-md-6 mb-4">
    <div class="card h-100">
      <div class="card-header bg-white">
        <h5 class="mb-0">Recent Admissions</h5>
      </div>
      <div class="card-body">
        <div class="table-responsive">
          <table class="table table-hover">
            <thead>
              <tr>
                <th>Student</th>
                <th>Course</th>
                <th>Date</th>
              </tr>
```

```
</thead>
<tbody>
  <tr>
    <td>
      
      Rahul Sharma
    </td>
    <td>B.Sc Computer Science</td>
    <td>15 Jun 2023</td>
  </tr>
  <tr>
    <td>
      
      Priya Patel
    </td>
    <td>B.Com</td>
    <td>14 Jun 2023</td>
  </tr>
  <tr>
    <td>
      
      Amit Kumar
    </td>
```

```
        <td>B.A English</td>
        <td>12 Jun 2023</td>
    </tr>
    <tr>
        <td>
            
            Neha Gupta
        </td>
        <td>M.Sc Physics</td>
        <td>10 Jun 2023</td>
    </tr>
</tbody>
</table>
</div>
</div>
</div>
</div>
```

```

</div>
</div>

<!-- Students Content -->
<div id="students-content" class="section-content" style="display:
none;">
    <div class="card mb-4">
```

```
<div class="card-header bg-white d-flex justify-content-between align-items-center">
```

```
<h5 class="mb-0">Students</h5>
```

```
<button class="btn btn-primary btn-sm" id="addStudentBtn">
```

```
<i class="fas fa-plus me-1"></i> Add Student
```

```
</button>
```

```
</div>
```

```
<div class="card-body">
```

```
<div class="row mb-4">
```

```
<div class="col-md-6">
```

```
<div class="search-box">
```

```
<i class="fas fa-search"></i>
```

```
<input type="text" class="form-control" id="studentSearch" placeholder="Search students...">
```

```
</div>
```

```
</div>
```

```
<div class="col-md-3">
```

```
<select class="form-select" id="studentCourseFilter">
```

```
<option value="">All Courses</option>
```

```
<option>B.Sc Computer Science</option>
```

```
<option>B.Com</option>
```

```
<option>B.A English</option>
```

```
<option>M.Sc Physics</option>
```

```
</select>
```

```
</div>
```

```
<div class="col-md-3">
```

```
<select class="form-select" id="studentYearFilter">
```

```
        <option value="">All Years</option>
        <option>1st Year</option>
        <option>2nd Year</option>
        <option>3rd Year</option>
        <option>4th Year</option>
    </select>
</div>
</div>
```

```
<div class="table-responsive">
    <table class="table table-hover">
        <thead>
            <tr>
                <th>Photo</th>
                <th>Name</th>
                <th>Admission No.</th>
                <th>Course</th>
                <th>Year</th>
                <th>Contact</th>
                <th>Actions</th>
            </tr>
        </thead>
        <tbody id="studentTableBody">
            <tr>
                <td>
                    
```



```

1">
    </td>
    <td>Rahul Sharma</td>
    <td>CS2023001</td>
    <td>B.Sc Computer Science</td>
    <td>2nd Year</td>
    <td>rahul@example.com</td>
    <td>
        <button class="btn btn-sm btn-outline-primary me-
        <i class="fas fa-eye"></i>
        </button>
        <button class="btn btn-sm btn-outline-success me-
        <i class="fas fa-edit"></i>
        </button>
        <button class="btn btn-sm btn-outline-danger">
            <i class="fas fa-trash"></i>
        </button>
    </td>
</tr>
<tr>
    <td>
        
    </td>
    <td>Priya Patel</td>
    <td>COM2023002</td>

```

	<td>B.Com</td> <td>3rd Year</td> <td>priya@example.com</td> <td> <button class="btn btn-sm btn-outline-primary me-1"> <i class="fas fa-eye"></i> </button> <button class="btn btn-sm btn-outline-success me-1"> <i class="fas fa-edit"></i> </button> <button class="btn btn-sm btn-outline-danger"> <i class="fas fa-trash"></i> </button> </td> </tr> <tr> <td></td><td> <tr> <td> </td> <td>Amit Kumar</td> <td>ENG2023003</td> <td>B.A English</td> <td>1st Year</td> <td>amit@example.com</td> </tr> </td></tr>		<tr> <td> </td> <td>Amit Kumar</td> <td>ENG2023003</td> <td>B.A English</td> <td>1st Year</td> <td>amit@example.com</td> </tr>
	<tr> <td> </td> <td>Amit Kumar</td> <td>ENG2023003</td> <td>B.A English</td> <td>1st Year</td> <td>amit@example.com</td> </tr>		

```

1">
    <td>
        <button class="btn btn-sm btn-outline-primary me-
1">
            <i class="fas fa-eye"></i>
        </button>
        <button class="btn btn-sm btn-outline-success me-
1">
            <i class="fas fa-edit"></i>
        </button>
        <button class="btn btn-sm btn-outline-danger">
            <i class="fas fa-trash"></i>
        </button>
    </td>
</tr>
<tr>
    <td>
        
    </td>
    <td>Neha Gupta</td>
    <td>PHY2023004</td>
    <td>M.Sc Physics</td>
    <td>2nd Year</td>
    <td>neha@example.com</td>
    <td>
        <button class="btn btn-sm btn-outline-primary me-
1">

```

```

1">
        <i class="fas fa-eye"></i>
    </button>
    <button class="btn btn-sm btn-outline-success me-
        <i class="fas fa-edit"></i>
    </button>
    <button class="btn btn-sm btn-outline-danger">
        <i class="fas fa-trash"></i>
    </button>
</td>
</tr>
</tbody>
</table>
</div>

```

```

<nav aria-label="Student pagination">
    <ul class="pagination justify-content-center">
        <li class="page-item disabled">
            <a class="page-link" href="#" tabindex="-
1">Previous</a>
        </li>
        <li class="page-item active"><a class="page-link"
href="#">1</a></li>
        <li class="page-item"><a class="page-link"
href="#">2</a></li>
        <li class="page-item"><a class="page-link"
href="#">3</a></li>
        <li class="page-item">

```

```

        <a class="page-link" href="#">Next</a>
    </li>
</ul>
</nav>
</div>
</div>
</div>

<!-- Marks Content -->
<div id="marks-content" class="section-content" style="display:
none;">
    <div class="card mb-4">
        <div class="card-header bg-white">
            <h5 class="mb-0">Student Marks</h5>
        </div>
        <div class="card-body">
            <div class="row mb-4">
                <div class="col-md-4">
                    <div class="search-box">
                        <i class="fas fa-search"></i>
                        <input type="text" class="form-control"
id="marksSearch" placeholder="Search by student name or ID...">
                    </div>
                </div>
                <div class="col-md-3">
                    <select class="form-select" id="marksCourseFilter">
                        <option value="">All Courses</option>

```

```
        <option>B.Sc Computer Science</option>
        <option>B.Com</option>
        <option>B.A English</option>
        <option>M.Sc Physics</option>
    </select>
</div>
<div class="col-md-3">
    <select class="form-select" id="marksSemesterFilter">
        <option value="">All Semesters</option>
        <option>Semester 1</option>
        <option>Semester 2</option>
        <option>Semester 3</option>
        <option>Semester 4</option>
    </select>
</div>
<div class="col-md-2">
    <button class="btn btn-primary w-100"
id="generateMarksReportBtn">
        <i class="fas fa-file-pdf me-1"></i> Report
    </button>
</div>
</div>

<div class="table-responsive">
    <table class="table table-hover">
        <thead>
            <tr>
```

```
<th>Student</th>
<th>Course</th>
<th>Semester</th>
<th>Internal</th>
<th>External</th>
<th>Total</th>
<th>Grade</th>
<th>Status</th>
<th>Actions</th>
</tr>
</thead>
<tbody id="marksTableBody">
<tr>
<td>

Rahul Sharma
</td>
<td>B.Sc Computer Science</td>
<td>Semester 3</td>
<td>85</td>
<td>78</td>
<td>163</td>
<td><span class="badge bg-success">A</span></td>
<td><span class="badge bg-
success">Pass</span></td>
```

1">

```
<td>
  <button class="btn btn-sm btn-outline-primary me-
    <i class="fas fa-eye"></i>
  </button>
  <button class="btn btn-sm btn-outline-success">
    <i class="fas fa-edit"></i>
  </button>
</td>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
  
```

```
    Priya Patel
```

```
</td>
```

```
<td>B.Com</td>
```

```
<td>Semester 5</td>
```

```
<td>72</td>
```

```
<td>65</td>
```

```
<td>137</td>
```

```
<td><span class="badge bg-primary">B</span></td>
```

```
<td><span class="badge bg-
success">Pass</span></td>
```

```
<td>
```

```
  <button class="btn btn-sm btn-outline-primary me-
```

1">


```

        <i class="fas fa-eye"></i>
    </button>
    <button class="btn btn-sm btn-outline-success">
        <i class="fas fa-edit"></i>
    </button>
</td>
</tr>
<tr>
    <td>
        
        Amit Kumar
    </td>
    <td>B.A English</td>
    <td>Semester 1</td>
    <td>45</td>
    <td>38</td>
    <td>83</td>
    <td><span class="badge bg-warning">D</span></td>
    <td><span class="badge bg-danger">Fail</span></td>
    <td>
        <button class="btn btn-sm btn-outline-primary me-
1">
            <i class="fas fa-eye"></i>
        </button>
        <button class="btn btn-sm btn-outline-success">
            <i class="fas fa-edit"></i>

```

```

        </button>
    </td>
</tr>
<tr>
    <td>
        
        Neha Gupta
    </td>
    <td>M.Sc Physics</td>
    <td>Semester 2</td>
    <td>92</td>
    <td>88</td>
    <td>180</td>
    <td><span class="badge bg-success">A+</span></td>
    <td><span class="badge bg-
success">Pass</span></td>
    <td>
        <button class="btn btn-sm btn-outline-primary me-
1">
            <i class="fas fa-eye"></i>
        </button>
        <button class="btn btn-sm btn-outline-success">
            <i class="fas fa-edit"></i>
        </button>
    </td>
</tr>

```

```

        </tbody>
    </table>
</div>

<div class="row mt-4">
    <div class="col-md-6">
        <div class="card">
            <div class="card-header bg-white">
                <h6 class="mb-0">Marks Distribution</h6>
            </div>
            <div class="card-body">
                <canvas id="marksDistributionChart"
height="200"></canvas>
            </div>
        </div>
    </div>
</div>
<div class="col-md-6">
    <div class="card">
        <div class="card-header bg-white">
            <h6 class="mb-0">Pass/Fail Ratio</h6>
        </div>
        <div class="card-body">
            <canvas id="passFailChart" height="200"></canvas>
        </div>
    </div>
</div>
</div>

```

</div>

</div>

</div>

<!-- Courses Content -->

<div id="courses-content" class="section-content" style="display: none;">

<div class="card mb-4">

<div class="card-header bg-white d-flex justify-content-between align-items-center">

<h5 class="mb-0">Courses</h5>

<button class="btn btn-primary btn-sm" id="addCourseBtn">

<i class="fas fa-plus me-1"></i> Add Course

</button>

</div>

<div class="card-body">

<div class="row mb-4">

<div class="col-md-6">

<div class="search-box">

<i class="fas fa-search"></i>

<input type="text" class="form-control" id="courseSearch" placeholder="Search courses...">

</div>

</div>

<div class="col-md-3">

<select class="form-select" id="courseDepartmentFilter">

<option value="">All Departments</option>

```
        <option>Computer Science</option>
        <option>Commerce</option>
        <option>Arts</option>
        <option>Science</option>
    </select>
</div>
<div class="col-md-3">
    <select class="form-select" id="courseLevelFilter">
        <option value="">All Levels</option>
        <option>UG</option>
        <option>PG</option>
        <option>Diploma</option>
    </select>
</div>
</div>

<div class="table-responsive">
    <table class="table table-hover">
        <thead>
            <tr>
                <th>Code</th>
                <th>Course Name</th>
                <th>Department</th>
                <th>Duration</th>
                <th>Level</th>
                <th>Students</th>
            </tr>
        </thead>
    </table>
</div>
```

```

        <th>Actions</th>
    </tr>
</thead>
<tbody id="courseTableBody">
    <tr>
        <td>CS101</td>
        <td>B.Sc Computer Science</td>
        <td>Computer Science</td>
        <td>3 Years</td>
        <td>UG</td>
        <td>320</td>
        <td>
            <button class="btn btn-sm btn-outline-primary me-1">
                <i class="fas fa-eye"></i>
            </button>
            <button class="btn btn-sm btn-outline-success me-1">
                <i class="fas fa-edit"></i>
            </button>
            <button class="btn btn-sm btn-outline-danger">
                <i class="fas fa-trash"></i>
            </button>
        </td>
    </tr>
    <tr>
        <td>COM201</td>

```

1">	<td><td>B.Com</td></td>	<td>B.Com</td>
	<td><td>Commerce</td></td>	<td>Commerce</td>
	<td><td>3 Years</td></td>	<td>3 Years</td>
	<td><td>UG</td></td>	<td>UG</td>
	<td><td>280</td></td>	<td>280</td>
	<td><td></td>	<td>
	<td><button class="btn btn-sm btn-outline-primary me-</td>	<button class="btn btn-sm btn-outline-primary me-
	<td><i class="fas fa-eye"></i></td>	<i class="fas fa-eye"></i>
	<td></button></td>	</button>
1">	<td><button class="btn btn-sm btn-outline-success me-</td>	<button class="btn btn-sm btn-outline-success me-
	<td><i class="fas fa-edit"></i></td>	<i class="fas fa-edit"></i>
	<td></button></td>	</button>
	<td><button class="btn btn-sm btn-outline-danger"></td>	<button class="btn btn-sm btn-outline-danger">
	<td><i class="fas fa-trash"></i></td>	<i class="fas fa-trash"></i>
	<td></button></td>	</button>
	<td></td></td>	</td>
	<td></tr></td>	</tr>
	<td><tr></td>	<tr>
	<td><td>ENG301</td></td>	<td>ENG301</td>
	<td><td>B.A English</td></td>	<td>B.A English</td>
	<td><td>Arts</td></td>	<td>Arts</td>
	<td><td>3 Years</td></td>	<td>3 Years</td>
	<td><td>UG</td></td>	<td>UG</td>
	<td><td>150</td></td>	<td>150</td>
	<td><td></td>	<td>

1">

<button class="btn btn-sm btn-outline-primary me-

<i class="fas fa-eye"></i>

</button>

1">

<button class="btn btn-sm btn-outline-success me-

<i class="fas fa-edit"></i>

</button>

<button class="btn btn-sm btn-outline-danger">

<i class="fas fa-trash"></i>

</button>

</td>

</tr>

<tr>

<td>PHY401</td>

<td>M.Sc Physics</td>

<td>Science</td>

<td>2 Years</td>

<td>PG</td>

<td>80</td>

<td>

1">

<button class="btn btn-sm btn-outline-primary me-

<i class="fas fa-eye"></i>

</button>

1">

<button class="btn btn-sm btn-outline-success me-


```

                <i class="fas fa-edit"></i>
            </button>
            <button class="btn btn-sm btn-outline-danger">
                <i class="fas fa-trash"></i>
            </button>
        </td>
    </tr>
</tbody>
</table>
</div>

```

```

<div class="row mt-4">
    <div class="col-md-6">
        <div class="card">
            <div class="card-header bg-white">
                <h6 class="mb-0">Courses by Department</h6>
            </div>
            <div class="card-body">
                <canvas id="coursesByDeptChart"
height="200"></canvas>
            </div>
        </div>
    </div>
    <div class="col-md-6">
        <div class="card">
            <div class="card-header bg-white">
                <h6 class="mb-0">Students by Course</h6>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <div class="card-body">
            <canvas id="studentsByCourseChart"
height="200"></canvas>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

```

```

<!-- Fees Content -->
<div id="fees-content" class="section-content" style="display: none;">
    <div class="card mb-4">
        <div class="card-header bg-white d-flex justify-content-between
align-items-center">
            <h5 class="mb-0">Fee Management</h5>
            <button class="btn btn-primary btn-sm" id="collectFeeBtn">
                <i class="fas fa-money-bill-wave me-1"></i> Collect Fee
            </button>
        </div>
        <div class="card-body">
            <div class="row mb-4">
                <div class="col-md-4">
                    <div class="search-box">
                        <i class="fas fa-search"></i>

```

```
        <input type="text" class="form-control" id="feeSearch"
placeholder="Search by student name or ID...">
```

```
    </div>
```

```
</div>
```

```
<div class="col-md-3">
```

```
    <select class="form-select" id="feeCourseFilter">
```

```
        <option value="">All Courses</option>
```

```
        <option>B.Sc Computer Science</option>
```

```
        <option>B.Com</option>
```

```
        <option>B.A English</option>
```

```
        <option>M.Sc Physics</option>
```

```
    </select>
```

```
</div>
```

```
<div class="col-md-3">
```

```
    <select class="form-select" id="feeStatusFilter">
```

```
        <option value="">All Status</option>
```

```
        <option>Paid</option>
```

```
        <option>Pending</option>
```

```
        <option>Overdue</option>
```

```
    </select>
```

```
</div>
```

```
<div class="col-md-2">
```

```
    <button class="btn btn-primary w-100"
id="generateFeeReportBtn">
```

```
        <i class="fas fa-file-pdf me-1"></i> Report
```

```
    </button>
```

```
</div>
```

</div>

<div class="table-responsive">

<table class="table table-hover">

<thead>

<tr>

<th>Student</th>

<th>Admission No.</th>

<th>Course</th>

<th>Year</th>

<th>Total Fee</th>

<th>Paid</th>

<th>Balance</th>

<th>Due Date</th>

<th>Status</th>

<th>Actions</th>

</tr>

</thead>

<tbody id="feeTableBody">

<tr>

<td>

Rahul Sharma

</td>

<td>CS2023001</td>

	<td>B.Sc Computer Science</td>
	<td>2nd Year</td>
	<td>₹45,000</td>
	<td>₹45,000</td>
	<td>₹0</td>
	<td>15 Jul 2023</td>
	<td>Paid</td>
	<td>
1">	<button class="btn btn-sm btn-outline-primary me-
	<i class="fas fa-eye"></i>
	</button>
	<button class="btn btn-sm btn-outline-success">
	<i class="fas fa-print"></i>
	</button>
	</td>
	</tr>
	<tr>
	<td>
	Priya Patel
	</td>
	<td>COM2023002</td>
	<td>B.Com</td>
	<td>3rd Year</td>

```

<td>₹35,000</td>
<td>₹30,000</td>
<td>₹5,000</td>
<td>10 Jul 2023</td>
<td><span class="badge bg-
warning">Pending</span></td>
1">
<td>
<button class="btn btn-sm btn-outline-primary me-
<i class="fas fa-eye"></i>
</button>
<button class="btn btn-sm btn-outline-success">
<i class="fas fa-print"></i>
</button>
</td>
</tr>
<tr>
<td>

Amit Kumar
</td>
<td>ENG2023003</td>
<td>B.A English</td>
<td>1st Year</td>
<td>₹25,000</td>
<td>₹20,000</td>

```

```

<td>₹5,000</td>
<td>05 Jul 2023</td>
<td><span class="badge bg-
danger">Overdue</span></td>
<td>
<button class="btn btn-sm btn-outline-primary me-
1">
<i class="fas fa-eye"></i>
</button>
<button class="btn btn-sm btn-outline-success">
<i class="fas fa-print"></i>
</button>
</td>
</tr>
<tr>
<td>

Neha Gupta
</td>
<td>PHY2023004</td>
<td>M.Sc Physics</td>
<td>2nd Year</td>
<td>₹40,000</td>
<td>₹40,000</td>
<td>₹0</td>
<td>20 Jul 2023</td>

```

```

        <td><span class="badge bg-
success">Paid</span></td>

        <td>

            <button class="btn btn-sm btn-outline-primary me-
1">

                <i class="fas fa-eye"></i>

            </button>

            <button class="btn btn-sm btn-outline-success">

                <i class="fas fa-print"></i>

            </button>

        </td>

    </tr>

</tbody>

</table>

</div>

```

```

<div class="row mt-4">

    <div class="col-md-6">

        <div class="card">

            <div class="card-header bg-white">

                <h6 class="mb-0">Fee Collection Overview</h6>

            </div>

            <div class="card-body">

                <canvas id="feeCollectionChart"
height="200"></canvas>

            </div>

        </div>

    </div>

```



```

</div>

<div class="col-md-6">
  <div class="card">
    <div class="card-header bg-white">
      <h6 class="mb-0">Pending Fees by Course</h6>
    </div>
    <div class="card-body">
      <canvas id="pendingFeesChart"
height="200"></canvas>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

<!-- Staff Content -->
<div id="staff-content" class="section-content" style="display: none;">
  <div class="card mb-4">
    <div class="card-header bg-white d-flex justify-content-between
align-items-center">
      <h5 class="mb-0">Staff Management</h5>
      <button class="btn btn-primary btn-sm" id="addStaffBtn">
        <i class="fas fa-plus me-1"></i> Add Staff
      </button>
    </div>

```

```
<div class="card-body">
  <div class="row mb-4">
    <div class="col-md-6">
      <div class="search-box">
        <i class="fas fa-search"></i>
        <input type="text" class="form-control" id="staffSearch"
placeholder="Search staff...">
      </div>
    </div>
    <div class="col-md-3">
      <select class="form-select" id="staffDepartmentFilter">
        <option value="">All Departments</option>
        <option>Computer Science</option>
        <option>Commerce</option>
        <option>Arts</option>
        <option>Science</option>
      </select>
    </div>
    <div class="col-md-3">
      <select class="form-select" id="staffTypeFilter">
        <option value="">All Types</option>
        <option>Teaching</option>
        <option>Non-Teaching</option>
      </select>
    </div>
  </div>
</div>
```

```
<div class="table-responsive">
  <table class="table table-hover">
    <thead>
      <tr>
        <th>Photo</th>
        <th>Name</th>
        <th>Employee ID</th>
        <th>Department</th>
        <th>Designation</th>
        <th>Type</th>
        <th>Contact</th>
        <th>Actions</th>
      </tr>
    </thead>
    <tbody id="staffTableBody">
      <tr>
        <td>
          
        </td>
        <td>Dr. Rajesh Kumar</td>
        <td>EMP001</td>
        <td>Computer Science</td>
        <td>Professor</td>
        <td><span class="badge bg-
primary">Teaching</span></td>
        <td>rajesh@college.edu</td>
```

```

1">
    <td>
        <button class="btn btn-sm btn-outline-primary me-
1">
            <i class="fas fa-eye"></i>
        </button>
        <button class="btn btn-sm btn-outline-success me-
1">
            <i class="fas fa-edit"></i>
        </button>
        <button class="btn btn-sm btn-outline-danger">
            <i class="fas fa-trash"></i>
        </button>
    </td>
</tr>
<tr>
    <td>
        
    </td>
    <td>Ms. Sunita Patel</td>
    <td>EMP002</td>
    <td>Commerce</td>
    <td>Associate Professor</td>
    <td><span class="badge bg-
primary">Teaching</span></td>
    <td>sunita@college.edu</td>
    <td>

```

```

1">
    <button class="btn btn-sm btn-outline-primary me-
    <i class="fas fa-eye"></i>
    </button>
    <button class="btn btn-sm btn-outline-success me-
1">
    <i class="fas fa-edit"></i>
    </button>
    <button class="btn btn-sm btn-outline-danger">
    <i class="fas fa-trash"></i>
    </button>
    </td>
    </tr>
    <tr>
    <td>
    
    </td>
    <td>Mr. Vijay Singh</td>
    <td>EMP003</td>
    <td>Arts</td>
    <td>Assistant Professor</td>
    <td><span class="badge bg-
primary">Teaching</span></td>
    <td>vijay@college.edu</td>
    <td>
    <button class="btn btn-sm btn-outline-primary me-
1">

```

1">

avatars.com/api/?name=Mr.+Ramesh+Sharma&size=40" class="rounded-circle">

Teaching</td>

1">

```
<i class="fas fa-eye"></i>
</button>
<button class="btn btn-sm btn-outline-success me-
1">

<i class="fas fa-edit"></i>
</button>
<button class="btn btn-sm btn-outline-danger">
  <i class="fas fa-trash"></i>
</button>
</td>
</tr>
<tr>
<td>
  
</td>
<td>Mr. Ramesh Sharma</td>
<td>EMP004</td>
<td>Administration</td>
<td>Office Superintendent</td>
<td><span class="badge bg-secondary">Non-
Teaching</span></td>
<td>ramesh@college.edu</td>
<td>
  <button class="btn btn-sm btn-outline-primary me-
1">

  <i class="fas fa-eye"></i>
```

1">

</button>

<button class="btn btn-sm btn-outline-success me-

<i class="fas fa-edit"></i>

</button>

<button class="btn btn-sm btn-outline-danger">

<i class="fas fa-trash"></i>

</button>

</td>

</tr>

</tbody>

</table>

</div>

<div class="row mt-4">

<div class="col-md-6">

<div class="card">

<div class="card-header bg-white">

<h6 class="mb-0">Staff by Department</h6>

</div>

<div class="card-body">

<canvas id="staffByDeptChart"
height="200"></canvas>

</div>

</div>

</div>

<div class="col-md-6">

```
        <div class="card">
            <div class="card-header bg-white">
                <h6 class="mb-0">Staff by Type</h6>
            </div>
            <div class="card-body">
                <canvas id="staffByTypeChart"
height="200"></canvas>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
```

```
<!-- Add Student Modal -->

<div class="modal fade" id="addStudentModal" tabindex="-1" aria-
hidden="true">
    <div class="modal-dialog modal-lg">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title">Add New Student</h5>
                <button type="button" class="btn-close" data-bs-dismiss="modal"
aria-label="Close"></button>
            </div>
```



```
<div class="modal-body">
  <form id="addStudentForm">
    <div class="row mb-3">
      <div class="col-md-6">
        <label for="studentFirstName" class="form-label">First
Name</label>
        <input type="text" class="form-control"
id="studentFirstName" required>
      </div>
      <div class="col-md-6">
        <label for="studentLastName" class="form-label">Last
Name</label>
        <input type="text" class="form-control"
id="studentLastName" required>
      </div>
    </div>

    <div class="row mb-3">
      <div class="col-md-6">
        <label for="studentEmail" class="form-label">Email</label>
        <input type="email" class="form-control" id="studentEmail"
required>
      </div>
      <div class="col-md-6">
        <label for="studentPhone" class="form-label">Phone</label>
        <input type="tel" class="form-control" id="studentPhone"
required>
      </div>
    </div>
  </form>
</div>
```

</div>

<div class="row mb-3">

<div class="col-md-6">

<label for="studentCourse" class="form-label">Course</label>

<select class="form-select" id="studentCourse" required>

<option value="">Select Course</option>

<option>B.Sc Computer Science</option>

<option>B.Com</option>

<option>B.A English</option>

<option>M.Sc Physics</option>

</select>

</div>

<div class="col-md-6">

<label for="studentYear" class="form-label">Year</label>

<select class="form-select" id="studentYear" required>

<option value="">Select Year</option>

<option>1st Year</option>

<option>2nd Year</option>

<option>3rd Year</option>

<option>4th Year</option>

</select>

</div>

</div>

<div class="row mb-3">

```
        <div class="col-md-6">
            <label for="studentDob" class="form-label">Date of
Birth</label>
            <input type="date" class="form-control" id="studentDob"
required>
        </div>
```

```
        <div class="col-md-6">
            <label for="studentGender" class="form-
label">Gender</label>
            <select class="form-select" id="studentGender" required>
                <option value="">Select Gender</option>
                <option>Male</option>
                <option>Female</option>
                <option>Other</option>
            </select>
        </div>
    </div>
```

```
    <div class="mb-3">
        <label for="studentAddress" class="form-
label">Address</label>
        <textarea class="form-control" id="studentAddress" rows="3"
required></textarea>
    </div>
```

```
    <div class="mb-3">
        <label for="studentPhoto" class="form-label">Photo</label>
        <input type="file" class="form-control" id="studentPhoto">
```

```

        </div>
    </form>
</div>
<div class="modal-footer">
    <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>
    <button type="button" class="btn btn-primary" id="saveStudentBtn">Save Student</button>
</div>
</div>
</div>
</div>

<!-- Add Course Modal -->
<div class="modal fade" id="addCourseModal" tabindex="-1" aria-hidden="true">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title">Add New Course</h5>
                <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body">
                <form id="addCourseForm">
                    <div class="mb-3">
                        <label for="courseCode" class="form-label">Course
Code</label>

```

```
        <input type="text" class="form-control" id="courseCode"
required>
```

```
</div>
```

```
<div class="mb-3">
```

```
        <label for="courseName" class="form-label">Course
Name</label>
```

```
        <input type="text" class="form-control" id="courseName"
required>
```

```
</div>
```

```
<div class="mb-3">
```

```
        <label for="courseDepartment" class="form-
label">Department</label>
```

```
        <select class="form-select" id="courseDepartment" required>
```

```
            <option value="">Select Department</option>
```

```
            <option>Computer Science</option>
```

```
            <option>Commerce</option>
```

```
            <option>Arts</option>
```

```
            <option>Science</option>
```

```
        </select>
```

```
</div>
```

```
<div class="row mb-3">
```

```
    <div class="col-md-6">
```

```
        <label for="courseDuration" class="form-label">Duration
(Years)</label>
```

```
        <input type="number" class="form-control"
id="courseDuration" min="1" max="5" required>
    </div>
    <div class="col-md-6">
        <label for="courseLevel" class="form-label">Level</label>
        <select class="form-select" id="courseLevel" required>
            <option value="">Select Level</option>
            <option>UG</option>
            <option>PG</option>
            <option>Diploma</option>
        </select>
    </div>
</div>

<div class="mb-3">
    <label for="courseFee" class="form-label">Annual Fee
(₹)</label>
    <input type="number" class="form-control" id="courseFee"
required>
</div>

<div class="mb-3">
    <label for="courseDescription" class="form-
label">Description</label>
    <textarea class="form-control" id="courseDescription"
rows="3"></textarea>
</div>
</form>
```

```

    </div>

    <div class="modal-footer">

        <button type="button" class="btn btn-secondary" data-bs-
dismiss="modal">Cancel</button>

        <button type="button" class="btn btn-primary"
id="saveCourseBtn">Save Course</button>

    </div>

</div>

</div>

</div>

<!-- Collect Fee Modal -->

<div class="modal fade" id="collectFeeModal" tabindex="-1" aria-
hidden="true">

    <div class="modal-dialog">

        <div class="modal-content">

            <div class="modal-header">

                <h5 class="modal-title">Collect Fee</h5>

                <button type="button" class="btn-close" data-bs-dismiss="modal"
aria-label="Close"></button>

            </div>

            <div class="modal-body">

                <form id="collectFeeForm">

                    <div class="mb-3">

                        <label for="feeStudent" class="form-label">Student</label>

                        <select class="form-select" id="feeStudent" required>

                            <option value="">Select Student</option>

```

```
        <option>Rahul Sharma (CS2023001)</option>
        <option>Priya Patel (COM2023002)</option>
        <option>Amit Kumar (ENG2023003)</option>
        <option>Neha Gupta (PHY2023004)</option>
    </select>
</div>
```

```
<div class="row mb-3">
    <div class="col-md-6">
        <label for="feeAmount" class="form-label">Amount
(₹)</label>

        <input type="number" class="form-control" id="feeAmount"
required>

    </div>
    <div class="col-md-6">
        <label for="feeDate" class="form-label">Payment
Date</label>

        <input type="date" class="form-control" id="feeDate"
required>

    </div>
</div>
```

```
<div class="mb-3">
    <label for="feePaymentMode" class="form-label">Payment
Mode</label>

    <select class="form-select" id="feePaymentMode" required>
        <option value="">Select Payment Mode</option>
        <option>Cash</option>
```



```
<option>Cheque</option>
<option>Online Transfer</option>
<option>UPI</option>
```

```
</select>
```

```
</div>
```

```
<div class="mb-3">
```

```
  <label for="feeReceiptNo" class="form-label">Receipt
  Number</label>
```

```
  <input type="text" class="form-control" id="feeReceiptNo"
  required>
```

```
</div>
```

```
<div class="mb-3">
```

```
  <label for="feeRemarks" class="form-label">Remarks</label>
```

```
  <textarea class="form-control" id="feeRemarks"
  rows="2"></textarea>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
<div class="modal-footer">
```

```
  <button type="button" class="btn btn-secondary" data-bs-
  dismiss="modal">Cancel</button>
```

```
  <button type="button" class="btn btn-primary"
  id="saveFeeBtn">Save Payment</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

</div>

<!-- Add Staff Modal -->

<div class="modal fade" id="addStaffModal" tabindex="-1" aria-hidden="true">

<div class="modal-dialog modal-lg">

<div class="modal-content">

<div class="modal-header">

<h5 class="modal-title">Add New Staff Member</h5>

<button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>

</div>

<div class="modal-body">

<form id="addStaffForm">

<div class="row mb-3">

<div class="col-md-6">

<label for="staffFirstName" class="form-label">First Name</label>

<input type="text" class="form-control" id="staffFirstName" required>

</div>

<div class="col-md-6">

<label for="staffLastName" class="form-label">Last Name</label>

<input type="text" class="form-control" id="staffLastName" required>

</div>

</div>

```
<div class="row mb-3">
  <div class="col-md-6">
    <label for="staffEmail" class="form-label">Email</label>
    <input type="email" class="form-control" id="staffEmail"
required>
  </div>
  <div class="col-md-6">
    <label for="staffPhone" class="form-label">Phone</label>
    <input type="tel" class="form-control" id="staffPhone"
required>
  </div>
</div>

<div class="row mb-3">
  <div class="col-md-6">
    <label for="staffDepartment" class="form-
label">Department</label>
    <select class="form-select" id="staffDepartment" required>
      <option value="">Select Department</option>
      <option>Computer Science</option>
      <option>Commerce</option>
      <option>Arts</option>
      <option>Science</option>
      <option>Administration</option>
    </select>
  </div>
```

<div class="col-md-6">

Student Page:

If the user was the student:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>College Management System</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css">
  <style>
    :root {
      --primary: #4361ee;
      --secondary: #3a0ca3;
      --accent: #f72585;
      --light: #f8f9fa;
      --dark: #212529;
    }

    body {
      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
      background-color: #f5f7fa;
    }

    .sidebar {
      transition: all 0.3s ease;
    }

    .dashboard-card {
      transition: transform 0.3s ease, box-shadow 0.3s ease;
    }

    .dashboard-card:hover {
      transform: translateY(-5px);
      box-shadow: 0 10px 20px rgba(0, 0, 0, 0.1);
    }

    .nav-item.active {
      background-color: rgba(67, 97, 238, 0.1);
    }
  </style>
</head>
<body>
  <div class="container">
    <div class="row">
      <div class="col-md-3">
        <div class="sidebar">
          <div class="list-group">
            <a href="#">Home</a>
            <a href="#">Students</a>
            <a href="#">Teachers</a>
            <a href="#">Courses</a>
            <a href="#">Exams</a>
            <a href="#">Reports</a>
            <a href="#">Settings</a>
          </div>
        </div>
      </div>
      <div class="col-md-9">
        <div class="dashboard">
          <div class="row">
            <div class="col-md-4">
              <div class="card">
                <div class="card-body">
                  <div class="text">Total Students</div>
                  <div class="text">1,234</div>
                </div>
              </div>
            </div>
            <div class="col-md-4">
              <div class="card">
                <div class="card-body">
                  <div class="text">Total Teachers</div>
                  <div class="text">567</div>
                </div>
              </div>
            </div>
            <div class="col-md-4">
              <div class="card">
                <div class="card-body">
                  <div class="text">Total Courses</div>
                  <div class="text">890</div>
                </div>
              </div>
            </div>
          </div>
          <div class="row">
            <div class="col-md-4">
              <div class="card">
                <div class="card-body">
                  <div class="text">Total Exams</div>
                  <div class="text">123</div>
                </div>
              </div>
            </div>
            <div class="col-md-4">
              <div class="card">
                <div class="card-body">
                  <div class="text">Total Reports</div>
                  <div class="text">456</div>
                </div>
              </div>
            </div>
            <div class="col-md-4">
              <div class="card">
                <div class="card-body">
                  <div class="text">Total Settings</div>
                  <div class="text">789</div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

```

        border-left: 4px solid var(--primary);
        color: var(--primary);
    }

    .nav-item:hover:not(.active) {
        background-color: rgba(0, 0, 0, 0.05);
    }

    .form-input:focus {
        border-color: var(--primary);
        box-shadow: 0 0 0 3px rgba(67, 97, 238, 0.2);
    }

    @media (max-width: 768px) {
        .sidebar {
            transform: translateX(-100%);
            position: fixed;
            z-index: 50;
            height: 100vh;
        }

        .sidebar.active {
            transform: translateX(0);
        }

        .overlay {
            position: fixed;
            top: 0;
            left: 0;
            right: 0;
            bottom: 0;
            background-color: rgba(0, 0, 0, 0.5);
            z-index: 40;
            display: none;
        }

        .overlay.active {
            display: block;
        }
    }
</style>
</head>
<body class="bg-gray-100">
    <!-- Mobile Menu Button -->
    <div class="md:hidden fixed top-4 left-4 z-50">
        <button id="mobileMenuButton" class="p-2 rounded-md bg-white shadow-md
text-gray-700">
            <i class="fas fa-bars"></i>

```

```

        </button>
    </div>

    <!-- Overlay for mobile menu -->
    <div id="overlay" class="overlay"></div>

    <div class="flex h-screen overflow-hidden">
        <!-- Sidebar -->
        <div id="sidebar" class="sidebar w-64 bg-white shadow-lg flex flex-
col">
            <!-- Logo -->
            <div class="p-6 flex items-center justify-center border-b">
                <div class="flex items-center">
                    <i class="fas fa-graduation-cap text-3xl text-blue-600 mr-
2"></i>
                    <h1 class="text-xl font-bold text-gray-800">College
WD</h1>
                </div>
            </div>

            <!-- User Profile -->
            <div class="p-6 border-b flex items-center space-x-4">
                <div class="h-12 w-12 rounded-full bg-blue-100 flex items-
center justify-center">
                    <i class="fas fa-user text-blue-600"></i>
                </div>
                <div>
                    <h3 class="font-medium text-gray-800"
id="usernameDisplay">Student User</h3>
                    <p class="text-sm text-gray-500">Student</p>
                </div>
            </div>

            <!-- Navigation -->
            <nav class="flex-1 overflow-y-auto">
                <ul class="p-2 space-y-1">
                    <li>
                        <a href="Dashboard.html" class="nav-item flex items-
center p-3 rounded-lg text-gray-700 transition-all duration-200 active">
                            <i class="fas fa-tachometer-alt mr-3 text-blue-
600"></i>
                            <span>Dashboard</span>
                        </a>
                    </li>
                    <li>
                        <a href="Marks.html" class="nav-item flex items-center
p-3 rounded-lg text-gray-700 hover:bg-gray-100 transition-all duration-200">

```

```

        <i class="fas fa-clipboard-list mr-3 text-green-600"></i>
        <span>Marks</span>
      </a>
    </li>

    <li>
      <a href="Fees.html" class="nav-item flex items-center p-3 rounded-lg text-gray-700 hover:bg-gray-100 transition-all duration-200">
        <i class="fas fa-money-bill-wave mr-3 text-red-600"></i>
        <span>Fees</span>
      </a>
    </li>
    <li>
      <a href="#settings" class="nav-item flex items-center p-3 rounded-lg text-gray-700 hover:bg-gray-100 transition-all duration-200">
        <i class="fas fa-cog mr-3 text-gray-600"></i>
        <span>Settings</span>
      </a>
    </li>
  </ul>
</nav>

<!-- Logout -->
<div class="p-4 border-t">
  <button id="logoutBtn" class="w-full flex items-center justify-center p-2 rounded-lg text-gray-700 hover:bg-gray-100 transition-all duration-200">
    <i class="fas fa-sign-out-alt mr-2 text-red-600"></i>
    <span>Logout</span>
  </button>
</div>

<!-- Main Content -->
<div class="flex-1 overflow-y-auto">
  <!-- Header -->
  <header class="bg-white shadow-sm p-4 flex items-center justify-between">
    <h2 class="text-xl font-semibold text-gray-800">Dashboard</h2>
    <div class="flex items-center space-x-4">
      <div class="relative">
        <button class="p-2 rounded-full hover:bg-gray-100">
          <i class="fas fa-bell text-gray-600"></i>
          <span class="absolute top-0 right-0 h-2 w-2 rounded-full bg-red-500"></span>
        </button>

```

```

        </div>
        <div class="h-8 w-8 rounded-full bg-blue-100 flex items-
center justify-center">
            <i class="fas fa-user text-blue-600"></i>
        </div>
    </div>
</header>

<!-- Content -->
<main class="p-6">
    <!-- Stats Cards -->
    <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4
gap-6 mb-8">
        <div class="dashboard-card bg-white rounded-lg shadow p-
6">
            <div class="flex items-center justify-between">
                <div>
                    <p class="text-gray-500 text-sm">Total
Classes</p>
                    <h3 class="text-2xl font-bold mt-1">54</h3>
                </div>
                <div class="h-12 w-12 rounded-full bg-blue-100
flex items-center justify-center">
                    <i class="fas fa-users text-blue-600"></i>
                </div>
            </div>
            <p class="text-green-500 text-sm mt-2">82%
Attendance</p>
        </div>

        <div class="dashboard-card bg-white rounded-lg shadow p-
6">
            <div class="flex items-center justify-between">
                <div>
                    <p class="text-gray-500 text-sm">Course</p>
                    <h3 class="text-2xl font-bold mt-1">CSE</h3>
                </div>
                <div class="h-12 w-12 rounded-full bg-green-100
flex items-center justify-center">
                    <i class="fas fa-book text-green-600"></i>
                </div>
            </div>
            <p class="text-green-500 text-sm mt-2">+2 new
courses</p>
        </div>

        <div class="dashboard-card bg-white rounded-lg shadow p-
6">

```



```

        <div class="flex items-center justify-between">
          <div>
            <p class="text-gray-500 text-sm">Pending
Fees</p>
            <h3 class="text-2xl font-bold mt-
1">₹15,000</h3>
          </div>
          <div class="h-12 w-12 rounded-full bg-yellow-100
flex items-center justify-center">
            <i class="fas fa-money-bill-wave text-yellow-
600"></i>
          </div>
        </div>
      </div>
      <p class="text-red-500 text-sm mt-2">20% feedue</p>
    </div>
  </div>

```

Fees Page:

Fees Page is used to track the fee payments of the user and to display the due amounts of the user:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Academic Progress Tracker</title>
  <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
  <style>
    :root {
      --primary: #4a6bff;
      --secondary: #798bff;
      --accent: #ff7e5f;
      --light: #f8f9fa;
      --dark: #212529;
      --success: #28a745;
      --warning: #ffc107;
    }
  </style>

```

```
    --danger: #dc3545;
  }

  * {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  }

  body {
    background-color: #f5f7ff;
    color: var(--dark);
    line-height: 1.6;
  }

  .container {
    max-width: 1200px;
    margin: 0 auto;
    padding: 20px;
  }

  header {
    background: linear-gradient(135deg, var(--primary), var(--secondary));
    color: white;
    padding: 20px 0;
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
    margin-bottom: 30px;
    border-radius: 0 0 10px 10px;
  }

  .header-content {
    display: flex;
    justify-content: space-between;
    align-items: center;
  }

  .logo {
    font-size: 24px;
    font-weight: bold;
  }

  .profile {
    display: flex;
    align-items: center;
    gap: 10px;
  }
```

```
.profile-img {
  width: 40px;
  height: 40px;
  border-radius: 50%;
  object-fit: cover;
}

main {
  display: grid;
  grid-template-columns: 300px 1fr;
  gap: 20px;
}

.sidebar {
  background: white;
  border-radius: 10px;
  padding: 20px;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.05);
}

.dashboard {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(300px, 1fr));
  gap: 20px;
}

.card {
  background: white;
  border-radius: 10px;
  padding: 20px;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.05);
  transition: transform 0.3s ease;
}

.card:hover {
  transform: translateY(-5px);
}

.card-header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  margin-bottom: 15px;
}

.card-title {
  font-size: 18px;
```

```
        font-weight: 600;
    }

    .card-value {
        font-size: 36px;
        font-weight: 700;
        margin-bottom: 10px;
    }

    .card-footer {
        display: flex;
        align-items: center;
        gap: 5px;
        font-size: 14px;
    }

    .trend-up {
        color: var(--success);
    }

    .trend-down {
        color: var(--danger);
    }

    .chart-container {
        height: 300px;
        margin-top: 20px;
    }

    .semester-selector {
        margin-bottom: 20px;
    }

    .semester-btn {
        background: var(--light);
        border: none;
        padding: 8px 15px;
        margin-right: 10px;
        border-radius: 20px;
        cursor: pointer;
        transition: all 0.3s ease;
    }

    .semester-btn.active {
        background: var(--primary);
        color: white;
    }
}
```

```
.subject-list {
  margin-top: 20px;
}

.subject-item {
  display: flex;
  justify-content: space-between;
  padding: 10px 0;
  border-bottom: 1px solid #eee;
}

.subject-name {
  font-weight: 500;
}

.subject-grade {
  font-weight: 600;
  color: var(--primary);
}

.progress-container {
  margin-top: 30px;
}

.progress-bar {
  height: 10px;
  background: #eee;
  border-radius: 5px;
  margin-top: 5px;
  overflow: hidden;
}

.progress-fill {
  height: 100%;
  background: var(--primary);
  border-radius: 5px;
}

.avatar {
  width: 30px;
  height: 30px;
  border-radius: 50%;
  background-color: var(--primary);
  color: white;
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: bold;
}
```

```

    }

    @media (max-width: 768px) {
        main {
            grid-template-columns: 1fr;
        }

        .dashboard {
            grid-template-columns: 1fr;
        }
    }
</style>
</head>
<body>
    <header>
        <div class="container">
            <div class="header-content">
                <div class="logo">Fees Overview</div>
                <div class="profile">
                    <span>Welcome, Student</span>
                    
                </div>
            </div>
        </div>
    </header>

    <div class="container">
        <main>
            <aside class="sidebar">
                <h2>Fees Overview</h2>
                <div class="progress-container">
                    <div style="display: flex; justify-content: space-between;">
                        <span>Overall Fee</span>
                        <span>30000/45000.00</span>
                    </div>
                    <div class="progress-bar">
                        <div class="progress-fill" style="width: 86.25%;"></div>
                    </div>
                </div>

                <div class="semester-selector">
                    <h3 style="margin-bottom: 10px;">Semesters</h3>
                    <div>

```

```

        <button class="semester-btn active"
onclick="changeSemester(1)">Sem 1</button>
        <button class="semester-btn"
onclick="changeSemester(2)">Sem 2</button>
        <button class="semester-btn"
onclick="changeSemester(3)">Sem 3</button>
        <button class="semester-btn"
onclick="changeSemester(4)">Sem 4</button>
    </div>
</div>

    <div class="subject-list">
        <h3>Subjects</h3>
        <div id="subjectDetails">
            <!-- Subjects will be dynamically loaded here -->
        </div>
    </div>
</aside>

<section class="dashboard">
    <div class="card">
        <div class="card-header">
            <span class="card-title">Fees Paid</span>
            <span class="avatar">✓</span>
        </div>
        <div class="card-value" id="feesPaid">$30000</div>
        <div class="card-footer">
            <span class="trend-up">80% paid</span>
            <span class="trend-down">20% due</span>
        </div>
    </div>

    <div class="card">
        <div class="card-header">
            <span class="card-title">Fees Overview</span>
            <span class="avatar">💰</span>
        </div>
        <div class="card-value" id="totalFees">$45000</div>
        <div class="card-footer">
            <span>Total Course Fees</span>
        </div>
    </div>

    <div class="card">
        <div class="card-header">
            <span class="card-title">Semester Percentage</span>
            <span class="avatar">S1</span>
        </div>

```

```

        <div class="card-value" id="semPercentage">78.5%</div>
        <div class="card-footer">
            <span class="trend-up">↑ 2.3%</span>
            <span>from last semester</span>
        </div>
    </div>

    <div class="card">
        <div class="card-header">
            <span class="card-title">Attendance</span>
            <span class="avatar">85%</span>
        </div>
        <div class="card-value" id="attendance">85%</div>
        <div class="card-footer">
            <span class="trend-down">↓ 5%</span>
            <span>from last semester</span>
        </div>
    </div>

    <div class="card">
        <div class="card-header">
            <span class="card-title">Top Subject</span>
            <span class="avatar">A</span>
        </div>
        <div class="card-value" id="topSubject">92%</div>
        <div class="card-footer">
            <span>Advanced Algorithms</span>
        </div>
    </div>

    <div class="card">
        <div class="card-header">
            <span class="card-title">Performance Trend</span>
            <span class="avatar">☑</span>
        </div>
        <div class="chart-container">
            <canvas id="performanceChart"></canvas>
        </div>
    </div>

    <div class="card" style="grid-column: span 2;">
        <div class="card-header">
            <span class="card-title">Subject-wise
Performance</span>
        </div>
        <div class="chart-container">
            <canvas id="subjectChart"></canvas>
        </div>
    </div>

```



```
        </div>
    </section>
</main>
</div>

<script>
    // Sample data for demonstration
    const semesterData = {
        1: {
            percentage: 78.5,
            attendance: 85,
            topSubject: {
                name: "Advanced Algorithms",
                score: 92
            },
            subjects: [
                { name: "Mathematics", score: 82, credits: 4 },
                { name: "Physics", score: 75, credits: 3 },
                { name: "Chemistry", score: 80, credits: 3 },
                { name: "Programming", score: 88, credits: 4 },
                { name: "English", score: 85, credits: 2 },
                { name: "Advanced Algorithms", score: 92, credits: 4 }
            ]
        },
        2: {
            percentage: 81.2,
            attendance: 90,
            topSubject: {
                name: "Data Structures",
                score: 94
            },
            subjects: [
                { name: "Mathematics II", score: 85, credits: 4 },
                { name: "Electronics", score: 78, credits: 3 },
                { name: "Data Structures", score: 94, credits: 4 },
                { name: "Database Systems", score: 88, credits: 3 },
                { name: "Operating Systems", score: 82, credits: 4 },
                { name: "Communication Skills", score: 80, credits: 2 }
            ]
        },
        3: {
            percentage: 82.7,
            attendance: 88,
            topSubject: {
                name: "Machine Learning",
                score: 95
            },
            subjects: [
```

```

        { name: "Discrete Mathematics", score: 87, credits: 4 },
        { name: "Computer Networks", score: 83, credits: 3 },
        { name: "Machine Learning", score: 95, credits: 4 },
        { name: "Software Engineering", score: 89, credits: 3 },
        { name: "Artificial Intelligence", score: 84, credits: 4
    },
    { name: "Business Communications", score: 79, credits: 2 }
]
},
4: {
    percentage: 84.3,
    attendance: 92,
    fees: {
        total: 4500,
        paid: 3600,
        due: 900,
        lastPayment: '2023-11-15'
    },
    topSubject: {
        name: "Cloud Computing",
        score: 96
    },
    subjects: [
        { name: "Advanced Algorithms II", score: 89, credits: 4 },
        { name: "Cloud Computing", score: 96, credits: 4 },
        { name: "Big Data Analytics", score: 87, credits: 3 },
        { name: "Cyber Security", score: 91, credits: 3 },
        { name: "Project Management", score: 85, credits: 4 },
        { name: "Professional Ethics", score: 82, credits: 2 }
    ]
}
};

// Initialize with semester 1
let currentSemester = 1;
let performanceChart;
let subjectChart;

// Initialize charts
function initializeCharts() {
    const ctx1 =
document.getElementById('performanceChart').getContext('2d');
    performanceChart = new Chart(ctx1, {
        type: 'line',
        data: {
            labels: ['Sem 1', 'Sem 2', 'Sem 3', 'Sem 4'],
            datasets: [{
                label: 'Semester Percentage',

```

```

        data: [78.5, 81.2, 82.7, 84.3],
        borderColor: '#4a6bff',
        backgroundColor: 'rgba(74, 107, 255, 0.1)',
        tension: 0.3,
        fill: true
    }
  ],
  options: {
    responsive: true,
    maintainAspectRatio: false,
    plugins: {
      legend: {
        display: false
      }
    },
    scales: {
      y: {
        beginAtZero: false,
        min: 70,
        max: 100
      }
    }
  }
});

const ctx2 =
document.getElementById('subjectChart').getContext('2d');
updateSubjectChart();
}

// Update subject chart based on current semester
function updateSubjectChart() {
  if (subjectChart) {
    subjectChart.destroy();
  }

  const ctx =
document.getElementById('subjectChart').getContext('2d');
  const currentData = semesterData[currentSemester];
  const subjectNames = currentData.subjects.map(sub => sub.name);
  const subjectScores = currentData.subjects.map(sub => sub.score);

  subjectChart = new Chart(ctx, {
    type: 'bar',
    data: {
      labels: subjectNames,
      datasets: [{
        label: 'Subject Scores',

```

```

        data: subjectScores,
        backgroundColor: [
            'rgba(74, 107, 255, 0.7)',
            'rgba(74, 107, 255, 0.6)',
            'rgba(74, 107, 255, 0.5)',
            'rgba(74, 107, 255, 0.4)',
            'rgba(74, 107, 255, 0.3)',
            'rgba(74, 107, 255, 0.2)'
        ],
        borderColor: '#4a6bff',
        borderWidth: 1
    }
}],
},
options: {
    responsive: true,
    maintainAspectRatio: false,
    plugins: {
        legend: {
            display: false
        }
    },
    scales: {
        y: {
            beginAtZero: false,
            min: 70,
            max: 100
        }
    }
}
});
}

// Update subject list in sidebar
function updateSubjectList() {
    const subjectDetails = document.getElementById('subjectDetails');
    subjectDetails.innerHTML = '';

    semesterData[currentSemester].subjects.forEach(subject => {
        const div = document.createElement('div');
        div.className = 'subject-item';
        div.innerHTML = `
            <span class="subject-name">${subject.name}</span>
            <span class="subject-grade">${subject.score}%</span>
        `;
        subjectDetails.appendChild(div);
    });
}

```

```

    // Change semester view
    function updateFeeCards() {
        const feeData = semesterData[currentSemester].fees;
        document.getElementById('totalFees').textContent =
`${feeData.total}`;
        document.getElementById('feesPaid').textContent =
`${feeData.paid}`;
        const paidPercent = Math.round((feeData.paid/feeData.total)*100);
        document.querySelector('#feesPaid + .card-footer
span').textContent = `${paidPercent}% paid`;
    }

    function changeSemester(sem) {
        currentSemester = sem;

        // Update active button
        document.querySelectorAll('.semester-btn').forEach(btn => {
            btn.classList.remove('active');
        });
        document.querySelector(`.semester-btn:nth-
child(${sem})`).classList.add('active');

        // Update semester data
        const semData = semesterData[currentSemester];
        document.getElementById('semPercentage').textContent =
`${semData.percentage}%`;
        document.getElementById('attendance').textContent =
`${semData.attendance}%`;
        document.getElementById('topSubject').textContent =
`${semData.topSubject.score}%`;

        // Update trend indicators
        const trendElements = document.querySelectorAll('.card-footer
span');

        if (currentSemester > 1) {
            const prevSemData = semesterData[currentSemester - 1];
            const percentageDiff = (semData.percentage -
prevSemData.percentage).toFixed(1);
            const attendanceDiff = (semData.attendance -
prevSemData.attendance).toFixed(1);

            trendElements[0].className = percentageDiff >= 0 ? 'trend-up'
: 'trend-down';
            trendElements[0].textContent = `${percentageDiff >= 0 ? '↑' :
'↓'} ${Math.abs(percentageDiff)}%`;

            trendElements[3].className = attendanceDiff >= 0 ? 'trend-up'
: 'trend-down';

```

```

        trendElements[3].textContent = `${attendanceDiff >= 0 ? '↑' :
        '↓'} ${Math.abs(attendanceDiff)}%`;

        trendElements[5].textContent = semData.topSubject.name;
    }

    // Update charts
    updateSubjectChart();
    updateSubjectList();
    updateFeeCards();
}

// Initialize the dashboard
document.addEventListener('DOMContentLoaded', function() {
    initializeCharts();
    updateSubjectList();
});
</script>
</body>
</html>

```

Marks Page:

Marks Page is used to display the student progress in the Semester exams.

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Academic Progress Tracker</title>
    <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
    <style>
        :root {
            --primary: #4a6bff;
            --secondary: #798bff;
            --accent: #ff7e5f;
            --light: #f8f9fa;
            --dark: #212529;
            --success: #28a745;
            --warning: #ffc107;
            --danger: #dc3545;
        }
    
```

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

body {
  background-color: #f5f7ff;
  color: var(--dark);
  line-height: 1.6;
}

.container {
  max-width: 1200px;
  margin: 0 auto;
  padding: 20px;
}

header {
  background: linear-gradient(135deg, var(--primary), var(--secondary));
  color: white;
  padding: 20px 0;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
  margin-bottom: 30px;
  border-radius: 0 0 10px 10px;
}

.header-content {
  display: flex;
  justify-content: space-between;
  align-items: center;
}

.logo {
  font-size: 24px;
  font-weight: bold;
}

.profile {
  display: flex;
  align-items: center;
  gap: 10px;
}

.profile-img {
  width: 40px;
```

```
        height: 40px;
        border-radius: 50%;
        object-fit: cover;
    }

    main {
        display: grid;
        grid-template-columns: 300px 1fr;
        gap: 20px;
    }

    .sidebar {
        background: white;
        border-radius: 10px;
        padding: 20px;
        box-shadow: 0 4px 12px rgba(0, 0, 0, 0.05);
    }

    .dashboard {
        display: grid;
        grid-template-columns: repeat(auto-fill, minmax(300px, 1fr));
        gap: 20px;
    }

    .card {
        background: white;
        border-radius: 10px;
        padding: 20px;
        box-shadow: 0 4px 12px rgba(0, 0, 0, 0.05);
        transition: transform 0.3s ease;
    }

    .card:hover {
        transform: translateY(-5px);
    }

    .card-header {
        display: flex;
        justify-content: space-between;
        align-items: center;
        margin-bottom: 15px;
    }

    .card-title {
        font-size: 18px;
        font-weight: 600;
    }
```



```
.card-value {
  font-size: 36px;
  font-weight: 700;
  margin-bottom: 10px;
}

.card-footer {
  display: flex;
  align-items: center;
  gap: 5px;
  font-size: 14px;
}

.trend-up {
  color: var(--success);
}

.trend-down {
  color: var(--danger);
}

.chart-container {
  height: 300px;
  margin-top: 20px;
}

.semester-selector {
  margin-bottom: 20px;
}

.semester-btn {
  background: var(--light);
  border: none;
  padding: 8px 15px;
  margin-right: 10px;
  border-radius: 20px;
  cursor: pointer;
  transition: all 0.3s ease;
}

.semester-btn.active {
  background: var(--primary);
  color: white;
}

.subject-list {
  margin-top: 20px;
}
```

```
.subject-item {
  display: flex;
  justify-content: space-between;
  padding: 10px 0;
  border-bottom: 1px solid #eee;
}

.subject-name {
  font-weight: 500;
}

.subject-grade {
  font-weight: 600;
  color: var(--primary);
}

.progress-container {
  margin-top: 30px;
}

.progress-bar {
  height: 10px;
  background: #eee;
  border-radius: 5px;
  margin-top: 5px;
  overflow: hidden;
}

.progress-fill {
  height: 100%;
  background: var(--primary);
  border-radius: 5px;
}

.avatar {
  width: 30px;
  height: 30px;
  border-radius: 50%;
  background-color: var(--primary);
  color: white;
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: bold;
}

@media (max-width: 768px) {
```

```

        main {
            grid-template-columns: 1fr;
        }

        .dashboard {
            grid-template-columns: 1fr;
        }
    }
</style>
</head>
<body>
    <header>
        <div class="container">
            <div class="header-content">
                <div class="logo">AcademicTrack</div>
                <div class="profile">
                    <span>Welcome, Student</span>
                    
                </div>
            </div>
        </div>
    </header>

    <div class="container">
        <main>
            <aside class="sidebar">
                <h2>Academic Overview</h2>
                <div class="progress-container">
                    <div style="display: flex; justify-content: space-
between;">
                        <span>Overall CGPA</span>
                        <span>3.45/4.0</span>
                    </div>
                    <div class="progress-bar">
                        <div class="progress-fill" style="width:
86.25%;"></div>
                    </div>
                </div>

                <div class="semester-selector">
                    <h3 style="margin-bottom: 10px;">Semesters</h3>
                    <div>
                        <button class="semester-btn active"
onclick="changeSemester(1)">Sem 1</button>
                        <button class="semester-btn"
onclick="changeSemester(2)">Sem 2</button>

```

```

        <button class="semester-btn"
onclick="changeSemester(3)">Sem 3</button>
        <button class="semester-btn"
onclick="changeSemester(4)">Sem 4</button>
    </div>
</div>

    <div class="subject-list">
        <h3>Subjects</h3>
        <div id="subjectDetails">
            <!-- Subjects will be dynamically loaded here -->
        </div>
    </div>
</aside>

<section class="dashboard">
    <div class="card">
        <div class="card-header">
            <span class="card-title">Semester Percentage</span>
            <span class="avatar">S1</span>
        </div>
        <div class="card-value" id="semPercentage">78.5%</div>
        <div class="card-footer">
            <span class="trend-up">↑ 2.3%</span>
            <span>from last semester</span>
        </div>
    </div>

    <div class="card">
        <div class="card-header">
            <span class="card-title">Attendance</span>
            <span class="avatar">85%</span>
        </div>
        <div class="card-value" id="attendance">85%</div>
        <div class="card-footer">
            <span class="trend-down">↓ 5%</span>
            <span>from last semester</span>
        </div>
    </div>

    <div class="card">
        <div class="card-header">
            <span class="card-title">Top Subject</span>
            <span class="avatar">A</span>
        </div>
        <div class="card-value" id="topSubject">92%</div>
        <div class="card-footer">
            <span>Advanced Algorithms</span>

```

```

        </div>
    </div>

    <div class="card">
        <div class="card-header">
            <span class="card-title">Performance Trend</span>
            <span class="avatar">☑</span>
        </div>
        <div class="chart-container">
            <canvas id="performanceChart"></canvas>
        </div>
    </div>

    <div class="card" style="grid-column: span 2;">
        <div class="card-header">
            <span class="card-title">Subject-wise
Performance</span>
        </div>
        <div class="chart-container">
            <canvas id="subjectChart"></canvas>
        </div>
    </div>
</section>
</main>
</div>

<script>
    // Sample data for demonstration
    const semesterData = {
        1: {
            percentage: 78.5,
            attendance: 85,
            topSubject: {
                name: "Advanced Algorithms",
                score: 92
            },
            subjects: [
                { name: "Mathematics", score: 82, credits: 4 },
                { name: "Physics", score: 75, credits: 3 },
                { name: "Chemistry", score: 80, credits: 3 },
                { name: "Programming", score: 88, credits: 4 },
                { name: "English", score: 85, credits: 2 },
                { name: "Advanced Algorithms", score: 92, credits: 4 }
            ]
        },
        2: {
            percentage: 81.2,
            attendance: 90,

```

```

        topSubject: {
            name: "Data Structures",
            score: 94
        },
        subjects: [
            { name: "Mathematics II", score: 85, credits: 4 },
            { name: "Electronics", score: 78, credits: 3 },
            { name: "Data Structures", score: 94, credits: 4 },
            { name: "Database Systems", score: 88, credits: 3 },
            { name: "Operating Systems", score: 82, credits: 4 },
            { name: "Communication Skills", score: 80, credits: 2 }
        ]
    },
    3: {
        percentage: 82.7,
        attendance: 88,
        topSubject: {
            name: "Machine Learning",
            score: 95
        },
        subjects: [
            { name: "Discrete Mathematics", score: 87, credits: 4 },
            { name: "Computer Networks", score: 83, credits: 3 },
            { name: "Machine Learning", score: 95, credits: 4 },
            { name: "Software Engineering", score: 89, credits: 3 },
            { name: "Artificial Intelligence", score: 84, credits: 4 },
            { name: "Business Communications", score: 79, credits: 2 }
        ]
    },
    4: {
        percentage: 84.3,
        attendance: 92,
        topSubject: {
            name: "Cloud Computing",
            score: 96
        },
        subjects: [
            { name: "Advanced Algorithms II", score: 89, credits: 4 },
            { name: "Cloud Computing", score: 96, credits: 4 },
            { name: "Big Data Analytics", score: 87, credits: 3 },
            { name: "Cyber Security", score: 91, credits: 3 },
            { name: "Project Management", score: 85, credits: 4 },
            { name: "Professional Ethics", score: 82, credits: 2 }
        ]
    }
}
};

```

```

// Initialize with semester 1
let currentSemester = 1;
let performanceChart;
let subjectChart;

// Initialize charts
function initializeCharts() {
    const ctx1 =
document.getElementById('performanceChart').getContext('2d');
    performanceChart = new Chart(ctx1, {
        type: 'line',
        data: {
            labels: ['Sem 1', 'Sem 2', 'Sem 3', 'Sem 4'],
            datasets: [{
                label: 'Semester Percentage',
                data: [78.5, 81.2, 82.7, 84.3],
                borderColor: '#4a6bff',
                backgroundColor: 'rgba(74, 107, 255, 0.1)',
                tension: 0.3,
                fill: true
            }]
        },
        options: {
            responsive: true,
            maintainAspectRatio: false,
            plugins: {
                legend: {
                    display: false
                }
            },
            scales: {
                y: {
                    beginAtZero: false,
                    min: 70,
                    max: 100
                }
            }
        }
    });

    const ctx2 =
document.getElementById('subjectChart').getContext('2d');
    updateSubjectChart();
}

// Update subject chart based on current semester
function updateSubjectChart() {
    if (subjectChart) {

```

```

        subjectChart.destroy();
    }

    const ctx =
document.getElementById('subjectChart').getContext('2d');
    const currentData = semesterData[currentSemester];
    const subjectNames = currentData.subjects.map(sub => sub.name);
    const subjectScores = currentData.subjects.map(sub => sub.score);

    subjectChart = new Chart(ctx, {
        type: 'bar',
        data: {
            labels: subjectNames,
            datasets: [{
                label: 'Subject Scores',
                data: subjectScores,
                backgroundColor: [
                    'rgba(74, 107, 255, 0.7)',
                    'rgba(74, 107, 255, 0.6)',
                    'rgba(74, 107, 255, 0.5)',
                    'rgba(74, 107, 255, 0.4)',
                    'rgba(74, 107, 255, 0.3)',
                    'rgba(74, 107, 255, 0.2)'
                ],
                borderColor: '#4a6bff',
                borderWidth: 1
            }]
        },
        options: {
            responsive: true,
            maintainAspectRatio: false,
            plugins: {
                legend: {
                    display: false
                }
            },
            scales: {
                y: {
                    beginAtZero: false,
                    min: 70,
                    max: 100
                }
            }
        }
    });
}

// Update subject list in sidebar

```



```

function updateSubjectList() {
    const subjectDetails = document.getElementById('subjectDetails');
    subjectDetails.innerHTML = '';

    semesterData[currentSemester].subjects.forEach(subject => {
        const div = document.createElement('div');
        div.className = 'subject-item';
        div.innerHTML = `
            <span class="subject-name">${subject.name}</span>
            <span class="subject-grade">${subject.score}%</span>
        `;
        subjectDetails.appendChild(div);
    });
}

// Change semester view
function changeSemester(sem) {
    currentSemester = sem;

    // Update active button
    document.querySelectorAll('.semester-btn').forEach(btn => {
        btn.classList.remove('active');
    });
    document.querySelector(`.semester-btn:nth-child(${sem})`).classList.add('active');

    // Update semester data
    const semData = semesterData[currentSemester];
    document.getElementById('semPercentage').textContent =
`${semData.percentage}%`;
    document.getElementById('attendance').textContent =
`${semData.attendance}%`;
    document.getElementById('topSubject').textContent =
`${semData.topSubject.score}%`;

    // Update trend indicators
    const trendElements = document.querySelectorAll('.card-footer
span');

    if (currentSemester > 1) {
        const prevSemData = semesterData[currentSemester - 1];
        const percentageDiff = (semData.percentage -
prevSemData.percentage).toFixed(1);
        const attendanceDiff = (semData.attendance -
prevSemData.attendance).toFixed(1);

        trendElements[0].className = percentageDiff >= 0 ? 'trend-up'
: 'trend-down';
    }
}

```

```

        trendElements[0].textContent = `${percentageDiff >= 0 ? '↑' :
'↓'} ${Math.abs(percentageDiff)}%`;

        trendElements[3].className = attendanceDiff >= 0 ? 'trend-up'
: 'trend-down';
        trendElements[3].textContent = `${attendanceDiff >= 0 ? '↑' :
'↓'} ${Math.abs(attendanceDiff)}%`;

        trendElements[5].textContent = semData.topSubject.name;
    }

    // Update charts
    updateSubjectChart();
    updateSubjectList();
}

// Initialize the dashboard
document.addEventListener('DOMContentLoaded', function() {
    initializeCharts();
    updateSubjectList();
});
</script>
</body>
</html>

```

Attendance Page:

For the student attendance in the semester,

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>College Management</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
    <style>
        :root {
            --primary: #4361ee;
            --secondary: #3a0ca3;

```

```
--accent: #f72585;
--light: #f8f9fa;
--dark: #212529;
}

body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background-color: #f5f7fa;
}

.auth-container {
  max-width: 500px;
  margin: 0 auto;
  padding: 2rem;
  background: white;
  border-radius: 10px;
  box-shadow: 0 4px 20px rgba(0, 0, 0, 0.1);
  margin-top: 5rem;
}

.nav-tabs .nav-link.active {
  color: var(--primary);
  border-bottom: 3px solid var(--primary);
  font-weight: 600;
}

.dashboard-card {
  transition: all 0.3s ease;
  border-radius: 10px;
  overflow: hidden;
  border: none;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.08);
}

.dashboard-card:hover {
  transform: translateY(-5px);
  box-shadow: 0 10px 20px rgba(0, 0, 0, 0.15);
}

.table-responsive {
  border-radius: 10px;
  overflow: hidden;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.08);
}

.form-control:focus {
  border-color: var(--primary);
  box-shadow: 0 0 0 0.25rem rgba(67, 97, 238, 0.25);
}
```

```
}

.btn-primary {
  background-color: var(--primary);
  border-color: var(--primary);
}

.btn-primary:hover {
  background-color: var(--secondary);
  border-color: var(--secondary);
}

.sidebar {
  background: white;
  min-height: 100vh;
  box-shadow: 4px 0 10px rgba(0, 0, 0, 0.08);
}

.sidebar .nav-link {
  color: var(--dark);
  border-radius: 5px;
  margin: 0.2rem 0;
}

.sidebar .nav-link.active {
  background-color: rgba(67, 97, 238, 0.1);
  color: var(--primary);
  font-weight: 600;
}

.sidebar .nav-link:hover:not(.active) {
  background-color: rgba(0, 0, 0, 0.05);
}

.sidebar .nav-link i {
  margin-right: 10px;
  width: 20px;
  text-align: center;
}

.page-content {
  padding: 2rem;
  background-color: #f8f9fa;
  min-height: 100vh;
}

.card-icon {
  font-size: 2rem;
```

```
        margin-bottom: 1rem;
    }

    .student-photo {
        width: 100px;
        height: 100px;
        object-fit: cover;
        border-radius: 50%;
        border: 3px solid white;
        box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
    }

    .progress {
        height: 10px;
    }

    .search-box {
        position: relative;
    }

    .search-box i {
        position: absolute;
        top: 12px;
        left: 15px;
        color: #6c757d;
    }

    .search-box input {
        padding-left: 40px;
    }

    @media (max-width: 768px) {
        .sidebar {
            position: fixed;
            z-index: 1000;
            width: 250px;
            transform: translateX(-100%);
            transition: transform 0.3s ease;
        }

        .sidebar.show {
            transform: translateX(0);
        }

        .overlay {
            position: fixed;
            top: 0;
            left: 0;
        }
    }
}
```

```

        right: 0;
        bottom: 0;
        background-color: rgba(0, 0, 0, 0.5);
        z-index: 999;
        display: none;
    }

    .overlay.show {
        display: block;
    }
}
</style>
</head>
<body>
    <!-- Attendance Content -->
    <div id="attendance-content" class="section-content"
style="display: none;">
        <div class="card mb-4">
            <div class="card-header bg-white">
                <h5 class="mb-0">Attendance Management</h5>
            </div>
            <div class="card-body">
                <div class="row mb-4">
                    <div class="col-md-4">
                        <div class="search-box">
                            <i class="fas fa-search"></i>
                            <input type="text" class="form-
control" id="attendanceSearch" placeholder="Search by name or ID...">
                        </div>
                    </div>
                    <div class="col-md-3">
                        <select class="form-select"
id="attendanceCourseFilter">
                            <option value="">All Courses</option>
                            <option>B.Sc Computer Science</option>
                            <option>B.Com</option>
                            <option>B.A English</option>
                            <option>M.Sc Physics</option>
                        </select>
                    </div>
                    <div class="col-md-3">
                        <select class="form-select"
id="attendanceMonthFilter">
                            <option value="">All Months</option>
                            <option>January</option>
                            <option>February</option>
                            <option>March</option>
                            <option>April</option>
                        </select>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

                <option>May</option>
                <option>June</option>
            </select>
        </div>
        <div class="col-md-2">
            <button class="btn btn-primary w-100"
id="markAttendanceBtn">
                <i class="fas fa-calendar-plus me-
1"></i> Mark

            </button>
        </div>
    </div>

    <div class="table-responsive">
        <table class="table table-hover">
            <thead>
                <tr>
                    <th>Student</th>
                    <th>Course</th>
                    <th>Month</th>
                    <th>Working Days</th>
                    <th>Present</th>
                    <th>Absent</th>
                    <th>Percentage</th>
                    <th>Status</th>
                    <th>Actions</th>
                </tr>
            </thead>
            <tbody id="attendanceTableBody">
                <tr>
                    <td>
                        
                        Rahul Sharma
                    </td>
                    <td>B.Sc Computer Science</td>
                    <td>June 2023</td>
                    <td>22</td>
                    <td>20</td>
                    <td>2</td>
                    <td>90.9%</td>
                    <td><span class="badge bg-
success">Good</span></td>
                    <td>
                        <button class="btn btn-sm btn-
outline-primary me-1">
                            <i class="fas fa-eye"></i>
                        </button>

```

```

<button class="btn btn-sm btn-
outline-success">
        <i class="fas fa-
edit"></i>
        </button>
    </td>
</tr>
<tr>
    <td>
        
        Priya Patel
    </td>
    <td>B.Com</td>
    <td>June 2023</td>
    <td>22</td>
    <td>18</td>
    <td>4</td>
    <td>81.8%</td>
    <td><span class="badge bg-
primary">Average</span></td>
    <td>
        <button class="btn btn-sm btn-
outline-primary me-1">
            <i class="fas fa-eye"></i>
        </button>
        <button class="btn btn-sm btn-
outline-success">
            <i class="fas fa-
edit"></i>
        </button>
    </td>
</tr>
<tr>
    <td>
        
        Amit Kumar
    </td>
    <td>B.A English</td>
    <td>June 2023</td>
    <td>22</td>
    <td>15</td>
    <td>7</td>
    <td>68.2%</td>
    <td><span class="badge bg-
warning">Low</span></td>
    <td>

```



```

<button class="btn btn-sm btn-
outline-primary me-1">
    <i class="fas fa-eye"></i>
</button>
<button class="btn btn-sm btn-
outline-success">
    <i class="fas fa-
edit"></i>
</button>
</td>
</tr>
<tr>
<td>

Neha Gupta
</td>
<td>M.Sc Physics</td>
<td>June 2023</td>
<td>22</td>
<td>22</td>
<td>0</td>
<td>100%</td>
<td><span class="badge bg-
success">Excellent</span></td>
<td>
<button class="btn btn-sm btn-
outline-primary me-1">
    <i class="fas fa-eye"></i>
</button>
<button class="btn btn-sm btn-
outline-success">
    <i class="fas fa-
edit"></i>
</button>
</td>
</tr>
</tbody>
</table>
</div>

<div class="row mt-4">
<div class="col-md-6">
<div class="card">
<div class="card-header bg-white">
<h6 class="mb-0">Attendance
Overview</h6>
</div>

```

```

                                <div class="card-body">
                                    <canvas
id="attendanceOverviewChart" height="200"></canvas>
                                </div>
                            </div>
                        </div>
                    <div class="col-md-6">
                        <div class="card">
                            <div class="card-header bg-white">
                                <h6 class="mb-0">Attendance by
Course</h6>
                                </div>
                                <div class="card-body">
                                    <canvas
id="attendanceByCourseChart" height="200"></canvas>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</body>
</html>

```