Marwadi University

Faculty of Computer Applications

Enrolment No:	**92500566013**		
Student Name:	**Shaikriyana**		
Subject	**DBMS-ii**	**Academic Year**	**2025-2026**
Subject Code	**05DS0204**	**Subject Type**	**Central Level**

Index

Sr. no	**Details**	**Submission Date**
1	Write a PL/SQL block to accept student name from a user if it isexist display his/her result from RESULT table otherwise display appropriate message using exception handling.	25-03-26
2	Write a PL/SQL block that explains the use of ZERO_DIVIDEexception.	25-03-26
3	Write a PL/SQL block to accept employee name from a user if it is exist display his/her basic salary otherwise display appropriate message using exception handling.	25-03-26
4	Write a PL/SQL block to display the salary of that employee whose age is 45 year otherwise display appropriate message using exception handling.	25-03-26
5	Write a PL/SQL block using a cursor to insert the records of employee in EMP_BACKUP table for given department number,also raise a user defined exception NO_DEPT_EXIST when no records are found for entered DEPT_NO. (Use User Defined Exception)	25-03-26

Marwadi University

Faculty of Computer Applications

Definition 1:

Write a PL/SQL block to accept student name from a user if it isexist display his/her result from RESULT table otherwise display appropriate message using exception handling.

```
CREATE TABLE RESULT (
   name VARCHAR2(50),
   marks NUMBER
);

INSERT INTO RESULT VALUES ('John', 85);
INSERT INTO RESULT VALUES ('Sai', 90);

COMMIT;

DECLARE
   v_name VARCHAR2(50);
   v_result RESULT.MARKS%TYPE;
BEGIN
   v_name := 'John';

   SELECT marks INTO v_result
   FROM RESULT
   WHERE name = v_name;

   DBMS_OUTPUT.PUT_LINE('Result: ' || v_result);

EXCEPTION
   WHEN NO_DATA_FOUND THEN
      DBMS_OUTPUT.PUT_LINE('Student not found.');
END;
/
```

Definition 2:

Write a PL/SQL block that explains the use of ZERO_DIVIDEException.

```
SET SERVEROUTPUT ON;

DECLARE
   num1 NUMBER := 10;
   num2 NUMBER := 0;
   result NUMBER;
BEGIN
   -- Attempt division
   result := num1 / num2;

   -- This line will not execute if error occurs
   DBMS_OUTPUT.PUT_LINE('Result is: ' || result);

EXCEPTION
   WHEN ZERO_DIVIDE THEN
      DBMS_OUTPUT.PUT_LINE('Error: Cannot divide by zero.');
END;
/
```

Marwadi University

Faculty of Computer Applications

Definition 3:

Write a PL/SQL block to accept employee name from a user if it is exist display his/her basic salary otherwise display appropriate message using exception handling.

```
SET SERVEROUTPUT ON;


CREATE TABLE EMP (
   ENAME  VARCHAR2(50),
   SAL    NUMBER
);


INSERT INTO EMP VALUES ('John', 25000);
INSERT INTO EMP VALUES ('Sai', 30000);
INSERT INTO EMP VALUES ('Neethu', 35000);

COMMIT;


DECLARE
   v_name   VARCHAR2(50);
   v_salary NUMBER;
BEGIN
   -- Give employee name here
   v_name := 'Neethu';


   SELECT SAL
   INTO v_salary
   FROM EMP
   WHERE ENAME = v_name;

   DBMS_OUTPUT.PUT_LINE('Salary of ' || v_name || ' is: ' || v_salary);

EXCEPTION
   WHEN NO_DATA_FOUND THEN
      DBMS_OUTPUT.PUT_LINE('Employee not found.');
END;
/
```

Definition 4:

Write a PL/SQL block to display the salary of that employee whose age is 45 year otherwise display appropriate message using exception handling

```
SET SERVEROUTPUT ON;

CREATE TABLE EMP (
   ENAME  VARCHAR2(50),
   SAL    NUMBER,
   AGE    NUMBER
);

INSERT INTO EMP VALUES ('John', 25000, 45);
INSERT INTO EMP VALUES ('Sai', 30000, 30);
INSERT INTO EMP VALUES ('Neethu', 35000, 40);
INSERT INTO EMP VALUES ('Varma', 28000, 50);

COMMIT;

DECLARE
   v_salary NUMBER;
BEGIN
   SELECT SAL
   INTO v_salary
   FROM EMP
   WHERE AGE = 45;

   DBMS_OUTPUT.PUT_LINE('Salary of employee whose age is 45 is: ' || v_salary);

EXCEPTION
   WHEN NO_DATA_FOUND THEN
      DBMS_OUTPUT.PUT_LINE('No employee found with age 45.');
   WHEN TOO_MANY_ROWS THEN
      DBMS_OUTPUT.PUT_LINE('More than one employee found with age 45.');
END;
/
```

Definition 5:

Write a PL/SQL block using a cursor to insert the records of employee in EMP_BACKUP table for given department number,also raise a user defined exception NO_DEPT_EXIST when no records are found for entered DEPT_NO. (Use User Defined Exception)

```
SET SERVEROUTPUT ON;

CREATE TABLE EMP (
   ENAME  VARCHAR2(50),
   SAL    NUMBER,
   DEPTNO NUMBER
);

INSERT INTO EMP VALUES ('John', 25000, 10);
INSERT INTO EMP VALUES ('Sai', 30000, 20);
INSERT INTO EMP VALUES ('Neethu', 35000, 10);
INSERT INTO EMP VALUES ('Varma', 28000, 30);

CREATE TABLE EMP_BACKUP (
   ENAME  VARCHAR2(50),
   SAL    NUMBER,
   DEPTNO NUMBER
);

COMMIT;

DECLARE
   CURSOR emp_cursor IS
      SELECT ENAME, SAL, DEPTNO
      FROM EMP
      WHERE DEPTNO = 10;

   v_ename  EMP.ENAME%TYPE;
   v_sal    EMP.SAL%TYPE;
   v_deptno EMP.DEPTNO%TYPE;

   no_data EXCEPTION;
   count_rec NUMBER := 0;

BEGIN
   OPEN emp_cursor;

   LOOP
      FETCH emp_cursor INTO v_ename, v_sal, v_deptno;
      EXIT WHEN emp_cursor%NOTFOUND;

      INSERT INTO EMP_BACKUP VALUES (v_ename, v_sal, v_deptno);
      count_rec := count_rec + 1;
   END LOOP;

   CLOSE emp_cursor;

   IF count_rec = 0 THEN
      RAISE no_data;
   ELSE
      DBMS_OUTPUT.PUT_LINE('Records inserted successfully.');
   END IF;

EXCEPTION
   WHEN no_data THEN
      DBMS_OUTPUT.PUT_LINE('No records found for given department.');
END;
/
```