

# AI Appointment Booking Voice Agent

Assessment Submission – Supporting Configuration & Test Document

|                            |                                                                |
|----------------------------|----------------------------------------------------------------|
| <b>Project</b>             | AI Appointment Booking Voice Agent                             |
| <b>Platform</b>            | Retell AI / Voice AI Agent                                     |
| <b>Use Case</b>            | Clinic appointment booking                                     |
| <b>Core Flows</b>          | Booking, unavailable-slot handling, rescheduling, cancellation |
| <b>Supporting Evidence</b> | Configuration screenshots and simulated test flow              |

This supporting document summarizes the configured appointment voice-agent workflow, required function tools, test scenarios, and the testing limitation encountered with the unavailable-slot branch.

## 1. Assessment Objective

Build a complete appointment-booking voice agent that collects customer details, checks availability before confirming a booking, creates appointments, supports rescheduling and cancellation, sends confirmation notifications, and closes calls professionally.

## 2. Customer Information Collected

- Full customer name
- Phone number
- Requested service
- Preferred appointment date
- Preferred appointment time
- Confirmation code for rescheduling or cancellation

## 3. Booking Workflow

| Step | Workflow action                                                         |
|------|-------------------------------------------------------------------------|
| 1    | Greet caller and ask whether they want to book, reschedule, or cancel.  |
| 2    | Collect name, phone, service, date, and time.                           |
| 3    | Call <code>check_availability</code> before confirming any appointment. |
| 4    | If available, ask the caller to confirm the requested slot.             |
| 5    | Call <code>book_appointment</code> after confirmation.                  |
| 6    | Read back the confirmation code.                                        |
| 7    | Call <code>send_confirmation</code> after successful completion.        |
| 8    | Use the professional closing statement and terminate the call.          |

## 4. Required Function Tools

| Tool                                | Purpose                                                    | Inputs                                |
|-------------------------------------|------------------------------------------------------------|---------------------------------------|
| <code>check_availability</code>     | Check requested slot and return availability/alternatives. | date, time, service                   |
| <code>book_appointment</code>       | Create appointment and return confirmation code.           | name, phone, service, date, time      |
| <code>reschedule_appointment</code> | Move an existing booking to a new slot.                    | confirmation_code, new_date, new_time |
| <code>cancel_appointment</code>     | Locate and cancel an existing booking.                     | confirmation_code                     |
| <code>send_confirmation</code>      | Send SMS/email confirmation after a completed action.      | phone, confirmation_code              |

## 5. System Prompt / Agent Behavior

You are a friendly scheduling assistant for Acme Clinic. Greet the caller, ask if they want to book, reschedule, or cancel, then collect full name, phone number, service needed, and preferred date/time. Always check availability before confirming a booking. If the requested time is unavailable, offer the two nearest open slots. For rescheduling or cancellation, ask for the existing confirmation code before calling the relevant tool. After any successful booking, rescheduling, or cancellation, send a confirmation and tell the caller that it has been sent. Close the call professionally after the requested action is completed.

## 6. Unavailable-Slot Handling

When `check_availability` returns `available = false`, the agent must not confirm or book the requested time. It should explain that the slot is unavailable and offer the two nearest alternative slots returned by the availability tool. After the caller selects an alternative, continue with the booking flow.

### Example mock response:

```
{"available": false, "alt_slots": ["2026-09-01T14:00", "2026-09-01T16:30"]}
```

## 7. Rescheduling Test

Caller: "I need to move APT-4821 to Friday at 2pm."

Expected: use the confirmation code, call `reschedule_appointment`, confirm the result, send confirmation, and close professionally.

## 8. Cancellation Test

Caller: "Cancel APT-4821."

Expected: call `cancel_appointment` using the confirmation code, confirm cancellation, send confirmation, and close professionally.

## 9. End-to-End Test Evidence

| Scenario                   | Status                           | Evidence / Notes                                                 |
|----------------------------|----------------------------------|------------------------------------------------------------------|
| Booking – available slot   | Completed                        | Simulated call reached availability check and booking flow.      |
| Booking – unavailable slot | Configured / tool variant needed | Requires <code>available=false</code> with alternative slots.    |
| Rescheduling               | Configured                       | Uses confirmation code and <code>reschedule_appointment</code> . |
| Cancellation               | Configured                       | Uses confirmation code and <code>cancel_appointment</code> .     |
| Confirmation notification  | Configured                       | <code>send_confirmation</code> follows successful action.        |
| Professional call closure  | Configured                       | Closing statement and termination settings included.             |

## 10. Challenge / Limitation

During the simulated test, the availability response followed the available-slot path, so the unavailable-slot branch did not trigger in that run. The unavailable behavior is configured/documented and requires the check\_availability response to return available = false with alternative slots for a complete unavailable-slot demonstration.

## 11. Submission Deliverables Checklist

- Loom/YouTube demo covering greeting, detail collection, availability, booking, reschedule, cancellation, notification, and closure
- Voice-agent configuration screenshots/export
- System prompt / agent behavior configuration
- Function tool definitions
- Calendar integration evidence
- Notification settings evidence
- Call-termination settings evidence
- Supporting PDF document
- Final LMS description/comments

## 12. Assumptions

- The calendar may be real or simulated for assessment testing.
- Mock tool responses may be used to demonstrate availability and appointment actions.
- A confirmation code uniquely identifies an appointment.
- Confirmation notifications are triggered only after the requested action succeeds.

Prepared as a supporting document for LMS submission. Required video and configuration screenshots/exports should be submitted separately where requested.