Cucumber Report

| Start : Jul 08, 12:12:24.775 PM	End : Jul 08, 12:15:08.282 PM	Duration : 2 m 43.507 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	To validate Project in backend API	1	0	1	0	2 m 43.507 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To validate Project in backend API	user is able to create a Project and is able to validate it in backend Api	5	2	1	2	2 m 43.502 s

(F)- To validate Project in backend API

FAILED	DURATION - 2 m 43.507 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 12:12:24.775 PM // 12:15:08.282 PM /		Pass - 0	1	Pass - 2	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- user is able to create a Project and is able to validate it in backend Api

FAILED	DURATION - 2 m 43.502 s	Steps	
/ 12:12:24.780 PM // 12:15:08.282 PM /		Total - 5	
To validate Project in backend API		Pass - 2	5
@Smoke @Reg @PBE-API-Test1 @Positive		Fail - 1	
		Skip - 2	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.400 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.913 s
2	When enter username and password	PASSED	0.289 s
3	And clicks on createProject tab	FAILED	2 m 28.693 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (802, 115) (Session info: chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-55-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.qvhBgm}, goog:chromeOptions: {debuggerAddress: localhost:34159}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 760f5accbf4557bc69d08186779c02f9
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at com.sun.proxy.$Proxy23.click(Unknown Source)		
	at com.steps.createProjectSteps.clicksOnCreateProjectTab(createProjectSteps.java:36)		
	at ?.clicks on createProject tab(file:///home/pihu/dil_automation/src/test/resources/features/projects/ProjectsApiCalls.feature:7)		
	* Not displayable characters are replaced by '?'.		
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	SKIPPED	0.001 s
5	Then user should be able to use "projectName" to validate project on "/projects"	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.083 s
	this is my failure message user_is_able_to_create_a_Project_and_is_able_to_validate_it_in_backend_Api 		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.108 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to create a Project and is able to validate it in backend Api

(F) To validate Project in backend API

Projects

Shailendra Parihar | Menu

Search | + Create Project

< **1** 2 >

NAME ↑↓	STATUS ↑↓	TAG	PROJECT ENGINE ↑↓			
K_FE	∠Draft	K_FE	Spark	▷	▢	🗑
ManeeshProject	∠Draft	----	Spark	▷	▢	🗑
ManeeshTestProj	∠Draft	----	Spark	▷	▢	🗑
MTestProj	∠Draft	----	Spark	▷	▢	🗑
My Project	∠Draft	test	Spark	▷	▢	🗑