



FEATURES SUMMARY




| # | Feature Name  | T  | P | F | S | Duration     |
|---|---|----|---|---|---|--------------|
| 1 | Creation and Field level validation of pipelines              | 3  | 2 | 1 | 0 | 1 m 1.266 s  |
| 2 | Creation of Projects and validation of Project Setting Pop Up | 10 | 9 | 1 | 0 | 3 m 13.724 s |
| 3 | Creation of Sources and Destination                           | 3  | 3 | 0 | 0 | 1 m 8.962 s  |
| 4 | To validate created Project with backend API                  | 1  | 1 | 0 | 0 | 16.932 s     |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name  | Scenario Name  | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | Creation and Field level validation of pipelines              | user is able to validate pipeline listing page when there is no pipeline created | 6 | 5 | 1 | 0 | 19.334 s |
| 2 | Creation and Field level validation of pipelines              | user is able to create pipeline and validate the same in Pipeline Listing page   | 6 | 6 | 0 | 0 | 16.041 s |
| 3 | Creation and Field level validation of pipelines              | user is able to delete pipeline and validate the same in Pipeline Listing page   | 7 | 7 | 0 | 0 | 25.827 s |
| 4 | Creation of Projects and validation of Project Setting Pop Up | user is able to get Create Project Tab on Project Listing page                   | 3 | 3 | 0 | 0 | 15.061 s |
| 5 | Creation of Projects and validation of Project Setting Pop Up | user is able to get Project Setting pop up while selects  Create Project Tab     | 4 | 4 | 0 | 0 | 8.454 s  |
| 6 | Creation of Projects and validation of Project Setting Pop Up | user is able to validate Project Setting PopUp                                   | 4 | 4 | 0 | 0 | 8.088 s  |

SCENARIOS SUMMARY -- 4 --



| #  | Feature Name  | Scenario Name   | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 7  | Creation of Projects and validation of Project Setting Pop Up | user is able to create a Project and is able to validate it in<br>ProjectListing Page | 5 | 5 | 0 | 0 | 18.561 s |
| 8  | Creation of Projects and validation of Project Setting Pop Up | user is able to validate details for project on project listing<br>page               | 4 | 4 | 0 | 0 | 17.837 s |
| 9  | Creation of Projects and validation of Project Setting Pop Up | user is able to Search Project on Project Listing by the use of Search Functionality  | 3 | 3 | 0 | 0 | 7.404 s  |
| 10 | Creation of Projects and validation of Project Setting Pop Up | user is able to validate updated project on Project Listing page                      | 6 | 5 | 1 | 0 | 33.255 s |
| 11 | Creation of Projects and validation of Project Setting Pop Up | user is not able to create Project when left mandatory field blank                    | 5 | 5 | 0 | 0 | 7.390 s  |
| 12 | Creation of Projects and validation of Project Setting Pop Up | user should not be able to validate cancelled project in<br>ProjectListing Page       | 5 | 5 | 0 | 0 | 29.159 s |
| 13 | Creation of Projects and validation of Project Setting Pop Up | user is not able to find deleted project on ProjectListing Page                       | 7 | 7 | 0 | 0 | 48.385 s |




| #  | Feature Name                                 | Scenario Name  | T  | P  | F | S | Duration |
|----|--|--|----|----|---|---|----------|
| 14 | Creation of Sources and Destination          | user is able to create source for NoSchema                                 | 8  | 8  | 0 | 0 | 18.240 s |
| 15 | Creation of Sources and Destination          | user is able to create source for ManualSchema                             | 8  | 8  | 0 | 0 | 18.075 s |
| 16 | Creation of Sources and Destination          | user is able to delete created source                                      | 10 | 10 | 0 | 0 | 32.608 s |
| 17 | To validate created Project with backend API | user is able to create a Project and is able to validate it in backend Api | 7  | 7  | 0 | 0 | 16.931 s |

DETAILED SECTION -- 6 --

# **(F)-** Creation and Field level validation of pipelines

| FAILED           | DURATION - 1 m 1.266 s | Scenarios |   | Steps      |    |
|------------------|------------------------|-----------|---|------------|----|
|                  |                        | Total - 3 |   | Total - 19 |    |
| / 4:23:35.812 Pi | M // 4:24:37.078 PM /  | Pass - 2  | 3 | Pass - 18  | 19 |
|                  |                        | Fail - 1  |   | Fail - 1   |    |
|                  |                        | Skip - 0  |   | Skip - 0   |    |

## (S)- user is able to validate pipeline listing page when there is no pipeline created




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)  | PASSED | 0.540 s  |
|   | Starting the Execution  |        |          |
| 1 | Given user is on DIL login page   | PASSED | 5.220 s  |
| 2 | When enter username and password  | PASSED | 0.386 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.471 s  |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine   | PASSED | 0.488 s  |
| 5 | And switches to "Overview"  | PASSED | 0.457 s  |
| 6 | Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"   | FAILED | 10.609 s |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=" There is no pipelines in this project "]"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.gHpRMQ}, goog:chromeOptions: {debuggerAddress: localhost:40207}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 59cde33e3e704131458384ffb735b46a *** Element info: {Using=xpath, value=//*[text()=" text()=" text()= |        |          |

DETAILED SECTION -- 7 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | There is no pipelines in this project "]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdx.internal.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.RemoteWebDriver.decode(WaschttpResponseCodec.java:49) at org.openqa.selenium.remote.RemoteWebDriver.decode(WaschttpResponseCodec.java:49) at org.openqa.selenium.remote.RemoteWebDriver.decode(WaschttpResponseCodec.java:49) at org.openqa.selenium.remote.RemoteWebDriver.decode(WaschttpResponseCodec.java:49) at org.openqa.selenium.remote.RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:187) at com.pagesPF.PipeLine_ListingPage.validateDetailsOnProjectListingPageWithNORecords(PipeLine_ListingPage.java:64) at com.steps.createPipeLineSteps.pipelineListingPagelsValidatedForAnd(createPipeLineSteps.java:42) at ?.PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"(file:///home/pihu/dil_automation/ src/te |        |          |
|   | AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message  | PASSED | 0.060 s  |
|   | user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created  ### Project to the state of   |        |          |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)Closing the Browser  | PASSED | 0.091 s  |

## (S)- user is able to create pipeline and validate the same in Pipeline Listing page



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)                    | PASSED | 0.143 s  |
|   | Starting the Execution  |        |          |
| 1 | Given user is on DIL login page   | PASSED | 6.415 s  |
| 2 | When enter username and password  | PASSED | 0.345 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.369 s  |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine | PASSED | 0.465 s  |
| 5 | And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"              | PASSED | 6.786 s  |
| 6 | Then PipeLine listing page is validated for created Pipeline                          | PASSED | 0.438 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)                        | PASSED | 0.073 s  |
|   | Closing the Browser   |        |          |

## (S)- user is able to delete pipeline and validate the same in Pipeline Listing page

| PASSED DURATION - 25.827 s                               | 15- | <br> | i |   |   |   |   |   | Steps     |   |
|--|-----|------|---|---|---|---|---|---|-----------|---|
| / 4:24:11.251 PM // 4:24:37.078 PM /                     | 10- | <br> |   |   |   |   |   |   | Total - 7 |   |
| Creation and Field level validation of pipelines         | 5   | <br> |   |   |   |   |   |   | Pass - 7  | 7 |
| @Smoke @Reg @CP-Test3 @CreatePipeLine<br>@Positive @TC17 | 0 - |      |   |   |   |   |   |   | Skip - 0  |   |
| WI OSHIVE WICTI  |     | 1    | 2 | 3 | 4 | 5 | 6 | 7 |           |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 0.112 s  |
|   | Starting the Execution   |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is on DIL login page   | PASSED | 16.296 s |
| 2 | When enter username and password  | PASSED | 0.347 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.412 s  |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine | PASSED | 0.548 s  |
| 5 | And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"              | PASSED | 7.010 s  |
| 6 | When deletes pipeline   | PASSED | 0.002 s  |
| 7 | Then "PipeLIne" should get disappeared  | PASSED | 0.003 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)                        | PASSED | 0.082 s  |
|   | Closing the Browser   |        |          |

# (F)- Creation of Projects and validation of Project Setting Pop Up

| FAILED DURATION                | N - 3 m 13.724 s | Scenarios             |    | Steps                |    |
|--------------------------------|------------------|-----------------------|----|----------------------|----|
| / 4:24:37.119 PM // 4:27:50.84 | 13 PM /          | Total - 10  Pass - 9  | 10 | Total - 46 Pass - 45 | 46 |
|                                |                  | Fail - 1.<br>Skip - 0 |    | Fail - 1<br>Skip - 0 |    |


# (S)- user is able to get Create Project Tab on Project Listing page

| PASSED DURATION - 15.061 s                                       | Steps         |   |
|--|---------------|---|
| / 4:24:37.119 PM // 4:24:52.180 PM /                             | 10- Total - 3 |   |
| Creation of Projects and validation of Project<br>Setting Pop Up | 5 - Pass - 3  | 3 |
| @CreateProject @Smoke @Reg @TC3<br>@Positive @CRP-Test1          | 0 - Skip - 0  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)   | PASSED | 0.157 s  |
|   | Starting the Execution   |        |          |
| 1 | Given user is on DIL login page                                      | PASSED | 12.526 s |
| 2 | When enter username and password                                     | PASSED | 0.406 s  |
| 3 | Then user is able to verify "Create Project" on Project Listing page | PASSED | 1.889 s  |

| # | # | Step / Hook Details  | Status | Duration |
|---|---|--|--------|----------|
|   |   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | PASSED | 0.078 s  |
|   |   | Closing the Browser  |        |          |

# (S)- user is able to get Project Setting pop up while selects Create Project Tab



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 0.145 s  |
|   | Starting the Execution   |        |          |
| 1 | Given user is on DIL login page                                    | PASSED | 6.525 s  |
| 2 | When enter username and password                                   | PASSED | 0.431 s  |
| 3 | And clicks on createProject tab                                    | PASSED | 1.228 s  |
| 4 | Then user is able to get Project Setting PopUp                     | PASSED | 0.050 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)     | PASSED | 0.073 s  |
|   | Closing the Browser  |        |          |

## (S)- user is able to validate Project Setting PopUp

| PASSED DURATION - 8.088 s  | Steps     |   |
|--|-----------|---|
| / 4:25:00.653 PM // 4:25:08.741 PM /                             | Total - 4 |   |
| Creation of Projects and validation of Project<br>Setting Pop Up | Pass - 4  | 4 |
| @CreateProject @Smoke @Reg @CRP-Test3<br>@Positive @TC5          | Skip - 0  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 0.143 s  |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | Starting the Execution   |        |          |
| 1 | Given user is on DIL login page                                | PASSED | 6.023 s  |
| 2 | When enter username and password                               | PASSED | 0.369 s  |
| 3 | And clicks on createProject tab                                | PASSED | 1.245 s  |
| 4 | Then all the fields on Project Setting up page are validated   | PASSED | 0.227 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | PASSED | 0.079 s  |
|   | Closing the Browser  |        |          |

# (S)- user is able to create a Project and is able to validate it in ProjectListing Page

| PASSED DURATION - 18.561 s                                       | 10- Steps      |   |
|--|----------------|---|
| / 4:25:08.758 PM // 4:25:27.319 PM /                             | 8 Total - 5    |   |
| Creation of Projects and validation of Project<br>Setting Pop Up | 6 -   Pass - 5 | 5 |
| @CRP-Test4 @CreateProject @Smoke @Reg<br>@Positive @TC6          | Skip - 0       |   |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)          | PASSED | 0.144 s  |
|   | Starting the Execution  |        |          |
| 1 | Given user is on DIL login page   | PASSED | 5.469 s  |
| 2 | When enter username and password  | PASSED | 0.362 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.237 s  |
| 4 | When creates project with "Auto_Pro", "CreatingPipeLine", "Test" and engine | PASSED | 0.417 s  |
| 5 | Then created "Auto_Pro" with "Test"is validated in project listing page     | PASSED | 10.832 s |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)              | PASSED | 0.092 s  |
|   | Closing the Browser   |        |          |

#### (S)- user is able to validate details for project on project listing page



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)  | PASSED | 0.140 s  |
|   | Starting the Execution  |        |          |
| 1 | Given user is on DIL login page   | PASSED | 5.312 s  |
| 2 | When enter username and password  | PASSED | 0.314 s  |
| 3 | And searches the "Auto-Test" with "CreatingPipeLine", "Test"  | PASSED | 1.377 s  |
| 4 | Then created "Auto-Test"is validated for details like status,tag,projectName,run button,run button,delete button etc. | PASSED | 10.605 s |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)  | PASSED | 0.085 s  |
|   | Closing the Browser   |        |          |


## (S)- user is able to Search Project on Project Listing by the use of Search Functionality



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 0.135 s  |
|   | Starting the Execution   |        |          |
| 1 | Given user is on DIL login page                                    | PASSED | 5.220 s  |
| 2 | When enter username and password                                   | PASSED | 0.415 s  |

|   | # | Step / Hook Details  | Status | Duration |
|---|---|--|--------|----------|
| 3 | 3 | Then searches the "Auto-Pro" with "CreatingPipeLine", "Test"   | PASSED | 1.541 s  |
|   |   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) | PASSED | 0.089 s  |
|   |   | Closing the Browser  |        |          |

## (S)- user is able to validate updated project on Project Listing page



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)  | PASSED | 0.111 s  |
|   | Starting the Execution  |        |          |
| 1 | Given user is on DIL login page   | PASSED | 4.834 s  |
| 2 | When enter username and password  | PASSED | 0.301 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.359 s  |
| 4 | When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine  | PASSED | 0.562 s  |
| 5 | And created "Auto-Pro_Test" with "Test"is validated in project listing page   | PASSED | 10.819 s |
| 6 | Then "TestTag" and "CreatingPipeLine" is updated and validated  | FAILED | 15.147 s |
|   | org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$null\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:264) |        |          |

DETAILED SECTION -- 14 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)  |        |          |
|   | at org.openqa.selenium.json.Json.toJson(Json.java:42)  |        |          |
|   | at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)  |        |          |
|   | at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)  |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)  |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)  |        |          |
|   | at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)   |        |          |
|   | at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)  |        |          |
|   | at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152)  |        |          |
|   | at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42)   |        |          |
|   | at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)  |        |          |
|   | at ?."TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/  |        |          |
|   | CreateProject.feature:69)  |        |          |
|   | Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision:  |        |          |
|   | 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:  |        |          |
|   | '5.8.0-63-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.   |        |          |
|   | close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.   |        |          |
|   | AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.   |        |          |
|   | AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.   |        |          |
|   | execute(DriverCommandExecutor.java:192) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  |        |          |
|   | at org.openga.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openga.selenium.interactions.   |        |          |
|   | Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.   |        |          |
|   | managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152) at com.pagesPF.Project_BuilderPage.   |        |          |
|   | editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42) at com.steps.createProjectSteps.   |        |          |
|   | andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  |        |          |
|   | Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.jnvoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.  |        |          |
|   | internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.  |        |          |
|   | invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition. execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)                |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.initionivation.java:49) at io.   |        |          |
|   | cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:45)  |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.  |        |          |
|   | java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.   |        |          |
|   | runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.  |        |          |
|   | ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.  |        |          |
|   | runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at   |        |          |
|   | org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at  |        |          |
|   | io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.  |        |          |
|   | runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.   |        |          |
|   | junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.   |        |          |
|   | java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:295) at io.cucumber.junit.cucumber\$Runcucumber.evaluate(Cucumber.java:295) at org.junit.runners.ParentRunner.run(ParentRunner.java:296) at org.junit.runners.ParentRunner.run(ParentRunner. |        |          |
|   | java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4ldeaTestRunner.   |        |          |


| # | Step / Hook Details  |    | Status | Duration |
|---|--|----|--------|----------|
|   | startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater. startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) | at |        |          |
|   | com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException   | at |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  |    |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  |    |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  |    |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:566)  |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)   |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155)  |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)  |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.lambda\$null\$21(JsonOutput.java:168)   |    |        |          |
|   | at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608)   |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168)  |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)  |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177)   |    |        |          |
|   | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)  |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176)  |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)  |    |        |          |
|   | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)  |    |        |          |
|   | at org.openqa.selenium.json.Json.toJson(Json.java:42)  |    |        |          |
|   | at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)  |    |        |          |
|   | at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)  |    |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)  |    |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)   |    |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  |    |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)  |    |        |          |
|   | at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)   |    |        |          |
|   | at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)  |    |        |          |
|   | at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152)  |    |        |          |
|   | at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42)   |    |        |          |
|   | at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)  |    |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  |    |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  |    |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  |    |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:566)  |    |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:27)  |    |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)   |    |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  |    |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)  |    |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:49)  |    |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)  |    |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:51)  |    |        |          |

|   | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| T | at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)   |        |          |
|   | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)  |        |          |
|   | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)  |        |          |
|   | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)  |        |          |
|   | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)   |        |          |
|   | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)   |        |          |
|   | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  |        |          |
|   | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)   |        |          |
|   | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  |        |          |
|   | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  |        |          |
|   | at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  |        |          |
|   | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)   |        |          |
|   | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)  |        |          |
|   | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)   |        |          |
|   | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)   |        |          |
|   | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  |        |          |
|   | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)   |        |          |
|   | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  |        |          |
|   | at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219)  |        |          |
|   | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  |        |          |
|   | at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  |        |          |
|   | at org.junit.runner.JUnitCore.run(JUnitCore.java:137)   |        |          |
|   | at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)   |        |          |
|   | at com.intellij.rt.junit.ldeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)   |        |          |
|   | at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)   |        |          |
|   | at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)  |        |          |
|   | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:   |        |          |
|   | "method":"xpath","selector":"//*[@id="app"]//scale-icon-action-edit"} (Session info: headless chrome=90.0.4430.212) For documentation on  |        |          |
|   | his error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358',  |        |          |
|   | ime: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:  |        |          |
|   | 5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, prowserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/ |        |          |
|   | com.google.Chrome.naiHEd}, goog:chromeOptions: {debuggerAddress: localhost:34133}, javascriptEnabled: true, networkConnectionEnabled:   |        |          |
|   | alse, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false,  |        |          |
|   | imeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true,   |        |          |
| V | vebauthn:virtualAuthenticators: true} Session ID: be1bdbe811d363b63ff2b492ca1162f0 *** Element info: {Using=xpath,  |        |          |
| ١ | /alue=//*[@id="app"]//scale-icon-action-edit}   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  |        |          |
|   | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  |        |          |
|   | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)   |        |          |

DETAILED SECTION -- 17 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)  this is my failure message user_is_able_to_validate_updated_project_on_Project_Listing_page  ### Project Title  There is represent to page to the page to th | PASSED | 0.048 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)Closing the Browser  | PASSED | 0.070 s  |

## (S)- user is not able to create Project when left mandatory field blank



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 0.134 s  |
|   | Starting the Execution   |        |          |
| 1 | Given user is on DIL login page                                    | PASSED | 5.044 s  |
| 2 | When enter username and password                                   | PASSED | 0.377 s  |
| 3 | And clicks on createProject tab                                    | PASSED | 1.252 s  |
| 4 | When creates project with "Auto-DemoProject","","Test" and engine  | PASSED | 0.477 s  |
| 5 | Then submit button is displaying disable                           | PASSED | 0.015 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)     | PASSED | 0.090 s  |
|   | Closing the Browser  |        |          |


## (S)- user should not be able to validate cancelled project in ProjectListing Page

| PASSED DURATION - 29.159 s                                       |       | Steps             |
|--|-------|-------------------|
| / 4:26:33.283 PM // 4:27:02.442 PM /                             |       | Total - 5         |
| Creation of Projects and validation of Project<br>Setting Pop Up |       | Pass - 5 Fail - 0 |
| @CreateProject @Smoke @Reg @CRP-Test9<br>@TC11 @Negative         | 1 2 3 | Skip - 0          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) | PASSED | 0.161 s  |
|   | Starting the Execution   |        |          |
| 1 | Given user is on DIL login page                                    | PASSED | 11.433 s |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 2 | When enter username and password  | PASSED | 0.411 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.374 s  |
| 4 | When enters "Auto-DemoProject","CreatingPipeLine","Test" and select engine and Cancel | PASSED | 0.506 s  |
| 5 | Then cancelled "Auto-DemoProject"is not validated in project listing page             | PASSED | 15.177 s |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)                        | PASSED | 0.092 s  |
|   | Closing the Browser   |        |          |

# (S)- user is not able to find deleted project on ProjectListing Page




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)                      | PASSED | 0.168 s  |
|   | Starting the Execution  |        |          |
| 1 | Given user is on DIL login page   | PASSED | 9.272 s  |
| 2 | When enter username and password  | PASSED | 0.403 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.461 s  |
| 4 | When creates project with "Auto-DemoTestProject", "CreatingPipeLine", "Test" and engine | PASSED | 0.422 s  |
| 5 | Then created "Auto-DemoTestProject" with "Test"is validated in project listing page     | PASSED | 10.909 s |
| 6 | When deletes the project  | PASSED | 10.430 s |
| 7 | Then deleted "Auto-DemoTestProject" disappear from Project Listing Page                 | PASSED | 15.236 s |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)                          | PASSED | 0.078 s  |
|   | Closing the Browser   |        |          |

DETAILED SECTION -- 20 --

## **(F)- Creation of Sources and Destination**


| PASSED           | DURATION - 1 m 8.962 s | Scenarios |   | Steps      |    |
|------------------|------------------------|-----------|---|------------|----|
|                  |                        | Total - 3 |   | Total - 26 |    |
| / 4:27:50.876 PN | 1 // 4:28:59.838 PM /  | Pass - 3  | 3 | Pass - 26  | 26 |
|                  |                        | Fail - 0  |   | Fail - 0   |    |
|                  |                        | Skip - 0  |   | Skip - 0   |    |

## (S)- user is able to create source for NoSchema




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)  | PASSED | 0.107 s  |
|   | Starting the Execution  |        |          |
| 1 | Given user is on DIL login page   | PASSED | 6.699 s  |
| 2 | When enter username and password  | PASSED | 0.353 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.277 s  |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine   | PASSED | 0.515 s  |
| 5 | And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"  | PASSED | 0.843 s  |
| 6 | And clicks on "Add a Source"  | PASSED | 1.050 s  |
| 7 | When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "No Schema", " <schemavalue>"</schemavalue> | PASSED | 6.776 s  |
| 8 | Then Source should get created with "DemoSource"  | PASSED | 0.540 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)  | PASSED | 0.075 s  |
|   | Closing the Browser   |        |          |

#### (S)- user is able to create source for ManualSchema



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)  | PASSED | 0.110 s  |
|   | Starting the Execution  |        |          |
| 1 | Given user is on DIL login page   | PASSED | 5.857 s  |
| 2 | When enter username and password  | PASSED | 0.427 s  |
| 3 | And clicks on createProject tab   | PASSED | 1.503 s  |
| 4 | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine                             | PASSED | 0.436 s  |
| 5 | And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"  | PASSED | 0.832 s  |
| 6 | And clicks on "Add a Source"  | PASSED | 1.023 s  |
| 7 | When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "Manual Schema", "H_JSON" | PASSED | 7.194 s  |
| 8 | Then Source should get created with "DemoSource"  | PASSED | 0.594 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)  | PASSED | 0.093 s  |
|   | Closing the Browser   |        |          |

#### (S)- user is able to delete created source




DETAILED SECTION -- 22 --

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)  | PASSED | 0.136 s  |
|    | Starting the Execution  |        |          |
| 1  | Given user is on DIL login page   | PASSED | 5.299 s  |
| 2  | When enter username and password  | PASSED | 0.364 s  |
| 3  | And clicks on createProject tab   | PASSED | 1.278 s  |
| 4  | When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine   | PASSED | 0.397 s  |
| 5  | And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"  | PASSED | 0.987 s  |
| 6  | And clicks on "Add a Source"  | PASSED | 1.065 s  |
| 7  | When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "No Schema", " <schemavalue>"</schemavalue> | PASSED | 6.811 s  |
| 8  | Then Source should get created with "DemoSource"  | PASSED | 0.541 s  |
| 9  | And click on "Delete Source" to delete  | PASSED | 5.612 s  |
| 10 | Then source "DemoSource" should get deleted   | PASSED | 10.016 s |
|    | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)  | PASSED | 0.097 s  |
|    | Closing the Browser   |        |          |

# (F)- To validate created Project with backend API

| PASSED           | DURATION - 16.932 s | Scenarios |   | Steps     |   |
|------------------|---------------------|-----------|---|-----------|---|
|                  |                     | Total - 1 |   | Total - 7 |   |
| / 4:28:59.868 PM | // 4:29:16.800 PM / | Pass - 1  | 1 | Pass - 7  | 7 |
|                  |                     | Fail - 0  |   | Fail - 0  |   |
|                  |                     | Skip - 0  |   | Skip - 0  |   |

# (S)- user is able to create a Project and is able to validate it in backend Api



DETAILED SECTION -- 23 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | DRE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)  |        | 0.132 s  |
|   | Starting the Execution   |        |          |
| 1 | Given user is on DIL login page  | PASSED | 10.923 s |
| 2 | When enter username and password   | PASSED | 0.384 s  |
| 3 | And clicks on createProject tab  | PASSED | 1.968 s  |
| 4 | When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine  | PASSED | 0.418 s  |
| 5 | When authenticated for backend api with "dil-ui", "ovrzCm54Zu+q2SuJlhaOnA==","Lp4,mLd:", "parihars" and "/authservice/login" | PASSED | 1.836 s  |
| 6 | And fetches the response with "tokenDetails" to get "access_token"   | PASSED | 0.239 s  |
| 7 | Then user should be able to use "projectName" to validate project on "/projects"   | PASSED | 0.957 s  |
|   | AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)   | PASSED | 0.070 s  |
|   | Closing the Browser  |        |          |

EXPANDED SECTION -- 24 --

