



FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	Creation and Field level validation of pipelines	5	4	1	0	1 m 45.819 s
2	Creation of Projects and validation of Project Setting Pop Up	10	9	1	0	2 m 44.730 s
3	Creation of Sources and Destination	7	6	1	0	2 m 54.445 s
4	Creation of a End to End scenarios	4	4	0	0	3 m 13.144 s
5	To validate created Project with backend API	1	1	0	0	9.623 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Creation and Field level validation of pipelines	user is able to validate pipeline listing page when there is no pipeline created	6	5	1	0	19.003 s
2	Creation and Field level validation of pipelines	user is able validate pipeline properties	6	6	0	0	14.540 s
3	Creation and Field level validation of pipelines	user is able to create pipeline and validate the same in Pipeline Listing page	6	6	0	0	23.725 s
4	Creation and Field level validation of pipelines	user is able to delete pipeline and validate the same in Pipeline Listing page	7	7	0	0	23.211 s
5	Creation and Field level validation of pipelines	user is able to edit the pipeline and validate the same	7	7	0	0	25.269 s
6	Creation of Projects and validation of Project Setting Pop Up	user is able to get Create Project Tab on Project Listing page	3	3	0	0	6.587 s

SCENARIOS SUMMARY -- 4 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	Creation of Projects and validation of Project Setting Pop Up	user is able to get Project Setting pop up while selects Create Project Tab	4	4	0	0	5.125 s
8	Creation of Projects and validation of Project Setting Pop Up	user is able to validate Project Setting PopUp	4	4	0	0	5.240 s
9	Creation of Projects and validation of Project Setting Pop Up	user is able to create a Project and is able to validate it in ProjectListing Page	5	5	0	0	22.018 s
10	Creation of Projects and validation of Project Setting Pop Up	user is able to validate details for project on project listing page	4	4	0	0	16.680 s
11	Creation of Projects and validation of Project Setting Pop Up	user is able to Search Project on Project Listing by the use of Search Functionality	3	3	0	0	6.296 s
12	Creation of Projects and validation of Project Setting Pop Up	user is able to validate updated project on Project Listing page	6	5	1	0	31.804 s
13	Creation of Projects and validation of Project Setting Pop Up	user is not able to create Project when left mandatory field blank	5	5	0	0	6.990 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
14	Creation of Projects and validation of Project Setting Pop Up	user should not be able to validate cancelled project in ProjectListing Page	5	5	0	0	20.858 s
15	Creation of Projects and validation of Project Setting Pop Up	user is not able to find deleted project on ProjectListing Page	7	7	0	0	43.059 s
16	Creation of Sources and Destination	user is able to create file type source for ManualSchema	8	8	0	0	25.607 s
17	Creation of Sources and Destination	user is able to delete created source	10	9	1	0	21.205 s
18	Creation of Sources and Destination	user is able to create Transformation	10	10	0	0	28.890 s
19	Creation of Sources and Destination	user is able to create File System type Destination	10	10	0	0	22.742 s
20	Creation of Sources and Destination	user is able to create Kafka type Destination	10	10	0	0	32.650 s
21	Creation of Sources and Destination	user is able to create Kafka source for Manual Schema	8	8	0	0	21.824 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
22	Creation of Sources and Destination	user is able to create Kafka source for NoSchema	8	8	0	0	21.460 s
23	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem	12	12	0	0	42.679 s
24	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem	12	12	0	0	43.434 s
25	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka	12	12	0	0	52.762 s
26	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka	12	12	0	0	54.235 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27	To validate created Project with	user is able to create a Project and is able to validate it in	7	7	0	0	9.622 s
	backend API	backend Api					

DETAILED SECTION -- 8 --

(F)- Creation and Field level validation of pipelines

FAILED	DURATION - 1 m 45.819 s	Scenarios		Steps	
/0.45.4.4.60	DM // 0.47.00.004.DM /	Total - 5		Total - 32	
/ 3:45:14.462	PM // 3:47:00.281 PM /	Pass - 4	5	Pass - 31	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- user is able to validate pipeline listing page when there is no pipeline created




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.536 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.438 s
2	When enter username and password	PASSED	0.532 s
3	And clicks on createProject tab	PASSED	1.501 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.737 s
5	And switches to "Overview"	PASSED	0.467 s
6	Then PipeLine listing page is validated for ProjectName, Pipeline Tag and "There is no pipelines in this project"	FAILED	10.603 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=" There is no pipelines in this project "]"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-25-generic', java.version: '11.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.XyoRge}, goog:chromeOptions: {debuggerAddress: localhost:45513}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 622fe6ab31a9c751ae127e949ae50f6f *** Element info: {Using=xpath, value=//*[text()=" There is no pipelines in this project "]}		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:195)		
	at com.pagesPF.PipeLIne_ListingPage.validateDetailsOnProjectListingPageWithNORecords(PipeLIne_ListingPage.java:89)		
	at com.steps.createPipeLineSteps.pipelineListingPageIsValidatedForAnd(createPipeLineSteps.java:44)		
	at ?.PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"(file:///home/pihu/dil_automation/		
	src/test/resources/features/projects/CreatePipeLine.feature:15)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.099 s
	this is my failure message		
	user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created		
	The contraction from the contr		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

DETAILED SECTION -- 10 --

(S)- user is able validate pipeline properties



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.048 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.231 s
2	When enter username and password	PASSED	0.381 s
3	And clicks on createProject tab	PASSED	1.318 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.572 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.618 s
6	Then PipeLine properties is validated for "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	1.292 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to create pipeline and validate the same in Pipeline Listing page


PASSED DURATION - 23.725 s	15-							Steps	
/ 3:45:48.048 PM // 3:46:11.773 PM /	10-							Total - 6	
Creation and Field level validation of pipelines	10							Pass - 6	6
@Smoke @Reg @TC3 @CreatePipeLine	5 -			1				Fail - 0	
@Positive @CP-Test2	0 -	1				<u> </u>		Skip - 0	
		1	2	3	4	2	ь		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.042 s
	Starting the Execution		

DETAILED SECTION -- 11 --


#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	3.228 s
2	When enter username and password	PASSED	0.300 s
3	And clicks on createProject tab	PASSED	1.348 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.448 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.788 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.464 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.103 s
	Closing the Browser		

(S)- user is able to delete pipeline and validate the same in Pipeline Listing page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.035 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.260 s
2	When enter username and password	PASSED	0.414 s
3	And clicks on createProject tab	PASSED	1.326 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.509 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.587 s
6	When deletes pipeline	PASSED	0.001 s
7	Then "PipeLIne" should get disappeared	PASSED	0.000 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

(S)- user is able to edit the pipeline and validate the same




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.111 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.339 s
2	When enter username and password	PASSED	0.309 s
3	And clicks on createProject tab	PASSED	1.425 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.448 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.495 s
6	When changes the "BATCH","Edit Pipeline"	PASSED	10.873 s
7	Then PipeLine properties is validated for "ProjectForAutomation","Edit Pipeline","BATCH","k1","v1","s1" and "v2"	PASSED	1.187 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

(F)- Creation of Projects and validation of Project Setting Pop Up




(S)- user is able to get Create Project Tab on Project Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.053 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.426 s
2	When enter username and password	PASSED	0.363 s
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.671 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	Closing the Browser		


(S)- user is able to get Project Setting pop up while selects Create Project Tab



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.216 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.140 s
2	When enter username and password	PASSED	0.287 s
3	And clicks on createProject tab	PASSED	1.368 s


#	Step / Hook Details	Status	Duration
4	Then user is able to get Project Setting PopUp	PASSED	0.038 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user is able to validate Project Setting PopUp




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.219 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.121 s
2	When enter username and password	PASSED	0.306 s
3	And clicks on createProject tab	PASSED	1.300 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.219 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.213 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	8.780 s
2	When enter username and password	PASSED	0.328 s
3	And clicks on createProject tab	PASSED	1.377 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.407 s
5	Then created "Auto_Pro" with "Test"is validated in project listing page	PASSED	10.838 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to validate details for project on project listing page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.049 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.205 s
2	When enter username and password	PASSED	0.353 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.401 s
4	Then created "Auto-Test"is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.571 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.097 s
	Closing the Browser		

(S)- user is able to Search Project on Project Listing by the use of Search Functionality



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.046 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.485 s
2	When enter username and password	PASSED	0.356 s
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.335 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to validate updated project on Project Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.210 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.383 s
2	When enter username and password	PASSED	0.278 s
3	And clicks on createProject tab	PASSED	1.245 s

DETAILED SECTION -- 17 --

#	Step / Hook Details	Status	Duration
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.436 s
5	And created "Auto-Pro_Test" with "Test"is validated in project listing page	PASSED	10.819 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.201 s
_	And created "Auto-Pro_Test" with "Test"is validated in project listing page Then "TestTag" and "CreatingPipeLine" is updated and validated org.openga.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', itime: '2018-11-14708'17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.110-25-generic', java.version: '11.0.11' Driver info: driver version: RemoteWebDriver at org.openga.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openga.selenium.json.JsonOutput.lambda5new\$16(JsonOutput.java:168) at org.openga.selenium.json.JsonOutput.lambda5new\$12(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:68) at org.openga.selenium.json.JsonOutput.lambda5new\$22(JsonOutput.java:168) at org.openga.selenium.json.JsonOutput.lambda5new\$22(JsonOutput.java:168) at org.openga.selenium.json.JsonOutput.lambda5new\$22(JsonOutput.java:177) at com.google.common.collect.SingletontmmutableBiMap.forEach(SingletontmmutableBiMap.java:65) at org.openga.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openga.selenium.json.JsonOutput.write(JsonOutput.java:276) at org.openga.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openga.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openga.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openga.selenium.json.JsonOutput.mate(JsonOutput.java:255) at org.openga.selenium.remote.http.AbstractHittpCommandCodec.encode(AbstractHittpCommandCodec.java:117) at org.openga.selenium.remote.http.AbstractHittpCommandExecutor.java:150) at org.openga.selenium.remote.http.CommandExecutor.execute(PriverCommandExecutor.java:152) at org.openga.selenium.remote.http.CommandExecutor.execute(PriverCommandExecutor.java:159) at org.openga.selenium.remote.RemoteWebDriver.priverCommandExecutor.java:159) at org.		

#	Step / Hook Details	Status	Duration
#	ditProjectDetailsOnProjectBuilder(Project_BuilderPage_java:36) at com.steps.createProjectSteps. andIsUpdatedAndValidated(createProjectSteps_java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.java:62) at java.base/jdk. internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang_reflect.Method. invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:277) at io.cucumber.java.JavaStepDefinition. execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.EpetureRunner.runPickle(Runner.java:67) at io.cucumber.junit.EpetureRunner.runChild(FeatureRunner.java:331) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:331) at org.junit.runners. parentRunners1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.ser.ParentRunner.	Status	Duration
	at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.Json(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)		
	at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:160)		
	at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36)		
	at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:27)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		

DETAILED SECTION -- 20 --

	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//*[@id="app"]//scale-icon-action-edit"} (Session info: chrome=90.0.4430.212) For documentation on this error,		
	please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time:		
	'2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-25-generic',		
	java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.		
	bHhPAG}, goog:chromeOptions: {debuggerAddress: localhost:37995}, javascriptEnabled: true, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false,		
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true,		
	webauthn:virtualAuthenticators: true} Session ID: 1a4c8b3a8fc242493cecea1ccf3da65f *** Element info: {Using=xpath,		
	value=//*[@id="app"]//scale-icon-action-edit}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy23.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204)		
	at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84)		
	* Not displayable characters are replaced by '?'.		
-	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.130 s
	this is my failure message		
	user_is_able_to_validate_updated_project_on_Project_Listing_page		
	The statement larger Annual An		
	160A7Auto-Pro_Test16-07 Imma late un Pourt?la Common la la la la Common la la Common l		
	Thesi in galant Mayaris and Market Ma		
	Novinge Units Print ritin		


#	Step / Hook Details	Status	Duration
AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.098 s
	Closing the Browser		

(S)- user is not able to create Project when left mandatory field blank



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.057 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.527 s
2	When enter username and password	PASSED	0.331 s
3	And clicks on createProject tab	PASSED	1.488 s
4	When creates project with "Auto-DemoProject","","Test" and engine	PASSED	0.497 s
5	Then submit button is displaying disable	PASSED	0.014 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user should not be able to validate cancelled project in ProjectListing Page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.219 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.168 s
2	When enter username and password	PASSED	0.396 s
3	And clicks on createProject tab	PASSED	1.392 s
4	When enters "Auto-DemoProject", "CreatingPipeLine", "Test" and select engine and Cancel	PASSED	0.430 s
5	Then cancelled "Auto-DemoProject"is not validated in project listing page	PASSED	15.172 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	Closing the Browser		


(S)- user is not able to find deleted project on ProjectListing Page

PASSED DURATION - 43.059 s	15-		;		;				Steps	
/ 3:49:01.991 PM // 3:49:45.050 PM /	10-	!	!	!	!				Total - 7	
Creation of Projects and validation of Project Setting Pop Up	5 -	+		- +					Pass - 7 Fail - 0	7
@CreateProject @Smoke @Reg @TC15 @CRP- Test10 @Negative	0 -	<u> </u>	2	3	4	5	6	7	Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.041 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.345 s
2	When enter username and password	PASSED	0.347 s
3	And clicks on createProject tab	PASSED	1.286 s
4	When creates project with "Auto-DemoTestProject", "CreatingPipeLine", "Test" and engine	PASSED	0.431 s
5	Then created "Auto-DemoTestProject" with "Test"is validated in project listing page	PASSED	10.935 s
6	When deletes the project	PASSED	10.382 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.191 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.097 s
	Closing the Browser		

DETAILED SECTION -- 23 --

(F)- Creation of Sources and Destination




(S)- user is able to create file type source for ManualSchema

PASSED DURATION - 25.607 s	8 Steps	
/ 3:49:45.080 PM // 3:50:10.687 PM /	6 - Total - 8	
Creation of Sources and Destination	4	8
@CSource-Test2 @Smoke @Reg @Positive @TC18 @CreateSourceAndDestination	Skip - 0	
	1 2 3 4 5 6 7 8	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.040 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.346 s
2	When enter username and password	PASSED	0.324 s
3	And clicks on createProject tab	PASSED	6.273 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.424 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.759 s
6	And clicks on "Add a Source"	PASSED	0.743 s
7	When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "Manual Schema", "H_JSON"	PASSED	7.022 s
8	Then Source should get created with "DemoSource"	PASSED	0.575 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.096 s
	Closing the Browser		

DETAILED SECTION -- 24 --


(S)- user is able to delete created source



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.059 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.209 s
2	When enter username and password	PASSED	0.366 s
3	And clicks on createProject tab	PASSED	1.331 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.427 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.802 s
6	And clicks on "Add a Source"	PASSED	0.799 s
7	When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "No Schema", " <schemavalue>"</schemavalue>	PASSED	6.784 s
8	Then Source should get created with "DemoSource"	PASSED	0.599 s
9	And click on "Delete Source" to delete	PASSED	0.634 s
10	Then source "DemoSource" should get deleted	FAILED	0.011 s
	java.lang.AssertionError: Record is present at org.junit.Assert.fail(Assert.java:89) at com.pagesPF.Functions_LeanPageObject.validatePresenceOfRecord(Functions_LeanPageObject.java:44) at com.steps.createSourceDestAndTransform.sourceShouldGetDeleted(createSourceDestAndTransform.java:77) at ?.source "DemoSource" should get deleted(file:///home/pihu/dil_automation/src/test/resources/features/projects/ CreateSourceDestAndTransformation.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_able_to_delete_created_source	PASSED	0.105 s

#	Step / Hook Details	Status	Duration
	For Pages Senting Sent		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		


(S)- user is able to create Transformation



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.069 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.144 s
2	When enter username and password	PASSED	0.342 s
3	And clicks on createProject tab	PASSED	1.344 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.490 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.863 s
6	And clicks on "Add a Source"	PASSED	0.781 s
7	When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "Manual Schema", "H_JSON"	PASSED	7.491 s
8	Then Source should get created with "DemoSource"	PASSED	0.567 s
9	When enters "TestTrans","Column","GroupBy","age" and click add	PASSED	7.068 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.645 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.083 s
	Closing the Browser		


DETAILED SECTION -- 26 --

(S)- user is able to create File System type Destination



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.039 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.544 s
2	When enter username and password	PASSED	0.357 s
3	And clicks on createProject tab	PASSED	1.392 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.428 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.785 s
6	And clicks on "Add a Source"	PASSED	0.825 s
7	When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "Manual Schema", "H_JSON"	PASSED	7.201 s
8	Then Source should get created with "DemoSource"	PASSED	0.575 s
9	When enters "DemoDestination", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", "CDR" and click add	PASSED	1.488 s
10	Then Destination with "DemoDestination" should get created	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.099 s
	Closing the Browser		


(S)- user is able to create Kafka type Destination



DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.057 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.308 s
2	When enter username and password	PASSED	0.388 s
3	And clicks on createProject tab	PASSED	1.282 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.494 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.840 s
6	And clicks on "Add a Source"	PASSED	0.782 s
7	When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "Manual Schema", "H_JSON"	PASSED	7.285 s
8	Then Source should get created with "DemoSource"	PASSED	0.513 s
9	When enters "DemoDestination", "KAFKA", "Kafka_plain", "CSV", ".csv", "testkafkacmp" and click add	PASSED	11.618 s
10	Then Destination with "DemoDestination" should get created	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	Closing the Browser		

(S)- user is able to create Kafka source for Manual Schema



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.071 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.369 s
2	When enter username and password	PASSED	0.342 s
3	And clicks on createProject tab	PASSED	1.374 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.479 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.824 s
6	And clicks on "Add a Source"	PASSED	0.778 s

#	Step / Hook Details	Status	Duration
7	When Enters "DemoSourceKafka","KAFKA","Kafka_plain","CDR","Manual","AAA_Automation_DoNotDEI","Earlier","K","v" and	PASSED	7.970 s
	clicks on add		
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.538 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is able to create Kafka source for NoSchema

PASSED DURATION - 21.460 s	8 7									Steps	
/ 3:52:18.065 PM // 3:52:39.525 PM /	6 -									Total - 8	
Creation of Sources and Destination	4 -		!							Pass - 8	8
@Smoke @Reg @TC24 @CSource-Test1	2-				_					Skip - 0	
@Positive @CreateSourceAndDestination		1	2	3	4	5	6	7	8		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.053 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.459 s
2	When enter username and password	PASSED	0.334 s
3	And clicks on createProject tab	PASSED	1.414 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.419 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.755 s
6	And clicks on "Add a Source"	PASSED	0.771 s
7	When Enters "DemoSourceKafka","KAFKA","Kafka_plain","CDR","No_Schema","AAA_Automation_DoNotDEI","Earlier","K","v"	PASSED	7.617 s
	and clicks on add		
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.557 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	Closing the Browser		

DETAILED SECTION -- 29 --

(F)- Creation of a End to End scenarios

PASSED	DURATION - 3 m 13.144 s	Scenarios		Steps	
		Total - 4		Total - 48	
/ 3:52:39.547 F	PM // 3:55:52.691 PM /	Pass - 4	4	Pass - 48	48
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem

PASSED DURATION - 42.679 s	10-												_	Steps		
/ 3:52:39.547 PM // 3:53:22.226 PM /	10					-		_						Total - 12		
Creation of a End to End scenarios	5 -					-		ł		-				Pass - 12	12	
@E2ETest1 @TC25 @Smoke @Reg @E2ETests @Positive	0 -		_	_			_				_			Skip - 0		'
G. 55.6.15		í	2	3	4	5	6	7	8	9	10	11	12			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.044 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.399 s
2	When enter username and password	PASSED	0.354 s
3	And clicks on createProject tab	PASSED	1.253 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.423 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.470 s
6	And clicks on "Add a Source"	PASSED	0.840 s
7	When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "Manual Schema", "H_JSON"	PASSED	7.302 s
8	Then Source should get created with "DemoSource"	PASSED	0.509 s
9	When enters "TestTrans","Column","GroupBy","age" and click add	PASSED	6.926 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.581 s
11	When enters "DemoDestination", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", "CDR" and click add	PASSED	1.739 s
12	Then PipeLine with status "READY" is validated	PASSED	11.751 s


#	#	Step / Hook Details	Status	Duration
		AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.081 s
		Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.051 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.389 s
2	When enter username and password	PASSED	0.443 s
3	And clicks on createProject tab	PASSED	1.388 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.413 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.512 s
6	And clicks on "Add a Source"	PASSED	0.795 s
7	When Enters "DemoSource", "KAFKA", "Kafka_plain", "CDR", "Manual", "AAA_Automation_DoNotDEl", "Earlier", "k1", "v1" and clicks	PASSED	7.832 s
	on add		
8	Then Source should get created with "DemoSource"	PASSED	0.560 s
9	When enters "TestTrans","Column","GroupBy","m_id" and click add	PASSED	7.116 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.538 s
11	When enters "DemoDestination", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", "CDR" and click add	PASSED	1.523 s
12	Then PipeLine with status "READY" is validated	PASSED	11.793 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.056 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.231 s
2	When enter username and password	PASSED	0.492 s
3	And clicks on createProject tab	PASSED	1.320 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.421 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.454 s
6	And clicks on "Add a Source"	PASSED	0.825 s
7	When Enters "DemoSource", "File System", "AUTOMATION_DONOTDELETE", "CSV", ".csv", ", ", "Manual Schema", "H_JSON"	PASSED	7.315 s
8	Then Source should get created with "DemoSource"	PASSED	0.523 s
9	When enters "TestTransFileToKafka","Column","GroupBy","age" and click add	PASSED	6.929 s
10	Then Transformation with "TestTransFileToKafka" should get created	PASSED	0.632 s
11	When enters "DemoDestination","KAFKA","Kafka_plain","CSV" ,".csv","testkafkacmp" and click add	PASSED	11.638 s
12	Then PipeLine with status "READY" is validated	PASSED	11.848 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.060 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.492 s
2	When enter username and password	PASSED	0.315 s
3	And clicks on createProject tab	PASSED	1.534 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.516 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.461 s
6	And clicks on "Add a Source"	PASSED	0.854 s
7	When Enters "DemoSource","KAFKA","Kafka_plain","testkafkacmp","Manual","AAA_Automation_DoNotDEl","Earlier","k1","v1"	PASSED	8.165 s
	and clicks on add		
8	Then Source should get created with "DemoSource"	PASSED	0.512 s
9	When enters "TestTrans","Column","GroupBy","m_id" and click add	PASSED	7.143 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.606 s
11	When enters "DemoDestination", "KAFKA", "Kafka_plain", "CSV", ".csv", "testkafkacmp" and click add	PASSED	11.717 s
12	Then PipeLine with status "READY" is validated	PASSED	11.779 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

DETAILED SECTION -- 33 --

(F)- To validate created Project with backend API


PASSED	DURATION - 9.623 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 3:55:52.698 PN	Л // 3:56:02.321 PM /	Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create a Project and is able to validate it in backend Api

PASSED DURATION - 9.622 s	4 -								Steps	
/ 3:55:52.699 PM // 3:56:02.321 PM /	3 -	 							Total - 7	
To validate created Project with backend API	2 -	 		<u> </u>					Pass - 7	7
@Smoke @Reg @PBE-API-Test1 @Positive @TC29	0 -								Skip - 0	
@ 1023		1	2	3	4	5	6	7		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.075 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.340 s
2	When enter username and password	PASSED	0.358 s
3	And clicks on createProject tab	PASSED	1.272 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.439 s
5	When authenticated for backend api with "dil-ui", "ovrzCm54Zu+q2SuJlhaOnA==","Lp4,mLd:", "parihars" and "/authservice/login"	PASSED	1.910 s
6	And fetches the response with "tokenDetails" to get "access_token"	PASSED	0.188 s
7	Then user should be able to use "projectName" to validate project on "/projects"	PASSED	0.967 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	Closing the Browser		

EXPANDED SECTION -- 34 --



EXPANDED SECTION -- 35 -

