

# Cucumber Report

08-Jul-2021, 6:55:56 PM

**Start : Jul 08, 6:49:22.776 PM**

**End : Jul 08, 6:55:56.049 PM**

**Duration : 6 m 33.273 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 2**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 11**




**FAILED - 1**


**SKIPPED - 0**

**PASSED - 60**


**FAILED - 1**

**SKIPPED - 0**






#	Feature Name	T	P	F	S	Duration
1	Creation and Field level validation of pipelines	2	1	1	0	1 m 20.807 s
2	Creation of Projects and validation of Project Setting Pop Up	9	9	0	0	5 m 0.598 s
3	To validate created Project with backend API	1	1	0	0	11.824 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Creation and Field level validation of pipelines</u>	<u>user is able to validate pipeline listing page when there is no pipeline created</u>	6	5	1	0	41.984 s
2	<u>Creation and Field level validation of pipelines</u>	<u>user is able to create pipeline and validate the same in Pipeline Listing page</u>	6	6	0	0	38.800 s
3	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Create Project Tab on Project Listing page</u>	3	3	0	0	39.190 s
4	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate Project Setting PopUp</u>	4	4	0	0	46.878 s
5	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to create a Project and is able to validate it in ProjectListing Page</u>	5	5	0	0	36.821 s
6	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate details for project on project listing page</u>	4	4	0	0	31.041 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to Search Project on Project Listing by the use of Search Functionality</u>	3	3	0	0	8.876 s
8	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate updated project on Project Listing page</u>	6	6	0	0	40.733 s
9	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to create Project when left mandatory field blank</u>	5	5	0	0	8.254 s
10	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user should not be able to validate cancelled project in ProjectListing Page</u>	5	5	0	0	40.629 s
11	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to find deleted project on ProjectListing Page</u>	7	7	0	0	48.105 s
12	<u>To validate created Project with backend API</u>	<u>user is able to create a Project and is able to validate it in backend Api</u>	7	7	0	0	11.824 s

**(F)- Creation and Field level validation of pipelines**

<b>FAILED</b>	<b>DURATION - 1 m 20.807 s</b>	Scenarios		Steps	
/ 6:49:22.776 PM // 6:50:43.583 PM /		Total - 2		Total - 12	
		Pass - 1		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

**(S)- user is able to validate pipeline listing page when there is no pipeline created**

<div>FAILED</div> <div>DURATION - 41.984 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:49:22.780 PM // 6:50:04.764 PM /</div>				
<div>Creation and Field level validation of pipelines</div>				
<div>@Smoke @Reg @CreatePipeLine @Positive</div>				
<div>@CP-Test1</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.534 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	26.719 s
2	When enter username and password	PASSED	0.331 s
3	And clicks on createProject tab	PASSED	1.343 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.710 s
5	And switches to "Overview"	PASSED	0.430 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this proje"	FAILED	10.677 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=' There is no pipelines in this proje ']} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-55-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.xhrdsn}, goog:chromeOptions: {debuggerAddress: localhost:43943}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94daf8dfac643fd2541c22f6a86d265d *** Element info: {Using=xpath, value=//*[text()=' There is no pipelines in this proje ']}		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:173) at com.pagesPF.PipeLine_ListingPage.validateDetailsOnProjectListingPageWithNORecords(PipeLine_ListingPage.java:59) at com.steps.createPipeLineSteps.pipelineListingPageIsValidatedForAnd(createPipeLineSteps.java:41) at ?.PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this proje"(file:///home/pihu/dil_automation/ src/test/resources/features/projects/CreatePipeLine.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message</p> <p>user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created</p> 	PASSED	0.142 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.084 s

**(S)- user is able to create pipeline and validate the same in Pipeline Listing page**



<b>PASSED</b>	<b>DURATION - 38.800 s</b>		Steps	
/ 6:50:04.783 PM // 6:50:43.583 PM /			Total - 6	
Creation and Field level validation of pipelines			Pass - 6	
@Smoke @Reg @CreatePipeLine @Positive @CP-Test2			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.024 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	28.039 s
2	When enter username and password	PASSED	0.392 s
3	And clicks on createProject tab	PASSED	1.306 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.706 s
5	And creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.789 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.459 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	---Closing the Browser---		

**(F)- Creation of Projects and validation of Project Setting Pop Up**



<b>PASSED</b>	<b>DURATION - 5 m 0.598 s</b>	<b>Scenarios</b> Total - 9 Pass - 9 Fail - 0 Skip - 0		<b>Steps</b> Total - 42 Pass - 42 Fail - 0 Skip - 0	
/ 6:50:43.618 PM // 6:55:44.216 PM /					

**(S)- user is able to get Create Project Tab on Project Listing page**

<div>PASSED</div> <div>DURATION - 39.190 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 6:50:43.618 PM // 6:51:22.808 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @Positive @CRP-Test1</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.016 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	35.916 s
2	When enter username and password	PASSED	0.350 s
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.830 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

**(S)- user is able to validate Project Setting PopUp**



<div>PASSED</div> <div>DURATION - 46.878 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 6:51:22.817 PM // 6:52:09.695 PM /</div>		
<div>Creation of Projects and validation of Project Setting Pop Up</div>		
<div>@CreateProject @Smoke @Reg @CRP-Test3 @Positive</div>		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.023 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	41.915 s
2	When enter username and password	PASSED	0.304 s
3	And clicks on createProject tab	PASSED	3.304 s





#	Step / Hook Details	Status	Duration
4	Then all the fields on Project Setting up page are validated	PASSED	0.242 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.084 s
	---Closing the Browser---		

### (S)- user is able to create a Project and is able to validate it in ProjectListing Page

<b>PASSED</b>	<b>DURATION - 36.821 s</b>		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:52:09.711 PM // 6:52:46.532 PM /				
Creation of Projects and validation of Project Setting Pop Up				
@CRP-Test4 @CreateProject @Smoke @Reg @Positive				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.020 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	22.266 s
2	When enter username and password	PASSED	0.331 s
3	And clicks on createProject tab	PASSED	1.602 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.628 s
5	Then created "Auto_Pro" with "Test" is validated in project listing page	PASSED	10.896 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

### (S)- user is able to validate details for project on project listing page

<b>PASSED</b>	<b>DURATION - 31.041 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:52:46.539 PM // 6:53:17.580 PM /				
Creation of Projects and validation of Project Setting Pop Up				
@CreateProject @Smoke @Reg @CRP-Test5 @Positive				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.037 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	17.622 s
2	When enter username and password	PASSED	0.298 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.316 s
4	Then created "Auto-Test" is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.696 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	---Closing the Browser---		

### (S)- user is able to Search Project on Project Listing by the use of Search Functionality

<div>PASSED</div> <div>DURATION - 8.876 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:53:17.587 PM // 6:53:26.463 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test6 @Positive</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.014 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.173 s
2	When enter username and password	PASSED	0.330 s
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.285 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.071 s
	---Closing the Browser---		

**(S)- user is able to validate updated project on Project Listing page**

<div>PASSED</div> <div>DURATION - 40.733 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 6:53:26.474 PM // 6:54:07.207 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test7 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.029 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.971 s
2	When enter username and password	PASSED	0.298 s
3	And clicks on createProject tab	PASSED	1.187 s
4	When creates project with "Auto-Pro_Test", "CreatingPipeLine", "Test" and engine	PASSED	0.781 s
5	And created "Auto-Pro_Test" with "Test" is validated in project listing page	PASSED	10.827 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	PASSED	21.565 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		



**(S)- user is not able to create Project when left mandatory field blank**

<div>PASSED</div> <div>DURATION - 8.254 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:54:07.216 PM // 6:54:15.470 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test8 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.006 s
	--Starting the Execution--		

#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	4.946 s
2	When enter username and password	PASSED	0.287 s
3	And clicks on createProject tab	PASSED	1.304 s
4	When creates project with "Auto-DemoProject", "", "Test" and engine	PASSED	0.621 s
5	Then submit button is displaying disable	PASSED	0.015 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

### (S)- user should not be able to validate cancelled project in ProjectListing Page

<div>PASSED</div> <div>DURATION - 40.629 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:54:15.476 PM // 6:54:56.105 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test9 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.011 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	21.879 s
2	When enter username and password	PASSED	0.376 s
3	And clicks on createProject tab	PASSED	1.357 s
4	When enters "Auto-DemoProject", "CreatingPipeLine", "Test" and select engine and Cancel	PASSED	0.625 s
5	Then cancelled "Auto-DemoProject" is not validated in project listing page	PASSED	15.289 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.088 s
	---Closing the Browser---		

**(S)- user is not able to find deleted project on ProjectListing Page**



<div><div>PASSED</div><div>DURATION - 48.105 s</div></div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>8.3</td></tr><tr><td>2</td><td>0.3</td></tr><tr><td>3</td><td>1.2</td></tr><tr><td>4</td><td>0.6</td></tr><tr><td>5</td><td>10.8</td></tr><tr><td>6</td><td>10.5</td></tr><tr><td>7</td><td>15.2</td></tr></tbody></table></div>	Step	Duration (s)	1	8.3	2	0.3	3	1.2	4	0.6	5	10.8	6	10.5	7	15.2	<div><div>Steps</div><div>Total - 7</div><div>Pass - 7</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div>7</div></div>
Step		Duration (s)																
1		8.3																
2		0.3																
3	1.2																	
4	0.6																	
5	10.8																	
6	10.5																	
7	15.2																	
<div>/ 6:54:56.111 PM // 6:55:44.216 PM /</div>																		
<div>Creation of Projects and validation of Project Setting Pop Up</div>																		
<div>@CreateProject @Smoke @Reg @CRP-Test10 @Negative</div>																		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.019 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.296 s
2	When enter username and password	PASSED	0.327 s
3	And clicks on createProject tab	PASSED	1.220 s
4	When creates project with "Auto-DemoTestProject","CreatingPipeLine","Test" and engine	PASSED	0.599 s
5	Then created "Auto-DemoTestProject" with "Test" is validated in project listing page	PASSED	10.842 s
6	When deletes the project	PASSED	10.491 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.182 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

**(F)- To validate created Project with backend API**

<div>PASSED</div>	<div>DURATION - 11.824 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>7</div></div>
/ 6:55:44.225 PM // 6:55:56.049 PM /					

**(S)- user is able to create a Project and is able to validate it in backend Api**

<b>PASSED</b>	<b>DURATION - 11.824 s</b>		<b>Steps</b> Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 6:55:44.225 PM // 6:55:56.049 PM /				
To validate created Project with backend API				
@Smoke @Reg @PBE-API-Test1 @Positive				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.025 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.391 s
2	When enter username and password	PASSED	0.455 s
3	And clicks on createProject tab	PASSED	1.325 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.620 s
5	When authenticated for backend api with "dil-ui","ovrzCm54Zu+q2SuJIhaOnA==","Lp4,mLd:","parihars" and "/authservice/login"	PASSED	1.848 s
6	And fetches the response with "tokenDetails" to get "access_token"	PASSED	0.186 s
7	Then user should be able to use "projectName" to validate project on "/projects"	PASSED	0.895 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.  
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate pipeline listing  
page when there is no pipeline created

(F) Creation and Field level validation of  
pipelines

The screenshot displays the 'Data Integration Layer' web application. The header is pink with a logo and the text 'LIFE IS FOR SHARING.' and 'Data Integration Layer'. A 'Logout' link is in the top right. Below the header is a navigation bar with 'Projects', 'Connections', and 'Support'. The main content area shows the project 'cbyeaAutoDIL08-52' with tabs for 'Overview', 'Builder', and 'Team'. The 'Overview' tab is active, showing a 'Pipelines' section with a message: 'There is no pipelines in this project. Go to Builder to create one.' The right sidebar contains project details: 'Project Title' (cbyeaAutoDIL08-52), 'Description\*' (ProjectForAutomation), 'Tags' (Test\_Pipeline), 'Project engine' (Spark), and 'Project actions' (Test run). The user 'Shallendra Parihar' is logged in.