Cucumber Report

| Start : Nov 16, 1:34:56.719 PM	End : Nov 16, 1:53:13.466 PM	Duration : 18 m 16.747 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 2 SKIPPED - 0	PASSED - 28 FAILED - 2 SKIPPED - 0	PASSED - 233 FAILED - 2 SKIPPED - 0

6

30

235

Pass %
66 %

Pass %
93 %

Pass %
99 %

#	Feature Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	2	2	0	0	1 m 6.473 s
2	Creation and Field level validation of pipelines	5	5	0	0	2 m 49.484 s
3	Creation of Projects and validation of Project Setting Pop Up	10	9	1	0	4 m 12.539 s
4	Creation of Sources and Destination	8	7	1	0	4 m 43.778 s
5	Creation of a End to End Execution scenarios	1	1	0	0	1 m 30.937 s
6	Creation of a End to End scenarios	4	4	0	0	3 m 53.412 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	user is able to create Kerberos connection	7	7	0	0	30.213 s
2	User should be able to Create, Validate Connections on Connections Page	user is able to create SSL connection	8	8	0	0	36.234 s
3	Creation and Field level validation of pipelines	user is able to validate pipeline listing page when there is no pipeline created	6	6	0	0	15.697 s
4	Creation and Field level validation of pipelines	user is able validate pipeline properties	6	6	0	0	30.625 s
5	Creation and Field level validation of pipelines	user is able to create pipeline and validate the same in Pipeline Listing page	6	6	0	0	41.768 s
6	Creation and Field level validation of pipelines	user is able to delete pipeline and validate the same in Pipeline Listing page	7	7	0	0	31.843 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
7	Creation and Field level validation of pipelines	user is able to edit the pipeline and validate the same	7	7	0	0	49.501 s
8	Creation of Projects and validation of Project Setting Pop Up	user is able to get Create Project Tab on Project Listing page	3	3	0	0	12.935 s
9	Creation of Projects and validation of Project Setting Pop Up	user is able to get Project Setting pop up while selects Create Project Tab	4	4	0	0	16.777 s
10	Creation of Projects and validation of Project Setting Pop Up	user is able to validate Project Setting PopUp	4	4	0	0	12.359 s
11	Creation of Projects and validation of Project Setting Pop Up	user is able to create a Project and is able to validate it in ProjectListing Page	5	5	0	0	25.128 s
12	Creation of Projects and validation of Project Setting Pop Up	user is able to validate details for project on project listing page	4	4	0	0	33.729 s
13	Creation of Projects and validation of Project Setting Pop Up	user is able to Search Project on Project Listing by the use of Search Functionality	3	3	0	0	13.378 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
14	Creation of Projects and validation of Project Setting Pop Up	user is able to validate updated project on Project Listing page	6	5	1	0	41.516 s
15	Creation of Projects and validation of Project Setting Pop Up	user is not able to create Project when left mandatory field blank	5	5	0	0	12.806 s
16	Creation of Projects and validation of Project Setting Pop Up	user should not be able to validate cancelled project in ProjectListing Page	5	5	0	0	30.872 s
17	Creation of Projects and validation of Project Setting Pop Up	user is not able to find deleted project on ProjectListing Page	7	7	0	0	52.918 s
18	Creation of Sources and Destination	user is able to create file type source for ManualSchema	8	8	0	0	31.208 s
19	Creation of Sources and Destination	user is able to create FileSystem source with No schema	8	8	0	0	28.660 s
20	Creation of Sources and Destination	user is able to delete created source	10	9	1	0	32.457 s
21	Creation of Sources and Destination	user is able to create Transformation	10	10	0	0	44.411 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
22	Creation of Sources and Destination	user is able to create File System type Destination	11	11	0	0	39.956 s
23	Creation of Sources and Destination	user is able to create Kafka type Destination	11	11	0	0	47.114 s
24	Creation of Sources and Destination	user is able to create Kafka source for Manual Schema	8	8	0	0	31.983 s
25	Creation of Sources and Destination	user is able to create Kafka source for NoSchema	8	8	0	0	27.908 s
26	Creation of a End to End Execution scenarios	user is able to run created acquire kafka pipeline and validate same in logs	16	16	0	0	1 m 30.937 s
27	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem	13	13	0	0	49.563 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
28	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem	13	13	0	0	53.635 s
29	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka	13	13	0	0	1 m 7.905 s
30	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka	13	13	0	0	1 m 2.272 s

## (F)- User should be able to Create, Validate Connections on Connections Page

PASSED	DURATION - 1 m 6.473 s	Scenarios		Steps	
/ 1:34:56.719 PM // 1:36:03.192 PM /		Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 15 Pass - 15 Fail - 0 Skip - 0	15

(S)- user is able to create Kerberos connection

PASSED	DURATION - 30.213 s		Steps	
/ 1:34:56.724 PM // 1:35:26.937 PM /			Total - 7	7
User should be able to Create, Validate Connections on Connections Page			Pass - 7	
			Fail - 0	
@Smoke @Reg @CRC-Test1 @CreateConnection @TC30 @Positive			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.759 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	10.648 s
2	When enter username and password	PASSED	0.402 s
3	And navigates to the "Create a connection" tab	PASSED	6.136 s
4	When enters "AutomationKerberos","Creating Connection","KERBEROS",principal and fileType	PASSED	0.934 s
5	Then connection should be tested successfully	PASSED	0.997 s
6	When creates the connection	PASSED	0.137 s
7	Then connection with "AutomationKerberos" should be validated on Connection listing page	PASSED	9.103 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	---Closing the Browser---		

(S)- user is able to create SSL connection

PASSED	DURATION - 36.234 s
/ 1:35:26.958 PM // 1:36:03.192 PM /	
User should be able to Create, Validate Connections on Connections Page	
@Smoke @Reg @CRC-Test2 @TC31 @CreateConnection @Positive	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.136 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.131 s
2	When enter username and password	PASSED	0.336 s
3	And navigates to the "Create a connection" tab	PASSED	6.212 s
4	When enters "AutomationSSL","Creating Connection","SSL"	PASSED	0.672 s
5	And enters "kafka-keystore.jks","kafka-truststore.jks","confluent","confluent","TLS"	PASSED	5.660 s
6	Then connection should be tested successfully	PASSED	1.476 s
7	When creates the connection	PASSED	0.078 s
8	Then connection with "AutomationSSL" should be validated on Connection listing page	PASSED	9.449 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(F)- Creation and Field level validation of pipelines

PASSED	DURATION - 2 m 49.484 s
/ 1:36:03.230 PM // 1:38:52.714 PM /	

Scenarios
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

Steps
Total - 32
Pass - 32
Fail - 0
Skip - 0

32

(S)- user is able to validate pipeline listing page when there is no pipeline created

PASSED	*DURATION - 15.697 s*
/ 1:36:03.231 PM // 1:36:18.928 PM /	
Creation and Field level validation of pipelines	
@Smoke @Reg @TC1 @CreatePipeLine @Positive @CP-Test1	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.127 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	9.505 s
2	When enter username and password	PASSED	0.365 s
3	And clicks on createProject tab	PASSED	2.336 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.594 s
5	And switches to "Overview"	PASSED	1.018 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project."	PASSED	0.666 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	---Closing the Browser---		

(S)- user is able validate pipeline properties

PASSED	*DURATION - 30.625 s*
/ 1:36:18.939 PM // 1:36:49.564 PM /	
Creation and Field level validation of pipelines	
@TC2 @Smoke @Reg @CreatePipeLine @Positive @CP-Test1	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.121 s
	--Starting the Execution--		

#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	18.234 s
2	When enter username and password	PASSED	0.367 s
3	And clicks on createProject tab	PASSED	1.886 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.578 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	7.136 s
6	Then PipeLine properties is validated for "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	1.225 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to create pipeline and validate the same in Pipeline Listing page

| PASSED	DURATION - 41.768 s
/ 1:36:49.576 PM // 1:37:31.344 PM /	
Creation and Field level validation of pipelines	
@Smoke @Reg @TC3 @CreatePipeLine @Positive @CP-Test2	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.131 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	18.812 s
2	When enter username and password	PASSED	0.379 s
3	And clicks on createProject tab	PASSED	2.054 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.563 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	18.010 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.733 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.083 s
	---Closing the Browser---		

(S)- user is able to delete pipeline and validate the same in Pipeline Listing page

PASSED	DURATION - 31.843 s	Steps
/ 1:37:31.359 PM // 1:38:03.202 PM /		Total - 7
Creation and Field level validation of pipelines		Pass - 7
@Smoke @Reg @CP-Test3 @CreatePipeLine @Positive @TC4		Fail - 0
		Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.103 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	9.694 s
2	When enter username and password	PASSED	0.393 s
3	And clicks on createProject tab	PASSED	1.982 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.581 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	18.002 s
6	When deletes pipeline	PASSED	0.000 s
7	Then "PipeLIne" should get disappeared	PASSED	0.000 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	---Closing the Browser---		

(S)- user is able to edit the pipeline and validate the same

PASSED	DURATION - 49.501 s	Steps
/ 1:38:03.213 PM // 1:38:52.714 PM /		Total - 7
Creation and Field level validation of pipelines		Pass - 7
@Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC5		Fail - 0
		Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.099 s

#	Step / Hook Details	Status	Duration
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	26.189 s
2	When enter username and password	PASSED	0.437 s
3	And clicks on createProject tab	PASSED	2.226 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.521 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.844 s
6	When changes the "BATCH","Edit Pipeline"	PASSED	10.841 s
7	Then PipeLine properties is validated for "ProjectForAutomation","Edit Pipeline","BATCH","k1","v1","s1" and "v2"	PASSED	1.260 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(F)- Creation of Projects and validation of Project Setting Pop Up

FAILED	DURATION - 4 m 12.539 s	Scenarios		Steps	
/ 1:38:52.739 PM // 1:43:05.278 PM /		Total - 10		Total - 46	
		Pass - 9	10	Pass - 45	46
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- user is able to get Create Project Tab on Project Listing page

PASSED	DURATION - 12.935 s		Steps	
/ 1:38:52.739 PM // 1:39:05.674 PM /			Total - 3	
Creation of Projects and validation of Project Setting Pop Up			Pass - 3	3
			Fail - 0	
@CreateProject @Smoke @Reg @Positive @TC6 @CRP-Test1			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.111 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	9.103 s
2	When enter username and password	PASSED	0.354 s

#	Step / Hook Details	Status	Duration
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	2.292 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to get Project Setting pop up while selects Create Project Tab

| PASSED	DURATION - 16.777 s
/ 1:39:05.681 PM // 1:39:22.458 PM /
Creation of Projects and validation of Project Setting Pop Up
@CreateProject @Reg @Positive @TC7 @CRP-Test2

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.132 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	13.310 s
2	When enter username and password	PASSED	0.344 s
3	And clicks on createProject tab	PASSED	1.870 s
4	Then user is able to get Project Setting PopUp	PASSED	0.045 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to validate Project Setting PopUp

| PASSED	DURATION - 12.359 s
/ 1:39:22.465 PM // 1:39:34.824 PM /
Creation of Projects and validation of Project Setting Pop Up
@CreateProject @Smoke @Reg @CRP-Test3 @TC8 @Positive

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.144 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.607 s
2	When enter username and password	PASSED	0.383 s
3	And clicks on createProject tab	PASSED	1.916 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.231 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page

| PASSED	DURATION - 25.128 s
/ 1:39:34.852 PM // 1:39:59.980 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CRP-Test4 @CreateProject @Smoke @Reg @TC9 @Positive	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.103 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	10.331 s
2	When enter username and password	PASSED	0.369 s
3	And clicks on createProject tab	PASSED	1.696 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.508 s
5	Then created "Auto_Pro" with "Test"is validated in project listing page	PASSED	11.046 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to validate details for project on project listing page

PASSED	DURATION - 33.729 s
/ 1:39:59.988 PM // 1:40:33.717 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @CRP-Test5 @TC10 @Positive	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.144 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.975 s
2	When enter username and password	PASSED	1.264 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	7.641 s
4	Then created "Auto-Test"is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.626 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

## (S)- user is able to Search Project on Project Listing by the use of Search Functionality

PASSED	DURATION - 13.378 s
/ 1:40:33.725 PM // 1:40:47.103 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @CRP-Test6 @TC11 @Positive	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.327 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	9.360 s
2	When enter username and password	PASSED	0.376 s

#	Step / Hook Details	Status	Duration
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	2.240 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to validate updated project on Project Listing page

FAILED	DURATION - 41.516 s
/ 1:40:47.116 PM // 1:41:28.632 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @CRP-Test7 @TC12 @Positive	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.310 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	10.835 s
2	When enter username and password	PASSED	0.389 s
3	And clicks on createProject tab	PASSED	2.009 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.469 s
5	And created "Auto-Pro_Test" with "Test"is validated in project listing page	PASSED	11.176 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.124 s

	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332)
	    at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:155)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	    at org.openqa.selenium.json.JsonOutput.lambda$null$21(JsonOutput.java:168)
	    at java.base/java.util.LinkedHashMap$LinkedValues.forEach(LinkedHashMap.java:608)
	    at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:168)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	    at org.openqa.selenium.json.JsonOutput.lambda$null$23(JsonOutput.java:177)
	    at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)
	    at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:176)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)		
	at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:181)		
	at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36)		
	at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)		
	at ?."TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:67)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:181) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.		

#	Step / Hook Details	Status	Duration

	startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner$Repeater. startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:566)
	    at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)
	    at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:155)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	    at org.openqa.selenium.json.JsonOutput.lambda$null$21(JsonOutput.java:168)
	    at java.base/java.util.LinkedHashMap$LinkedValues.forEach(LinkedHashMap.java:608)
	    at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:168)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	    at org.openqa.selenium.json.JsonOutput.lambda$null$23(JsonOutput.java:177)
	    at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)
	    at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:176)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)
	    at org.openqa.selenium.json.Json.toJson(Json.java:42)
	    at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)
	    at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)
	    at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)
	    at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)
	    at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:181)
	    at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36)
	    at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:566)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:27)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:49)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="app"]//scale-icon-action-edit"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome. 2LGgrO}, goog:chromeOptions: {debuggerAddress: localhost:40761}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4d08a7f67e7242715643b40087f59149 *** Element info: {Using=xpath, value=//*[@id="app"]//scale-icon-action-edit}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) * Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.104 s
	this is my failure message user_is_able_to_validate_updated_project_on_Project_Listing_page +		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.096 s
	---Closing the Browser---		

(S)- user is not able to create Project when left mandatory field blank

PASSED	DURATION - 12.806 s		Steps	
/ 1:41:28.661 PM // 1:41:41.467 PM /			Total - 5	
Creation of Projects and validation of Project Setting Pop Up			Pass - 5	
@CreateProject @Smoke @Reg @TC13 @CRP-Test8 @Negative			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.335 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.484 s
2	When enter username and password	PASSED	0.435 s
3	And clicks on createProject tab	PASSED	1.978 s
4	When creates project with "Auto-DemoProject","","Test" and engine	PASSED	0.481 s
5	Then submit button is displaying disable	PASSED	0.018 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user should not be able to validate cancelled project in ProjectListing Page

PASSED	DURATION - 30.872 s
/ 1:41:41.478 PM // 1:42:12.350 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@TC14 @CreateProject @Smoke @Reg @CRP-Test9 @Negative	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.331 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.321 s
2	When enter username and password	PASSED	0.419 s
3	And clicks on createProject tab	PASSED	2.021 s
4	When enters "Auto-DemoProject","CreatingPipeLine","Test" and select engine and Cancel	PASSED	0.494 s
5	Then cancelled "Auto-DemoProject"is not validated in project listing page	PASSED	15.208 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is not able to find deleted project on ProjectListing Page

PASSED	DURATION - 52.918 s
/ 1:42:12.360 PM // 1:43:05.278 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @TC15 @CRP-Test10 @Negative	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.096 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.107 s
2	When enter username and password	PASSED	0.337 s
3	And clicks on createProject tab	PASSED	2.200 s
4	When creates project with "Auto-DemoTestProject","CreatingPipeLine","Test" and engine	PASSED	0.485 s
5	Then created "Auto-DemoTestProject" with "Test"is validated in project listing page	PASSED	11.005 s
6	When deletes the project	PASSED	10.404 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.180 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.100 s
	---Closing the Browser---		

(F)- Creation of Sources and Destination

FAILED	DURATION - 4 m 43.778 s
/ 1:43:05.306 PM // 1:47:49.084 PM /	

Scenarios
Total - 8
Pass - 7
Fail - 1
Skip - 0

Steps
Total - 74
Pass - 73
Fail - 1
Skip - 0

(S)- user is able to create file type source for ManualSchema

| PASSED	DURATION - 31.208 s
/ 1:43:05.306 PM // 1:43:36.514 PM /	
Creation of Sources and Destination	
@Smoke @Reg @CSource-Test1 @Positive @TC18 @CreateSourceAndDestination	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.104 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.734 s
2	When enter username and password	PASSED	0.353 s
3	And clicks on createProject tab	PASSED	2.451 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.558 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.933 s
6	And clicks on "Add a Source"	PASSED	0.817 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	7.617 s
8	Then Source should get created with "DemoSource"	PASSED	0.561 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

## (S)- user is able to create FileSystem source with No schema

PASSED	DURATION - 28.660 s
/ 1:43:36.526 PM // 1:44:05.186 PM /	
Creation of Sources and Destination	
@CSource-Test2 @Smoke @Reg @Positive @CreateSourceAndDestination @TC19	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.128 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.649 s
2	When enter username and password	PASSED	0.349 s
3	And clicks on createProject tab	PASSED	2.447 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.563 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.235 s
6	And clicks on "Add a Source"	PASSED	0.796 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","No Schema","<SchemaValue>"	PASSED	7.837 s
8	Then Source should get created with "DemoSource"	PASSED	0.578 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to delete created source

FAILED	DURATION - 32.457 s
/ 1:44:05.195 PM // 1:44:37.652 PM /	
Creation of Sources and Destination	
@Smoke @Reg @CSource-Test3 @TC20 @Positive @CreateSourceAndDestination	

Steps
Total - 10
Pass - 9
Fail - 1
Skip - 0

10

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.099 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.642 s
2	When enter username and password	PASSED	0.378 s
3	And clicks on createProject tab	PASSED	2.884 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.572 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.292 s
6	And clicks on "Add a Source"	PASSED	0.818 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","No Schema","<SchemaValue>"	PASSED	7.366 s
8	Then Source should get created with "DemoSource"	PASSED	0.569 s

#	Step / Hook Details	Status	Duration
9	And click on "Delete Source" to delete	PASSED	0.603 s
10	Then source "DemoSource" should get deleted	FAILED	0.010 s
	java.lang.AssertionError: Record is present at org.junit.Assert.fail(Assert.java:89) at com.pagesPF.Functions_LeanPageObject.validatePresenceOfRecord(Functions_LeanPageObject.java:44) at com.steps.createSourceDestAndTransform.sourceShouldGetDeleted(createSourceDestAndTransform.java:78) at ?.source "DemoSource" should get deleted(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateSourceDestAndTransformation.feature:47) * Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.142 s
	this is my failure message user_is_able_to_delete_created_source +		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to create Transformation

PASSED	DURATION - 44.411 s		Steps	
/ 1:44:37.666 PM // 1:45:22.077 PM /			Total - 10	
Creation of Sources and Destination			Pass - 10	
@Smoke @Reg @CTransformation-Test1 @TC21 @Positive @CreateSourceAndDestination			Fail - 0	10
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.120 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	15.356 s
2	When enter username and password	PASSED	0.388 s
3	And clicks on createProject tab	PASSED	2.170 s

#	Step / Hook Details	Status	Duration
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.521 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.013 s
6	And clicks on "Add a Source"	PASSED	0.795 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	9.616 s
8	Then Source should get created with "DemoSource"	PASSED	0.586 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	7.189 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.575 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to create File System type Destination

PASSED	DURATION - 39.956 s
/ 1:45:22.089 PM // 1:46:02.045 PM /	
Creation of Sources and Destination	
@Smoke @Reg @CDestination-Test1 @TC22 @Positive @CreateSourceAndDestination	

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

11

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.132 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	15.465 s
2	When enter username and password	PASSED	0.394 s
3	And clicks on createProject tab	PASSED	4.094 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.503 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.312 s
6	And clicks on "Add a Source"	PASSED	0.821 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	8.782 s
8	Then Source should get created with "DemoSource"	PASSED	0.598 s
9	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,".csv","CDR"	PASSED	1.699 s
10	And clicks add	PASSED	0.077 s
11	Then Destination with "DemoDestination" should get created	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to create Kafka type Destination

PASSED	DURATION - 47.114 s
/ 1:46:02.059 PM // 1:46:49.173 PM /	
Creation of Sources and Destination	
@Smoke @Reg @CDestination-Test1 @TC23 @Positive @CreateSourceAndDestination	

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

11

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.129 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.801 s
2	When enter username and password	PASSED	2.100 s
3	And clicks on createProject tab	PASSED	2.858 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.506 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.422 s
6	And clicks on "Add a Source"	PASSED	0.816 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	8.795 s
8	Then Source should get created with "DemoSource"	PASSED	0.533 s
9	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV" ,".csv","CDR"	PASSED	11.983 s
10	And clicks add	PASSED	0.067 s
11	Then Destination with "DemoDestination" should get created	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.094 s
	---Closing the Browser---		

## (S)- user is able to create Kafka source for Manual Schema

PASSED	DURATION - 31.983 s		Steps
/ 1:46:49.183 PM // 1:47:21.166 PM /			Total - 8
Creation of Sources and Destination			Pass - 8
@Smoke @Reg @TC24 @CSource-Test1 @Positive @CreateSourceAndDestination			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.122 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	10.855 s
2	When enter username and password	PASSED	0.346 s
3	And clicks on createProject tab	PASSED	2.253 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.523 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.095 s
6	And clicks on "Add a Source"	PASSED	0.759 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","K","v" and clicks on add	PASSED	9.414 s
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.539 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to create Kafka source for NoSchema

PASSED	DURATION - 27.908 s		Steps
/ 1:47:21.176 PM // 1:47:49.084 PM /			Total - 8
Creation of Sources and Destination			Pass - 8
@TC25 @Smoke @Reg @CSource-Test1 @Positive @CreateSourceAndDestination			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.114 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.634 s
2	When enter username and password	PASSED	0.500 s
3	And clicks on createProject tab	PASSED	2.313 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.553 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.193 s
6	And clicks on "Add a Source"	PASSED	0.771 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","No_Schema","AutoManualSchemaDND","Earlier","K","v" and clicks on add	PASSED	8.162 s
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.589 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(F)- Creation of a End to End Execution scenarios

PASSED — DURATION - 1 m 30.937 s
/ 1:47:49.103 PM // 1:49:20.040 PM /

Scenarios: Total - 1, Pass - 1, Fail - 0, Skip - 0
Steps: Total - 16, Pass - 16, Fail - 0, Skip - 0

(S)- user is able to run created acquire kafka pipeline and validate same in logs

PASSED — DURATION - 1 m 30.937 s
/ 1:47:49.103 PM // 1:49:20.040 PM /
Creation of a End to End Execution scenarios
@Smoke @Reg @E2ETests @TC30 @Positive @E2EExecution1

Steps: Total - 16, Pass - 16, Fail - 0, Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.108 s

#	Step / Hook Details	Status	Duration
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	10.910 s
2	When enter username and password	PASSED	0.386 s
3	And clicks on createProject tab	PASSED	2.833 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.541 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING"	PASSED	2.016 s
6	When enters pipeline properties 	PKey	PValue
---	---
serviceType	AcquireKafka
isSchemaNeededToBeRegister	true
area	area
flow	flow
step	step		PASSED	0.842 s
7	And Spark properties 	SKey	SValue
---	---
spark.sql.adaptive.coalescePartitions.enabled	true		PASSED	5.224 s
8	And clicks on "Add a Source"	PASSED	0.798 s
9	When Enters "DemoSource","KAFKA","TMPLKafkaConnection","topic1","No_Schema","AutoManualSchemaDND","Earlier","k1", "v1" and clicks on add	PASSED	8.033 s
10	Then Source should get created with "DemoSource"	PASSED	0.579 s
11	When enters "DemoDestination","KAFKA","TMPLKafkaConnection","CSV" ,".csv","topic2"	PASSED	12.016 s
12	When enters destination keys and value 	DKey	DValue
---	---
trigger	10 seconds
checkpointLocation	/tmp/1099/		PASSED	10.524 s
13	And clicks add	PASSED	0.079 s
14	Then PipeLine with status "READY" is validated	PASSED	12.461 s
15	When executes the pipeline	PASSED	16.032 s
16	Then Pipeline record is validated on logs page	PASSED	6.463 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	---Closing the Browser---		

(F)- Creation of a End to End scenarios

| PASSED	DURATION - 3 m 53.412 s	Scenarios		Steps	
		Total - 4		Total - 52	
/ 1:49:20.054 PM // 1:53:13.466 PM /		Pass - 4	4	Pass - 52	52
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem

PASSED	DURATION - 49.563 s		Steps	
/ 1:49:20.054 PM // 1:50:09.617 PM /			Total - 13	
Creation of a End to End scenarios			Pass - 13	13
@E2ETest1 @Smoke @Reg @TC26 @E2ETests @Positive			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.143 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.934 s
2	When enter username and password	PASSED	0.372 s
3	And clicks on createProject tab	PASSED	2.100 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.508 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	7.133 s
6	And clicks on "Add a Source"	PASSED	0.786 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	8.220 s
8	Then Source should get created with "DemoSource"	PASSED	0.584 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	7.430 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.593 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,".csv","CDR"	PASSED	1.543 s
12	And clicks add	PASSED	0.054 s

#	Step / Hook Details	Status	Duration
13	Then PipeLine with status "READY" is validated	PASSED	12.075 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem

PASSED	DURATION - 53.635 s
/ 1:50:09.629 PM // 1:51:03.264 PM /	
Creation of a End to End scenarios	
@E2ETest1 @Smoke @Reg @TC27 @E2ETests @Positive	

Steps
Total - 13
Pass - 13
Fail - 0
Skip - 0

13

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.117 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.931 s
2	When enter username and password	PASSED	0.376 s
3	And clicks on createProject tab	PASSED	2.162 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.515 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	7.116 s
6	And clicks on "Add a Source"	PASSED	0.771 s
7	When Enters "DemoSource","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add	PASSED	8.950 s
8	Then Source should get created with "DemoSource"	PASSED	0.587 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	8.285 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.570 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,".csv","CDR"	PASSED	1.451 s
12	And clicks add	PASSED	0.065 s
13	Then PipeLine with status "READY" is validated	PASSED	12.650 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka

PASSED	*DURATION - 1 m 7.905 s*	
/ 1:51:03.275 PM // 1:52:11.180 PM /		
Creation of a End to End scenarios		
@E2ETest1 @Smoke @Reg @E2ETests @Positive @TC28		

Steps
Total - 13
Pass - 13
Fail - 0
Skip - 0

13

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.111 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	14.716 s
2	When enter username and password	PASSED	0.350 s
3	And clicks on createProject tab	PASSED	2.072 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.506 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	7.393 s
6	And clicks on "Add a Source"	PASSED	0.775 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	7.760 s
8	Then Source should get created with "DemoSource"	PASSED	0.531 s
9	When enters "TestTransFileToKafka","Column","GroupBy","m_boolean" and click add	PASSED	7.449 s
10	Then Transformation with "TestTransFileToKafka" should get created	PASSED	0.577 s
11	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV" ,".csv","CDR"	PASSED	12.006 s
12	And clicks add	PASSED	0.063 s
13	Then PipeLine with status "READY" is validated	PASSED	12.513 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka

PASSED	*DURATION - 1 m 2.272 s*
/ 1:52:11.194 PM // 1:53:13.466 PM /	
Creation of a End to End scenarios	
@E2ETest1 @Smoke @Reg @E2ETests @Positive @TC29	

Steps

Total - 13

Pass - 13

Fail - 0

Skip - 0

13

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.129 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.997 s
2	When enter username and password	PASSED	0.367 s
3	And clicks on createProject tab	PASSED	2.622 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.554 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.890 s
6	And clicks on "Add a Source"	PASSED	0.821 s
7	When Enters "DemoSource","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","k1","v1" and clicks on add	PASSED	8.263 s
8	Then Source should get created with "DemoSource"	PASSED	0.535 s
9	When enters "TestTrans","Column","GroupBy","m_id" and click add	PASSED	7.398 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.583 s
11	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV" ,".csv","CDR"	PASSED	11.690 s
12	And clicks add	PASSED	0.057 s
13	Then PipeLine with status "READY" is validated	PASSED	12.284 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate updated project on Project Listing page

(F) Creation of Projects and validation of Project Setting Pop Up

T · · · LIFE IS FOR SHARING.   Data Integration Layer   Logout

Projects   Connections   Logs   Support   Shailendra Parihar

4D7r0Auto-Pro_Test16-01

Overview   Builder   Logs   Team

Pipelines

There is no pipelines in this project.
Go to Builder to create one.

Project Title
4D7r0Auto-Pro_Test16-01

Description
CreatingPipeLine

Tags
Test

Project engine
Spark

Project actions

Test run

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to delete created source

(F) Creation of Sources and Destination

T · · · Projects   Connections   Logs   Support

Ia6rPipeLine16-22   Overview   Builder   Logs   Team

Add a Source

Source
DemoSource

Delete Source   ⊗

You are about to delete this Source. This action cannot be undone.

Cancel   Delete

Name
DemoSource

Type.
FILE

Connection.
Auto_Kerb_DND

🗑 Delete Source

Cancel

· · ·   LIFE IS FOR SHARING.   © Deutsche Telekom AG   Contact   Terms and conditions   Imprint   ⓘ Data privacy   V 1.4.0