

# Cucumber Report

22-Nov-2021, 2:09:45 PM

**Start : Nov 22, 2:04:17.355 PM**

**End : Nov 22, 2:09:44.301 PM**

**Duration : 5 m 26.946 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 4**


**FAILED - 2**


**SKIPPED - 0**

**PASSED - 54**


**FAILED - 2**

**SKIPPED - 24**







#	Feature Name	T	P	F	S	Duration
1	User is able to create Delta Source and Destination	6	4	2	0	5 m 26.946 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User is able to create Delta Source and Destination</u>	<u>user is able to create delta source</u>	10	10	0	0	47.451 s
2	<u>User is able to create Delta Source and Destination</u>	<u>user is able to create delta Destination</u>	14	14	0	0	1 m 6.097 s
3	<u>User is able to create Delta Source and Destination</u>	<u>user is able to delete delta source</u>	12	12	0	0	1 m 14.880 s
4	<u>User is able to create Delta Source and Destination</u>	<u>user is able to delete delta Destination</u>	16	1	1	14	22.824 s
5	<u>User is able to create Delta Source and Destination</u>	<u>user is able to update delta source and validate the same at Source properties panel</u>	12	1	1	10	35.749 s
6	<u>User is able to create Delta Source and Destination</u>	<u>user is able to update the destination and validate the same at destinationProperties</u>	16	16	0	0	1 m 19.826 s

**(F)- User is able to create Delta Source and Destination**

<b>FAILED</b>	<b>DURATION - 5 m 26.946 s</b>	Scenarios		Steps	
/ 2:04:17.355 PM // 2:09:44.301 PM /		Total - 6		Total - 80	
		Pass - 4		Pass - 54	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 24	



**(S)- user is able to create delta source**

<div>PASSED</div> <div>DURATION - 47.451 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:04:17.360 PM // 2:05:04.811 PM /</div>				
<div>User is able to create Delta Source and Destination</div>				
<div>@Delta @Smoke @Reg @TC33 @Positive</div> <div>@Delta1</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.642 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	18.346 s
2	When enter username and password	PASSED	2.049 s
3	And clicks on createProject tab	PASSED	9.351 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test" and engine	PASSED	0.575 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation", "Test", "STREAMING"	PASSED	1.258 s
6	When enters pipeline properties	PASSED	1.211 s
	PKey		
	PValue		
	serviceType		
	AcquireFile		
	isReturnable		
	False		
	isSchemaNeededToBeRegister		
	False		
	area		
	area		
	flow		
	flow		
	step		
	step		
7	And Spark properties	PASSED	5.265 s

#	Step / Hook Details		Status	Duration				
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>	SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true			
SKey	SValue							
spark.sql.adaptive.coalescePartitions.enabled	true							
8	And clicks on "Add a Source"		PASSED	0.832 s				
9	When Enters "DemoSource","DELTA","HiveConnection"		PASSED	6.186 s				
10	Then Source should get created with "DemoSource"		PASSED	0.609 s				
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.099 s				
	---Closing the Browser---							



**(S)- user is able to create delta Destination**

<div>PASSED</div> <div>DURATION - 1 m 6.097 s</div>	<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 14</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:05:04.842 PM // 2:06:10.939 PM /</div>			
<div>User is able to create Delta Source and Destination</div>			
<div>@Delta @@Delta2 @Smoke @Reg @TC34</div> <div>@Positive</div>			

#	Step / Hook Details	Status	Duration	
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.101 s	
	--Starting the Execution--			
1	Given user is on DIL login page	PASSED	29.080 s	
2	When enter username and password	PASSED	0.483 s	
3	And clicks on createProject tab	PASSED	1.785 s	
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test" and engine	PASSED	0.506 s	
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation", "Test", "STREAMING"	PASSED	1.175 s	
6	When enters pipeline properties	PASSED	1.059 s	
	PKey			PValue
	serviceType			AcquireFile
	isReturnable			False
	isSchemaNeededToBeRegister			False
	area			area
	flow			flow
	step			step
7	And Spark properties	PASSED	5.233 s	

#	Step / Hook Details		Status	Duration						
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>		SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true				
SKey	SValue									
spark.sql.adaptive.coalescePartitions.enabled	true									
8	And clicks on "Add a Source"		PASSED	0.782 s						
9	When Enters "DemoSource","DELTA","HiveConnection"		PASSED	6.430 s						
10	Then Source should get created with "DemoSource"		PASSED	0.569 s						
11	When enters "DEstinationAutoDelta","DELTA","HiveConnection","Ignore"		PASSED	1.295 s						
12	When enters destination keys and value		PASSED	10.717 s						
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>				DKey	DValue	mode	:	escape	:
DKey	DValue									
mode	:									
escape	:									
13	And clicks add									
14	Then Destination with "DEstinationAutoDelta" should get created									
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.073 s						
	---Closing the Browser---									



**(S)- user is able to delete delta source**

<div>PASSED</div> <div>DURATION - 1 m 14.880 s</div>	<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:06:10.963 PM // 2:07:25.843 PM /</div>			
<div>User is able to create Delta Source and Destination</div>			
<div>@Delta @Smoke @Reg @TC35 @@Delta3 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.109 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	23.773 s
2	When enter username and password	PASSED	0.352 s
3	And clicks on createProject tab	PASSED	3.388 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.533 s
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	16.114 s
6	When enters pipeline properties	PASSED	1.229 s

#	Step / Hook Details		Status	Duration
	PKey	PValue		
	serviceType	AcquireFile		
	isReturnable	False		
	isSchemaNeededToBeRegister	False		
	area	area		
	flow	flow		
	step	step		
7	And Spark properties		PASSED	5.228 s
	SKey	SValue		
	spark.sql.adaptive.coalescePartitions.enabled	true		
8	And clicks on "Add a Source"		PASSED	0.771 s
9	When Enters "DemoSource", "DELTA", "HiveConnection"		PASSED	6.148 s
10	Then Source should get created with "DemoSource"		PASSED	0.566 s
11	And click on "Delete Source" to delete		PASSED	5.563 s
12	Then source "DemoSource" should get deleted		PASSED	10.019 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)		PASSED	0.077 s
	---Closing the Browser---			

**(S)- user is able to delete delta Destination**

<b>FAILED</b>	<b>DURATION - 22.824 s</b>		<b>Steps</b> Total - 16 Pass - 1 Fail - 1 Skip - 14	
/ 2:07:25.859 PM // 2:07:48.683 PM /				
User is able to create Delta Source and Destination				
@Delta @TC36 @Smoke @Reg @Positive @Delta4				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.105 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.497 s
2	When enter username and password	FAILED	10.043 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='User name']/following-sibling::input"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: <a href="https://www.seleniumhq.org">https://www.seleniumhq.org</a> .		

#	Step / Hook Details	Status	Duration														
	<div>org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.N0Z1OM}, goog:chromeOptions: {debuggerAddress: localhost:46747}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 460174d66a2345cbe8f5e9a2de386b9b *** Element info: {Using=xpath, value=//*[@text()='User name']/following-sibling::input}</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</div> <div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</div> <div>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</div> <div>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</div> <div>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</div> <div>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</div> <div>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</div> <div>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</div> <div>at com.sun.proxy.\$Proxy23.sendKeys(Unknown Source)</div> <div>at com.pagesPF.DIL_loginpage.loginToDIL(DIL_loginpage.java:36)</div> <div>at com.steps.commonSteps.enterUsernameAndPassword(commonSteps.java:39)</div> <div>at ?.enter username and password(file:///home/pihu/dil_automation/src/test/resources/features/projects/Delta%20Source%20and%20Destination.feature:94)</div> <div>* Not displayable characters are replaced by '?'. </div>																
3	And clicks on createProject tab	SKIPPED	0.001 s														
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	SKIPPED	0.001 s														
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	SKIPPED	0.000 s														
6	When enters pipeline properties	SKIPPED	0.000 s														
	<table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>	PKey	PValue	serviceType	AcquireFile	isReturnable	False	isSchemaNeededToBeRegister	False	area	area	flow	flow	step	step		
PKey	PValue																
serviceType	AcquireFile																
isReturnable	False																
isSchemaNeededToBeRegister	False																
area	area																
flow	flow																
step	step																



#	Step / Hook Details	Status	Duration						
7	And Spark properties	SKIPPED	0.000 s						
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>			SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true		
	SKey			SValue					
spark.sql.adaptive.coalescePartitions.enabled	true								
8	And clicks on "Add a Source"	SKIPPED	0.001 s						
9	When Enters "DemoSource","DELTA","HiveConnection"	SKIPPED	0.000 s						
10	Then Source should get created with "DemoSource"	SKIPPED	0.000 s						
11	When enters "DestinationDelta","DELTA","HiveConnection","Ignore"	SKIPPED	0.000 s						
12	When enters destination keys and value	SKIPPED	0.001 s						
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>			DKey	DValue	mode	:	escape	:
	DKey			DValue					
	mode			:					
escape	:								
13	And clicks add	SKIPPED	0.000 s						
14	Then Destination with "DestinationDelta" should get created	SKIPPED	0.000 s						
15	And click on "Delete Destination" to delete	SKIPPED	0.001 s						
16	Then destination "DestinationDelta" should get deleted	SKIPPED	0.000 s						
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.082 s						
	this is my failure message user_is_able_to_delete_delta_Destination								
	<div></div>								
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s						
	---Closing the Browser---								

### (S)- user is able to update delta source and validate the same at Source properties panel

<b>FAILED</b>	<b>DURATION - 35.749 s</b>		<b>Steps</b> Total - 12 Pass - 1 Fail - 1 Skip - 10	
/ 2:07:48.709 PM // 2:08:24.458 PM /				
User is able to create Delta Source and Destination				
@Delta @Smoke @Reg @Delta5 @TC37 @Positive				

#	Step / Hook Details	Status	Duration		
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.118 s		
	--Starting the Execution--				
1	Given user is on DIL login page	PASSED	24.412 s		
2	When enter username and password	FAILED	10.020 s		
	<div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@text()='User name']/following-sibling::input"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.Vklr2u), goog:chromeOptions: {debuggerAddress: localhost:40949}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ac54afcd5bf1483ceb95458cbdc6c06c *** Element info: {Using=xpath, value=//*[@text()='User name']/following-sibling::input}</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.sendKeys(Unknown Source) at com.pagesPF.DIL_loginpage.loginToDIL(DIL_loginpage.java:36) at com.steps.commonSteps.enterUsernameAndPassword(commonSteps.java:39) at ?.enter username and password(file:///home/pihu/dil_automation/src/test/resources/features/projects/Delta%20Source%20and%20Destination.feature:128) * Not displayable characters are replaced by '?'. </div>				
3	And clicks on createProject tab	SKIPPED	0.001 s		
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	SKIPPED	0.001 s		
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	SKIPPED	0.001 s		
6	When enters pipeline properties	SKIPPED	0.002 s		
	<table><tr><td>PKey</td><td>PValue</td></tr></table>	PKey	PValue		
PKey	PValue				



#	Step / Hook Details	Status	Duration														
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.142 s														
	--Starting the Execution--																
1	Given user is on DIL login page	PASSED	25.213 s														
2	When enter username and password	PASSED	0.411 s														
3	And clicks on createProject tab	PASSED	1.683 s														
4	When creates project with "AutoDIL","ProjectForAutomation","Test" and engine	PASSED	0.479 s														
5	And creates a "AutoDemoPipeline" with "ProjectForAutomation","Test","STREAMING"	PASSED	1.184 s														
6	When enters pipeline properties	PASSED	1.131 s														
	<table><tr><td>PKey</td><td>PValue</td></tr><tr><td>serviceType</td><td>AcquireFile</td></tr><tr><td>isReturnable</td><td>False</td></tr><tr><td>isSchemaNeededToBeRegister</td><td>False</td></tr><tr><td>area</td><td>area</td></tr><tr><td>flow</td><td>flow</td></tr><tr><td>step</td><td>step</td></tr></table>			PKey	PValue	serviceType	AcquireFile	isReturnable	False	isSchemaNeededToBeRegister	False	area	area	flow	flow	step	step
PKey	PValue																
serviceType	AcquireFile																
isReturnable	False																
isSchemaNeededToBeRegister	False																
area	area																
flow	flow																
step	step																
7	And Spark properties																
	<table><tr><td>SKey</td><td>SValue</td></tr><tr><td>spark.sql.adaptive.coalescePartitions.enabled</td><td>true</td></tr></table>	SKey	SValue	spark.sql.adaptive.coalescePartitions.enabled	true												
SKey	SValue																
spark.sql.adaptive.coalescePartitions.enabled	true																
8	And clicks on "Add a Source"	PASSED	0.829 s														
9	When Enters "DemoSource","DELTA","HiveConnection"	PASSED	6.112 s														
10	Then Source should get created with "DemoSource"	PASSED	0.543 s														
11	When enters "DEstinationAutoDelta","DELTA","HiveConnection","Ignore"	PASSED	1.564 s														
12	When enters destination keys and value	PASSED	10.520 s														
	<table><tr><td>DKey</td><td>DValue</td></tr><tr><td>mode</td><td>:</td></tr><tr><td>escape</td><td>:</td></tr></table>			DKey	DValue	mode	:	escape	:								
DKey	DValue																
mode	:																
escape	:																
13	And clicks add	PASSED	0.093 s														
14	Then Destination with "DEstinationAutoDelta" should get created	PASSED	5.690 s														
15	When edits record for "UpdatedNameDest" and "HiveConnection"	PASSED	10.918 s														
16	Then Updated record validated for "UpdatedNameDest" and "HiveConnection"	PASSED	6.979 s														
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s														
	---Closing the Browser---																

(Step) AFTER - com.steps.Hooks.  
afterScenario(io.cucumber.java.Scenario)

(S) user is able to delete delta Destination

(F) User is able to create Delta Source  
and Destination

(Step) AFTER - com.steps.Hooks.  
afterScenario(io.cucumber.java.Scenario)

(S) user is able to update delta source  
and validate the same at Source  
properties panel

(F) User is able to create Delta Source  
and Destination