


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	user should be able to make a connection	1	1	0	0	16.163 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user should be able to make a	user is able to make kerberos connection	6	6	0	0	16.157 s
	connection						

DETAILED SECTION -- 4 --

(F)- user should be able to make a connection

PASSED	DURATION - 16.163 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 2:13:44.342 F	PM // 2:14:00.505 PM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to make kerberos connection



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	2.114 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.574 s
2	When enter username and password	PASSED	0.328 s
3	And navigates to "Create a connection" page	PASSED	5.782 s
4	When he enters "Connection_Dil","Connection_Dil","KERBEROS" ,principal and file name	PASSED	0.664 s
5	And when clicks on Test connection	PASSED	0.529 s
6	Then Connection is created and tested	PASSED	0.071 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	Closing the Browser		