

Cucumber Report

08-Jul-2021, 11:30:13 AM

Start : Jul 08, 11:30:05.590 AM

End : Jul 08, 11:30:13.066 AM

Duration : 7.476 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 1

SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>To validate Project in backend API</u>	1	0	1	0	7.476 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To validate Project in backend API</u>	<u>user is able to create a Project and is able to validate it in backend Api</u>	5	1	1	3	7.473 s


(F)- To validate Project in backend API

FAILED	DURATION - 7.476 s	Scenarios		Steps	
/ 11:30:05.590 AM // 11:30:13.066 AM /		Total - 1		Total - 5	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- user is able to create a Project and is able to validate it in backend Api

<div>FAILED</div> <div>DURATION - 7.473 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 11:30:05.593 AM // 11:30:13.066 AM /</div>				
<div>To validate Project in backend API</div>				
<div>@Smoke @Reg @PBE-API-Test1 @Positive</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.439 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.534 s
2	When enter username and password	FAILED	0.270 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-55-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.4VPYCR}, goog:chromeOptions: {debuggerAddress: localhost:40125}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 066f2452e3dab58d8b5f1e68e3d77142 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:106) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy23.sendKeys(Unknown Source) at com.pagesPF.DIL_loginpage.loginToDIL(DIL_loginpage.java:42) at com.steps.commonSteps.enterUsernameAndPassword(commonSteps.java:38) at ?.enter username and password(file:///home/pihu/dil_automation/src/test/resources/features/projects/ProjectsApiCalls.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And clicks on createProject tab	SKIPPED	0.001 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	SKIPPED	0.001 s
5	Then user should be able to use "projectName" to validate project on "/projects"	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.138 s
	this is my failure message user_is_able_to_create_a_Project_and_is_able_to_validate_it_in_backend_Api		
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to create a Project and is
able to validate it in backend Api

(F) To validate Project in backend API



LIFE IS FOR SHARING.

Data Integration Layer

Welcome to DIL

The Data Automation Tool



LIFE IS FOR SHARING.

© Deutsche Telekom AG

[Contact](#) [Terms and conditions](#) [Imprint](#) [Data privacy](#)