

Cucumber Report

06-Aug-2021, 3:56:28 PM

Start : Aug 06, 3:51:05.049 PM

End : Aug 06, 3:56:27.956 PM

Duration : 5 m 22.907 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 2

SKIPPED - 0

PASSED - 13



FAILED - 4


SKIPPED - 0

PASSED - 93


FAILED - 4

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Creation and Field level validation of pipelines</u>	3	2	1	0	52.882 s
2	<u>Creation of Projects and validation of Project Setting Pop Up</u>	10	7	3	0	3 m 8.070 s
3	<u>Creation of Sources and Destination</u>	3	3	0	0	1 m 11.021 s
4	<u>To validate created Project with backend API</u>	1	1	0	0	10.877 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Creation and Field level validation of pipelines</u>	<u>user is able to validate pipeline listing page when there is no pipeline created</u>	6	5	1	0	19.510 s
2	<u>Creation and Field level validation of pipelines</u>	<u>user is able to create pipeline and validate the same in Pipeline Listing page</u>	6	6	0	0	18.443 s
3	<u>Creation and Field level validation of pipelines</u>	<u>user is able to delete pipeline and validate the same in Pipeline Listing page</u>	7	7	0	0	14.850 s
4	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Create Project Tab on Project Listing page</u>	3	3	0	0	9.454 s
5	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Project Setting pop up while selects Create Project Tab</u>	4	4	0	0	10.251 s
6	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate Project Setting PopUp</u>	4	3	1	0	17.162 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to create a Project and is able to validate it in ProjectListing Page</u>	5	5	0	0	18.723 s
8	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate details for project on project listing page</u>	4	4	0	0	17.928 s
9	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to Search Project on Project Listing by the use of Search Functionality</u>	3	3	0	0	9.872 s
10	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate updated project on Project Listing page</u>	6	5	1	0	34.287 s
11	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to create Project when left mandatory field blank</u>	5	5	0	0	7.489 s
12	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user should not be able to validate cancelled project in ProjectListing Page</u>	5	3	1	1	17.937 s
13	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to find deleted project on ProjectListing Page</u>	7	7	0	0	44.824 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>Creation of Sources and Destination</u>	<u>user is able to create source for NoSchema</u>	8	8	0	0	16.589 s
15	<u>Creation of Sources and Destination</u>	<u>user is able to create source for ManualSchema</u>	8	8	0	0	21.574 s
16	<u>Creation of Sources and Destination</u>	<u>user is able to delete created source</u>	10	10	0	0	32.790 s
17	<u>To validate created Project with backend API</u>	<u>user is able to create a Project and is able to validate it in backend Api</u>	7	7	0	0	10.877 s

(F)- Creation and Field level validation of pipelines

FAILED	DURATION - 52.882 s	Scenarios		Steps	
/ 3:51:05.049 PM // 3:51:57.931 PM /		Total - 3		Total - 19	
		Pass - 2		Pass - 18	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- user is able to validate pipeline listing page when there is no pipeline created

<div>FAILED</div> <div>DURATION - 19.510 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:51:05.053 PM // 3:51:24.563 PM /</div>				
<div>Creation and Field level validation of pipelines</div>				
<div>@Smoke @Reg @TC1 @CreatePipeLine</div> <div>@Positive @CP-Test1</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.597 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.019 s
2	When enter username and password	PASSED	0.397 s
3	And clicks on createProject tab	PASSED	1.526 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.604 s
5	And switches to "Overview"	PASSED	0.527 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this proje"	FAILED	10.674 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=' There is no pipelines in this proje ']} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.G2fjvV}, goog:chromeOptions: {debuggerAddress: localhost:36819}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bc55b180cd60330373cc7000dcaba8fc *** Element info: {Using=xpath, value=//*[text()='		

#	Step / Hook Details	Status	Duration
	<p>There is no pipelines in this proje "}]</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</p> <p>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</p> <p>at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:187)</p> <p>at com.pagesPF.PipeLine_ListingPage.validateDetailsOnProjectListingPageWithNORecords(PipeLine_ListingPage.java:64)</p> <p>at com.steps.createPipeLineSteps.pipelineListingPageIsValidatedForAnd(createPipeLineSteps.java:42)</p> <p>at ?.PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this proje"(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreatePipeLine.feature:13)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message</p> <p>user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created</p> 	PASSED	0.058 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.093 s

(S)- user is able to create pipeline and validate the same in Pipeline Listing page

PASSED	DURATION - 18.443 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 3:51:24.613 PM // 3:51:43.056 PM /				
Creation and Field level validation of pipelines				
@TC2 @Smoke @Reg @CreatePipeLine @Positive @CP-Test2				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.117 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	8.712 s
2	When enter username and password	PASSED	0.375 s
3	And clicks on createProject tab	PASSED	1.357 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.428 s
5	And creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.908 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.448 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.094 s
	---Closing the Browser---		



(S)- user is able to delete pipeline and validate the same in Pipeline Listing page

PASSED	DURATION - 14.850 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 3:51:43.081 PM // 3:51:57.931 PM /				
Creation and Field level validation of pipelines				
@Smoke @Reg @CP-Test3 @CreatePipeLine @Positive @TC17				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.115 s
	--Starting the Execution--		

#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	5.544 s
2	When enter username and password	PASSED	0.347 s
3	And clicks on createProject tab	PASSED	1.381 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.432 s
5	And creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.948 s
6	When deletes pipeline	PASSED	0.000 s
7	Then "PipeLine" should get disappeared	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	---Closing the Browser---		

(F)- Creation of Projects and validation of Project Setting Pop Up

FAILED	DURATION - 3 m 8.070 s	Scenarios		Steps	
/ 3:51:57.950 PM // 3:55:06.020 PM /		Total - 10	10	Total - 46	46
		Pass - 7		Pass - 42	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 1	



(S)- user is able to get Create Project Tab on Project Listing page

<div>PASSED</div> <div>DURATION - 9.454 s</div>			Steps	
/ 3:51:57.950 PM // 3:52:07.404 PM /			Total - 3	
Creation of Projects and validation of Project Setting Pop Up			Pass - 3	
@CreateProject @Smoke @Reg @TC3 @Positive @CRP-Test1			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.134 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.094 s
2	When enter username and password	PASSED	0.366 s
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.782 s



#	Step / Hook Details	Status	Duration
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to get Project Setting pop up while selects Create Project Tab

<div>PASSED</div> <div>DURATION - 10.251 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:52:07.412 PM // 3:52:17.663 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Reg @Positive @CRP-Test2 @TC4</div>			


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.173 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.930 s
2	When enter username and password	PASSED	0.429 s
3	And clicks on createProject tab	PASSED	1.584 s
4	Then user is able to get Project Setting PopUp	PASSED	0.040 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.091 s
	---Closing the Browser---		

(S)- user is able to validate Project Setting PopUp



<div>FAILED</div> <div>DURATION - 17.162 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:52:17.676 PM // 3:52:34.838 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test3 @Positive @TC5</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.139 s

#	Step / Hook Details	Status	Duration
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.978 s
2	When enter username and password	PASSED	0.386 s
3	And clicks on createProject tab	PASSED	1.301 s
4	Then all the fields on Project Setting up page are validated	FAILED	10.201 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="cancel-btn"]"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.FutZCO}, goog:chromeOptions: {debuggerAddress: localhost:45075}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6ba5fa034feed2faad6bb189eec47267 *** Element info: {Using=xpath, value=//*[@id="cancel-btn"]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.isDisplayed(Unknown Source) at com.pagesPF.ProjectsPage.validateAllFieldsOnProjectSettingPopUp(ProjectsPage.java:132) at com.steps.createProjectSteps.allTheFieldsOnProjectSettingUpPageAreValidated(createProjectSteps.java:65) at ?.all the fields on Project Setting up page are validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:28) * Not displayable characters are replaced by '?'. </p>		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.081 s
	<p>this is my failure message</p> <p>user_is_able_to_validate_Project_Setting_PopUp</p>		



#	Step / Hook Details	Status	Duration
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page

<div>PASSED</div> <div>DURATION - 18.723 s</div>	<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 3:52:34.865 PM // 3:52:53.588 PM /</div>		
<div>Creation of Projects and validation of Project Setting Pop Up</div>		
<div>@CRP-Test4 @CreateProject @Smoke @Reg @Positive @TC6</div>		



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.147 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.455 s
2	When enter username and password	PASSED	0.482 s
3	And clicks on createProject tab	PASSED	1.244 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.489 s
5	Then created "Auto_Pro" with "Test" is validated in project listing page	PASSED	10.809 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.092 s
	---Closing the Browser---		

(S)- user is able to validate details for project on project listing page

<div>PASSED</div> <div>DURATION - 17.928 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:52:53.597 PM // 3:53:11.525 PM /			
Creation of Projects and validation of Project Setting Pop Up			
@CreateProject @Smoke @Reg @CRP-Test5 @Positive @TC7			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.137 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.296 s
2	When enter username and password	PASSED	0.380 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.441 s
4	Then created "Auto-Test" is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.584 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	---Closing the Browser---		



(S)- user is able to Search Project on Project Listing by the use of Search Functionality

<div>PASSED</div> <div>DURATION - 9.872 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 3:53:11.542 PM // 3:53:21.414 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test6 @TC8 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.179 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.661 s
2	When enter username and password	PASSED	0.346 s

#	Step / Hook Details	Status	Duration
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.608 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

(S)- user is able to validate updated project on Project Listing page


<div>FAILED</div> <div>DURATION - 34.287 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:53:21.430 PM // 3:53:55.717 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test7</div> <div>@TC9 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.141 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.974 s
2	When enter username and password	PASSED	0.402 s
3	And clicks on createProject tab	PASSED	1.264 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.417 s
5	And created "Auto-Pro_Test" with "Test" is validated in project listing page	PASSED	10.834 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.124 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		



#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at ?. "TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/ CreateProject.feature:69)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.</p>		

#	Step / Hook Details	Status	Duration
	<p>startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater. startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[@id="app"]//scale-icon-action-edit"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.GM9zG1}, goog:chromeOptions: {debuggerAddress: localhost:40753}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9fcd5385264f4bd2495a9b88b445167 *** Element info: {Using=xpath, value=//*[@id="app"]//scale-icon-action-edit}</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message user_is_able_to_validate_updated_project_on_Project_Listing_page</p> 	PASSED	0.059 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.069 s

(S)- user is not able to create Project when left mandatory field blank

<div>PASSED</div> <div>DURATION - 7.489 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:53:55.727 PM // 3:54:03.216 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test8 @TC10 @Negative</div>			


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.166 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.097 s
2	When enter username and password	PASSED	0.385 s
3	And clicks on createProject tab	PASSED	1.270 s
4	When creates project with "Auto-DemoProject", "", "Test" and engine	PASSED	0.475 s
5	Then submit button is displaying disable	PASSED	0.016 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user should not be able to validate cancelled project in ProjectListing Page



<div>FAILED</div> <div>DURATION - 17.937 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:54:03.227 PM // 3:54:21.164 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test9</div> <div>@TC11 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.152 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.492 s

#	Step / Hook Details	Status	Duration
2	When enter username and password	PASSED	0.411 s
3	And clicks on createProject tab	PASSED	1.226 s
4	When enters "Auto-DemoProject","CreatingPipeLine","Test" and select engine and Cancel org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="cancel-btn"]"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.UqITop}, goog:chromeOptions: {debuggerAddress: localhost:42989}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b8c696e437488afb1ac1f5a61423ed *** Element info: {Using=xpath, value=//*[@id="cancel-btn"]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at com.managersUtilities.CommonFunction.submitDetails(CommonFunction.java:74) at com.steps.createProjectSteps.entersAndSelectEngineAndCancel(createProjectSteps.java:87) at ?.enters "Auto-DemoProject","CreatingPipeLine","Test" and select engine and Cancel(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:93) * Not displayable characters are replaced by '?'.	FAILED	10.506 s
5	Then cancelled "Auto-DemoProject" is not validated in project listing page	SKIPPED	0.002 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_should_not_be_able_to_validate_cancelled_project_in_ProjectListing_Page	PASSED	0.070 s



#	Step / Hook Details	Status	Duration
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is not able to find deleted project on ProjectListing Page



<div>PASSED</div> <div>DURATION - 44.824 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:54:21.196 PM // 3:55:06.020 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @TC12 @CRP-Test10 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.139 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.768 s
2	When enter username and password	PASSED	0.372 s
3	And clicks on createProject tab	PASSED	1.404 s
4	When creates project with "Auto-DemoTestProject","CreatingPipeLine","Test" and engine	PASSED	0.448 s
5	Then created "Auto-DemoTestProject" with "Test" is validated in project listing page	PASSED	10.897 s
6	When deletes the project	PASSED	10.438 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.273 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	---Closing the Browser---		

(F)- Creation of Sources and Destination



PASSED	DURATION - 1 m 11.021 s	Scenarios		Steps	
/ 3:55:06.042 PM // 3:56:17.063 PM /		Total - 3		Total - 26	
		Pass - 3		Pass - 26	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create source for NoSchema

<div>PASSEDDURATION - 16.589 s</div>		<div></div>	<div>Steps Total - 8 Pass - 8 Fail - 0 Skip - 0</div>	<div></div>
<div>/ 3:55:06.042 PM // 3:55:22.631 PM /</div>				
<div>Creation of Sources and Destination</div>				
<div>@TC14 @Smoke @Reg @CSource-Test1 @Positive @CreateSourceAndDestination</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.150 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.042 s
2	When enter username and password	PASSED	0.297 s
3	And clicks on createProject tab	PASSED	1.358 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.433 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.806 s
6	And clicks on "Add a Source"	PASSED	1.065 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","","No Schema","<SchemaValue>"	PASSED	6.744 s
8	Then Source should get created with "DemoSource"	PASSED	0.610 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	---Closing the Browser---		

(S)- user is able to create source for ManualSchema

<div>PASSED</div> <div>DURATION - 21.574 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:55:22.666 PM // 3:55:44.240 PM /</div>				
<div>Creation of Sources and Destination</div>				
<div>@CSource-Test2 @Smoke @Reg @TC15</div> <div>@Positive @CreateSourceAndDestination</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.112 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	9.623 s
2	When enter username and password	PASSED	0.386 s
3	And clicks on createProject tab	PASSED	1.437 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.479 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.788 s
6	And clicks on "Add a Source"	PASSED	1.073 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","", "Manual Schema","H_JSON"	PASSED	7.047 s
8	Then Source should get created with "DemoSource"	PASSED	0.547 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to delete created source



<div>PASSED</div> <div>DURATION - 32.790 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:55:44.273 PM // 3:56:17.063 PM /</div>			
<div>Creation of Sources and Destination</div>			
<div>@Smoke @Reg @CSource-Test3 @TC16</div> <div>@Positive @CreateSourceAndDestination</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.111 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.701 s
2	When enter username and password	PASSED	0.372 s
3	And clicks on createProject tab	PASSED	1.364 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.415 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.744 s
6	And clicks on "Add a Source"	PASSED	1.059 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","",,"No Schema","<SchemaValue>"	PASSED	6.714 s
8	Then Source should get created with "DemoSource"	PASSED	0.528 s
9	And click on "Delete Source" to delete	PASSED	5.676 s
10	Then source "DemoSource" should get deleted	PASSED	10.019 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	---Closing the Browser---		

(F)- To validate created Project with backend API

PASSED	DURATION - 10.877 s	Scenarios		Steps	
/ 3:56:17.079 PM // 3:56:27.956 PM /		Total - 1		Total - 7	
		Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create a Project and is able to validate it in backend Api


PASSED		DURATION - 10.877 s			Steps	
/ 3:56:17.079 PM // 3:56:27.956 PM /		Total - 7				
To validate created Project with backend API		Pass - 7				
@Smoke @Reg @PBE-API-Test1 @Positive		Fail - 0				
@TC17		Skip - 0				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.135 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.317 s
2	When enter username and password	PASSED	0.512 s
3	And clicks on createProject tab	PASSED	1.347 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.410 s
5	When authenticated for backend api with "dil-ui","ovrzCm54Zu+q2SuJIhaOnA==","Lp4,mLd:", "parihars" and "/authservice/login"	PASSED	1.940 s
6	And fetches the response with "tokenDetails" to get "access_token"	PASSED	0.226 s
7	Then user should be able to use "projectName" to validate project on "/projects"	PASSED	0.917 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.069 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate pipeline listing
page when there is no pipeline created


(F) Creation and Field level validation of
pipelines



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate Project Setting
PopUp


(F) Creation of Projects and validation of
Project Setting Pop Up



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate updated
project on Project Listing page

(F) Creation of Projects and validation of
Project Setting Pop Up



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user should not be able to validate
cancelled project in ProjectListing Page

(F) Creation of Projects and validation of
Project Setting Pop Up

