



FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	2	2	0	0	53.228 s
2	Creation and Field level validation of pipelines	5	5	0	0	2 m 1.059 s
3	Creation of Projects and validation of Project Setting Pop Up	10	8	2	0	3 m 10.123 s
4	Creation of Sources and Destination	8	6	2	0	3 m 43.145 s
5	Creation of a End to End scenarios	4	4	0	0	3 m 25.477 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	user is able to create Kerberos connection	7	7	0	0	23.730 s
2	User should be able to Create, Validate Connections on Connections Page	user is able to create SSL connection	8	8	0	0	29.477 s
3	Creation and Field level validation of pipelines	user is able to validate pipeline listing page when there is no pipeline created	6	6	0	0	10.905 s
4	Creation and Field level validation of pipelines	user is able validate pipeline properties	6	6	0	0	17.129 s
5	Creation and Field level validation of pipelines	user is able to create pipeline and validate the same in Pipeline Listing page	6	6	0	0	26.627 s
6	Creation and Field level validation of pipelines	user is able to delete pipeline and validate the same in Pipeline Listing page	7	7	0	0	31.414 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	Creation and Field level validation of pipelines	user is able to edit the pipeline and validate the same	7	7	0	0	34.923 s
8	Creation of Projects and validation of Project Setting Pop Up	user is able to get Create Project Tab on Project Listing page	3	3	0	0	10.060 s
9	Creation of Projects and validation of Project Setting Pop Up	user is able to get Project Setting pop up while selects Create Project Tab	4	4	0	0	9.039 s
10	Creation of Projects and validation of Project Setting Pop Up	user is able to validate Project Setting PopUp	4	4	0	0	17.102 s
11	Creation of Projects and validation of Project Setting Pop Up	user is able to create a Project and is able to validate it in ProjectListing Page	5	5	0	0	21.566 s
12	Creation of Projects and validation of Project Setting Pop Up	user is able to validate details for project on project listing page	4	4	0	0	20.137 s
13	Creation of Projects and validation of Project Setting Pop Up	user is able to Search Project on Project Listing by the use of Search Functionality	3	3	0	0	9.434 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
14	Creation of Projects and validation of	user is able to validate updated project on Project Listing	6	5	1	0	37.705 s
	Project Setting Pop Up	page					
15	Creation of Projects and validation of	user is not able to create Project when left mandatory field	5	5	0	0	10.328 s
	Project Setting Pop Up	<u>blank</u>					
16	Creation of Projects and validation of	user should not be able to validate cancelled project in	5	5	0	0	24.817 s
	Project Setting Pop Up	ProjectListing Page					
17	Creation of Projects and validation of	user is not able to find deleted project on ProjectListing Page	7	4	1	2	29.820 s
	Project Setting Pop Up						
18	Creation of Sources and Destination	user is able to create file type source for ManualSchema	8	8	0	0	24.058 s
19	Creation of Sources and Destination	user is able to create FileSystem source with No schema	8	8	0	0	23.837 s
20	Creation of Sources and Destination	user is able to delete created source	10	9	1	0	28.135 s
21	Creation of Sources and Destination	user is able to create Transformation	10	10	0	0	32.042 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
22	Creation of Sources and Destination	user is able to create File System type Destination	10	6	1	3	28.610 s
23	Creation of Sources and Destination	user is able to create Kafka type Destination	10	10	0	0	35.931 s
24	Creation of Sources and Destination	user is able to create Kafka source for Manual Schema	8	8	0	0	24.460 s
25	Creation of Sources and Destination	user is able to create Kafka source for NoSchema	8	8	0	0	26.009 s
26	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem	12	12	0	0	45.870 s
27	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem	12	12	0	0	46.807 s

SCENARIOS SUMMARY -- 7 -



#	Feature Name	Scenario Name	T	P	F	S	Duration
28	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka	12	12	0	0	55.874 s
29	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka	12	12	0	0	56.897 s

DETAILED SECTION -- 8 --

(F)- User should be able to Create, Validate Connections on Connections Page


PASSED	DURATION - 53.228 s	Scenarios		Steps	
		Total - 2		Total - 15	
/ 2:54:59.226 F	PM // 2:55:52.454 PM /	Pass - 2	2	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create Kerberos connection

PASSED DURATION - 23.730 s	8 Steps	
/ 2:54:59.230 PM // 2:55:22.960 PM /	6 - Total - 7	
User should be able to Create, Validate Connections on Connections Page	4	7
@Smoke @Reg @CRC-Test1 @CreateConnection @TC30 @Positive	0 - Skip - 0	


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.525 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.580 s
2	When enter username and password	PASSED	0.388 s
3	And navigates to the "Create a connection" tab	PASSED	5.859 s
4	When enters "AutomationKerberos", "Creating Connection", "KERBEROS", principal and fileType	PASSED	0.743 s
5	Then connection should be tested successfully	PASSED	0.571 s
6	When creates the connection	PASSED	0.090 s
7	Then connection with "AutomationKerberos" should be validated on Connection listing page	PASSED	7.874 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.082 s
	Closing the Browser		

(S)- user is able to create SSL connection




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.099 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.858 s
2	When enter username and password	PASSED	0.343 s
3	And navigates to the "Create a connection" tab	PASSED	5.786 s
4	When enters "AutomationSSL", "Creating Connection", "SSL"	PASSED	0.649 s
5	And enters "kafka-keystore.jks", "kafka-truststore.jks", "confluent", "TLS"	PASSED	5.601 s
6	Then connection should be tested successfully	PASSED	0.647 s
7	When creates the connection	PASSED	0.079 s
8	Then connection with "AutomationSSL" should be validated on Connection listing page	PASSED	8.332 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(F)- Creation and Field level validation of pipelines



(S)- user is able to validate pipeline listing page when there is no pipeline created



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.091 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.458 s
2	When enter username and password	PASSED	0.301 s
3	And clicks on createProject tab	PASSED	1.443 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.455 s
5	And switches to "Overview"	PASSED	0.576 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project."	PASSED	0.500 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is able validate pipeline properties


PASSED DURATION - 17.129 s	Steps	
/ 2:56:03.400 PM // 2:56:20.529 PM /	Total - 6	
Creation and Field level validation of pipelines	Pass - 6	6
@TC2 @Smoke @Reg @CreatePipeLine @Positive @CP-Test1	Skip - 0	
GI OSILIVE GOI TESLI	1 2 3 4 5 6	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.109 s
	Starting the Execution		

DETAILED SECTION -- 11 --


#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	5.848 s
2	When enter username and password	PASSED	0.319 s
3	And clicks on createProject tab	PASSED	1.453 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.465 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.490 s
6	Then PipeLine properties is validated for "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	1.368 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is able to create pipeline and validate the same in Pipeline Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.104 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.090 s
2	When enter username and password	PASSED	0.338 s
3	And clicks on createProject tab	PASSED	1.324 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.510 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.725 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.454 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

(S)- user is able to delete pipeline and validate the same in Pipeline Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.090 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	11.228 s
2	When enter username and password	PASSED	0.339 s
3	And clicks on createProject tab	PASSED	1.324 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.527 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.816 s
6	When deletes pipeline	PASSED	0.000 s
7	Then "PipeLIne" should get disappeared	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.087 s
	Closing the Browser		

(S)- user is able to edit the pipeline and validate the same

PASSED DURATION - 34.923 s		Ė								Steps	
/ 2:57:18.620 PM // 2:57:53.543 PM /	10-	 1						-		Total - 7	
Creation and Field level validation of pipelines	5 -	 -					-			Pass - 7	7
@Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC5	0 -			_	<u> </u>					Skip - 0	
@ CI - 103II @ 103		1	2	2	3	4	5	6	7		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.097 s

#	Step / Hook Details	Status	Duration
	Starting the Execution		
1	Given user is on DIL login page	PASSED	12.815 s
2	When enter username and password	PASSED	0.290 s
3	And clicks on createProject tab	PASSED	1.423 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.507 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.528 s
6	When changes the "BATCH","Edit Pipeline"	PASSED	10.894 s
7	Then PipeLine properties is validated for "ProjectForAutomation","Edit Pipeline","BATCH","k1","v1","s1" and "v2"	PASSED	1.291 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(F)- Creation of Projects and validation of Project Setting Pop Up

FAILED	DURATION - 3 m 10.123 s	Scenarios		Steps	4
		Total - 10		Total - 46	
/ 2:57:53.562 PN	M // 3:01:03.685 PM /	Pass - 8	10	Pass - 42	46
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	


(S)- user is able to get Create Project Tab on Project Listing page

PASSED DURATION - 10.060 s	Steps	
/ 2:57:53.563 PM // 2:58:03.623 PM /	Total - 3	
Creation of Projects and validation of Project	Pass - 3	3
Setting Pop Up	2 Fail - 0	
@CreateProject @Smoke @Reg @Positive	Skip - 0	
@TC6 @CRP-Test1	1 2 3	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.099 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.444 s
2	When enter username and password	PASSED	0.369 s


#	Step / Hook Details	Status	Duration
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	2.073 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to get Project Setting pop up while selects Create Project Tab



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.104 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.173 s
2	When enter username and password	PASSED	0.338 s
3	And clicks on createProject tab	PASSED	1.301 s
4	Then user is able to get Project Setting PopUp	PASSED	0.047 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		


(S)- user is able to validate Project Setting PopUp



DETAILED SECTION -- 15 --


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.084 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	14.111 s
2	When enter username and password	PASSED	0.336 s
3	And clicks on createProject tab	PASSED	1.297 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.198 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.082 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.046 s
2	When enter username and password	PASSED	0.351 s
3	And clicks on createProject tab	PASSED	1.690 s
4	When creates project with "Auto_Pro", "CreatingPipeLine", "Test" and engine	PASSED	0.433 s
5	Then created "Auto_Pro" with "Test"is validated in project listing page	PASSED	10.871 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.090 s
	Closing the Browser		

(S)- user is able to validate details for project on project listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)		1.104 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.548 s
2	When enter username and password	PASSED	0.344 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.479 s
4	Then created "Auto-Test"is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.580 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	Closing the Browser		


(S)- user is able to Search Project on Project Listing by the use of Search Functionality



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)		1.098 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.580 s
2	When enter username and password	PASSED	0.320 s

#	Step / Hook Details	Status	Duration
3	Then searches the "Auto-Pro" with "CreatingPipeLine", "Test"	PASSED	1.339 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.093 s
	Closing the Browser		

(S)- user is able to validate updated project on Project Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.077 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	8.190 s
2	When enter username and password	PASSED	0.338 s
3	And clicks on createProject tab	PASSED	1.397 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.423 s
5	And created "Auto-Pro_Test" with "Test"is validated in project listing page	PASSED	10.913 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.178 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$null\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:264)		

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)		
	at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:164)		
	at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36)		
	at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)		
	at ?."TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/		
	CreateProject.feature:67)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision:		
	'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:		
	'5.11.0-40-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.		
	close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.		
	AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.		
	execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.		
	execute(IntercommandExecutor.java:132) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.		
	Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.		
	managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:164) at com.pagesPF.Project_BuilderPage.		
	editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36) at com.steps.createProjectSteps.		
	andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.java:62) at java.base/jdk.		
	internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.		
	invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition. execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:49) at io.cucumber.core.runner.TestStep.executeStep.java:49) at io.		
	cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.		
	java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.		
	runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.		
	ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.		
	runners.ParentRunner.access\$100(ParentRunner.java:263) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at		
	org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at		
	io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.		
	runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:329) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.		
	java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.		
	java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4ldeaTestRunner.		


#	Step / Hook Details		Status	Duration
	startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater. startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)	ot		
	com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java.55) com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java.54) Caused by: java.lang.reflect.InvocationTargetException	at		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)			
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)			
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)			
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)			
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155)			
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)			
	at org.openqa.selenium.json.JsonOutput.lambda\$null\$21(JsonOutput.java:168)			
	at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608)			
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168)			
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)			
	at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177)			
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)			
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176)			
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)			
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)			
	at org.openqa.selenium.json.Json.toJson(Json.java:42)			
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)			
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)			
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)			
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)			
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)			
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)			
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)			
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)			
	at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:164)			
	at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36)			
	at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)			
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)			
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)			
	at io.cucumber.java.Invoker.invoke(Invoker.java:27)			
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)			
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)			
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)			
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)			
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)			
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)			

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//*[@id="app"]//scale-icon-action-edit"} (Session info: chrome=90.0.4430.212) For documentation on this error,		
	please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time:		
	'2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic',		
	java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.		
	gU89tj], goog:chromeOptions: {debuggerAddress: localhost:42001}, javascriptEnabled: true, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false,		
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true,		
	webauthn:virtualAuthenticators: true} Session ID: 53430f9632664e0508adc7b5de3913d4 *** Element info: {Using=xpath,		
	value=//*[@id="app"]//scale-icon-action-edit}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		

DETAILED SECTION -- 21 --

Step / Hook Details	Status	Duration
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
at com.sun.proxy.\$Proxy23.getWrappedElement(Unknown Source)		
at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204)		
at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155)		
at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75)		
at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84)		
* Not displayable characters are replaced by '?'.		
AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.102 s
this is my failure message		
user_is_able_to_validate_updated_project_on_Project_Listing_page		
The sections in the section of the s		
Protein Comparison Logic Support A Association Service		
Facility Facility The septiment Suppose Th		
Note in the second seco		
y Projections Texts T		
AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.083 s
Closing the Browser		

(S)- user is not able to create Project when left mandatory field blank



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.070 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.011 s
2	When enter username and password	PASSED	0.319 s
3	And clicks on createProject tab	PASSED	1.427 s
4	When creates project with "Auto-DemoProject","","Test" and engine	PASSED	0.410 s
5	Then submit button is displaying disable	PASSED	0.015 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		


(S)- user should not be able to validate cancelled project in ProjectListing Page

PASSED DURATION - 24.817 s	15
/ 3:00:09.040 PM // 3:00:33.857 PM /	Total - 5
Creation of Projects and validation of Project	Pass - 5
Setting Pop Up	_ 5 Fall - O
@TC14 @CreateProject @Smoke @Reg @CRP-	Skip - 0
Test9 @Negative	1 2 3 4 5

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.105 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.320 s
2	When enter username and password	PASSED	0.263 s
3	And clicks on createProject tab	PASSED	1.391 s
4	When enters "Auto-DemoProject", "CreatingPipeLine", "Test" and select engine and Cancel	PASSED	0.459 s
5	Then cancelled "Auto-DemoProject"is not validated in project listing page	PASSED	15.185 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.091 s
	Closing the Browser		

DETAILED SECTION -- 23 --

(S)- user is not able to find deleted project on ProjectListing Page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.097 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.930 s
2	When enter username and password	PASSED	0.375 s
3	And clicks on createProject tab	PASSED	1.263 s
4	When creates project with "Auto-DemoTestProject","CreatingPipeLine","Test" and engine	PASSED	0.467 s
5	Then created "Auto-DemoTestProject" with "Test"is validated in project listing page	FAILED	20.479 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='cloxvAuto-DemoTestProject10-42']"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14708:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDatabir: /tmp/.com.google.Chrome.vM7PSk}, goog:chromeOptions: {debuggerAddress: localhost:36397}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 76183bafb75d3b03eb52fcc05f98bd6b *** Element info: {Using=xpath, value=//*[text()='cloxvAuto-DemoTestProject10-42']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.s		


DETAILED SECTION -- 24 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:199) at com.pagesPF.ProjectsPage.validateProjectName(ProjectsPage.java:171) at com.steps.createProjectSteps.createdWithIsValidatedInProjectListingPage(createProjectSteps.java:142) at ?.created "Auto-DemoTestProject" with "Test"is validated in project listing page(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:100) * Not displayable characters are replaced by '?'.		
6	When deletes the project	SKIPPED	0.002 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.130 s
	this is my failure message user_is_not_able_to_find_deleted_project_on_ProjectListing_Page		
	Projects - Supplied		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(F)- Creation of Sources and Destination




(S)- user is able to create file type source for ManualSchema



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.081 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.717 s
2	When enter username and password	PASSED	0.985 s
3	And clicks on createProject tab	PASSED	1.463 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.452 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.807 s
6	And clicks on "Add a Source"	PASSED	0.791 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.106 s
8	Then Source should get created with "DemoSource"	PASSED	0.577 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		


(S)- user is able to create FileSystem source with No schema



DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.087 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.741 s
2	When enter username and password	PASSED	0.384 s
3	And clicks on createProject tab	PASSED	1.330 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.505 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.759 s
6	And clicks on "Add a Source"	PASSED	0.816 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "No Schema", " <schemavalue>"</schemavalue>	PASSED	6.585 s
8	Then Source should get created with "DemoSource"	PASSED	0.553 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to delete created source




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.068 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	9.910 s
2	When enter username and password	PASSED	0.335 s
3	And clicks on createProject tab	PASSED	1.318 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.474 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.791 s
6	And clicks on "Add a Source"	PASSED	0.813 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "No Schema", " <schemavalue>"</schemavalue>	PASSED	6.915 s
8	Then Source should get created with "DemoSource"	PASSED	0.590 s

DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
9	And click on "Delete Source" to delete	PASSED	0.669 s
10	Then source "DemoSource" should get deleted	FAILED	0.011 s
	java.lang.AssertionError: Record is present at org.junit.Assert.fail(Assert.java:89) at com.pagesPF.Functions_LeanPageObject.validatePresenceOfRecord(Functions_LeanPageObject.java:44) at com.steps.createSourceDestAndTransform.sourceShouldGetDeleted(createSourceDestAndTransform.java:77) at ?.source "DemoSource" should get deleted(file:///home/pihu/dil_automation/src/test/resources/features/projects/ CreateSourceDestAndTransformation.feature:47) * Not displayable characters are replaced by '?'.	DACCED	0.161.0
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.161 s
	this is my failure message user_is_able_to_delete_created_source		
	FILE OF THE PROPERTY OF THE PR		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(S)- user is able to create Transformation



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.079 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.803 s
2	When enter username and password	PASSED	0.334 s
3	And clicks on createProject tab	PASSED	1.347 s

DETAILED SECTION -- 28 --

#	Step / Hook Details	Status	Duration
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.444 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.912 s
6	And clicks on "Add a Source"	PASSED	0.809 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.033 s
8	Then Source should get created with "DemoSource"	PASSED	0.596 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	7.039 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.566 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to create File System type Destination

			,													
FAILED	DURATION - 28.610 s		10-									- +		Steps		
/ 3:02:51.82	9 PM // 3:03:20.439 PM /	\neg	8 -											Total - 10		
Creation of S	ources and Destination	\neg	4 -	-										Pass - 6	10	
	Reg @CDestination-Test1 @TC2: CreateSourceAndDestination	:	2 -		-	Ė						-	- ¦	Skip - 3		•
wrositive w	CreateSourceAndDeStination			i	2	3	4	5	6	7	8	9	10			


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.086 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.551 s
2	When enter username and password	PASSED	0.367 s
3	And clicks on createProject tab	PASSED	1.442 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.593 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.801 s
6	And clicks on "Add a Source"	PASSED	0.804 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	FAILED	10.741 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Auto_Kerb_DND ']"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.		

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	tzKVMq}, goog:chromeOptions: {debuggerAddress: localhost:45519}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3f909289acf114936484bf37b728229d *** Element info: {Using=xpath, value=//*[text()='Auto_Kerb_DND']} at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance()Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.HttpCommandExecutor.execute(PitverCommandExecutor.java:323) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.remote.RemoteWebDriver.findElement(CommonFunction.java:199) at com.pagesPF.PipeLlne_BuilderPage.createSourceDestAndTransform.java:39) at com.steps.createSourceDestAndTransform.enters(createSourceDestAndTransform.java:60) at Common Common Common Common Common Common Com		
8	Then Source should get created with "DemoSource"	SKIPPED	0.000 s
9	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", ".csv", "CDR" and click add	SKIPPED	0.000 s
10	Then Destination with "DemoDestination" should get created	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.143 s
	this is my failure message user_is_able_to_create_File_System_type_Destination The transmitted in the contraction of the con		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)Closing the Browser	PASSED	0.074 s


DETAILED SECTION -- 30 --

(S)- user is able to create Kafka type Destination




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.122 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.605 s
2	When enter username and password	PASSED	1.023 s
3	And clicks on createProject tab	PASSED	1.381 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.484 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.825 s
6	And clicks on "Add a Source"	PASSED	0.840 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.186 s
8	Then Source should get created with "DemoSource"	PASSED	0.569 s
9	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV",".csv","CDR" and click add	PASSED	11.814 s
10	Then Destination with "DemoDestination" should get created	PASSED	0.000 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

(S)- user is able to create Kafka source for Manual Schema



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.109 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.711 s
2	When enter username and password	PASSED	0.341 s
3	And clicks on createProject tab	PASSED	1.556 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.500 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.930 s
6	And clicks on "Add a Source"	PASSED	0.811 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","K","v"	PASSED	7.865 s
	and clicks on add		
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.560 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to create Kafka source for NoSchema




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.089 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.934 s
2	When enter username and password	PASSED	0.338 s
3	And clicks on createProject tab	PASSED	1.355 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.576 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.787 s
6	And clicks on "Add a Source"	PASSED	0.830 s
7	When Enters "DemoSourceKafka","KAFKA","KafkaSSLConnection","CDR","No_Schema","AutoManualSchemaDND","Earlier",	PASSED	7.400 s

#	Step / Hook Details	Status	Duration
	"K","v" and clicks on add		
8	Then Source should get created with "DemoSourceKafka"	PASSED	0.621 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(F)- Creation of a End to End scenarios

PASSED	DURATION - 3 m 25.477 s	Scenarios		Steps	
		Total - 4		Total - 48	
/ 3:04:46.880	PM // 3:08:12.357 PM /	Pass - 4	4	Pass - 48	48
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.077 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.616 s
2	When enter username and password	PASSED	0.325 s
3	And clicks on createProject tab	PASSED	1.318 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.434 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.509 s
6	And clicks on "Add a Source"	PASSED	0.772 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.123 s

#	Step / Hook Details	Status	Duration
8	Then Source should get created with "DemoSource"	PASSED	0.628 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	7.051 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.593 s
11	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", ".csv", "CDR" and click add	PASSED	1.499 s
12	Then PipeLine with status "READY" is validated	PASSED	11.843 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		


(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.091 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.548 s
2	When enter username and password	PASSED	0.320 s
3	And clicks on createProject tab	PASSED	1.456 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.465 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.434 s
6	And clicks on "Add a Source"	PASSED	0.751 s
7	When Enters "DemoSource","KAFKA","KafkaSSLConnection","CDR","Manual","AutoManualSchemaDND","Earlier","k1","v1" and	PASSED	7.869 s
	clicks on add		
8	Then Source should get created with "DemoSource"	PASSED	0.590 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.879 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.598 s
11	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", ".csv", "CDR" and click add	PASSED	1.699 s


#	Step / Hook Details	Status	Duration
12	Then PipeLine with status "READY" is validated	PASSED	12.021 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.102 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.076 s
2	When enter username and password	PASSED	0.323 s
3	And clicks on createProject tab	PASSED	1.483 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.435 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.556 s
6	And clicks on "Add a Source"	PASSED	0.778 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "AutoManualSchemaDND"	PASSED	7.259 s
8	Then Source should get created with "DemoSource"	PASSED	0.579 s
9	When enters "TestTransFileToKafka","Column","GroupBy","m_boolean" and click add	PASSED	6.954 s
10	Then Transformation with "TestTransFileToKafka" should get created	PASSED	0.605 s
11	When enters "DemoDestination","KAFKA","KafkaSSLConnection","CSV",".csv","CDR" and click add	PASSED	11.629 s
12	Then PipeLine with status "READY" is validated	PASSED	12.009 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.109 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.608 s
2	When enter username and password	PASSED	0.312 s
3	And clicks on createProject tab	PASSED	1.521 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.435 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.590 s
6	And clicks on "Add a Source"	PASSED	0.792 s
7	When Enters "DemoSource", "KAFKA", "KafkaSSLConnection", "CDR", "Manual", "AutoManualSchemaDND", "Earlier", "k1", "v1" and	PASSED	7.820 s
	clicks on add		
8	Then Source should get created with "DemoSource"	PASSED	0.539 s
9	When enters "TestTrans","Column","GroupBy","m_id" and click add	PASSED	6.954 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.572 s
11	When enters "DemoDestination", "KAFKA", "KafkaSSLConnection", "CSV", ".csv", "CDR" and click add	PASSED	11.748 s
12	Then PipeLine with status "READY" is validated	PASSED	11.811 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	Closing the Browser		

EXPANDED SECTION -- 36 -



EXPANDED SECTION -- 37 --

