

# Cucumber Report

08-Jul-2021, 11:37:54 AM

**Start : Jul 08, 11:37:46.824 AM**

**End : Jul 08, 11:37:53.662 AM**

**Duration : 6.838 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**




**FAILED - 1**


**SKIPPED - 0**

**PASSED - 1**


**FAILED - 1**

**SKIPPED - 3**







#	Feature Name	T	P	F	S	Duration
1	<u>To validate Project in backend API</u>	1	0	1	0	6.838 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To validate Project in backend API</u>	<u>user is able to create a Project and is able to validate it in backend Api</u>	5	1	1	3	6.834 s


**(F)- To validate Project in backend API**

<b>FAILED</b>	<b>DURATION - 6.838 s</b>	Scenarios		Steps	
/ 11:37:46.824 AM // 11:37:53.662 AM /		Total - 1		Total - 5	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

**(S)- user is able to create a Project and is able to validate it in backend Api**

<div>FAILED</div> <div>DURATION - 6.834 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 11:37:46.828 AM // 11:37:53.662 AM /</div>				
<div>To validate Project in backend API</div>				
<div>@Smoke @Reg @PBE-API-Test1 @Positive</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.457 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.935 s
2	When enter username and password	FAILED	0.199 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-55-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.UJC3n9}, goog:chromeOptions: {debuggerAddress: localhost:34241}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6da3eb179b68628aa3b39c3123e755b9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:106) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy23.sendKeys(Unknown Source) at com.pagesPF.DIL_loginpage.loginToDIL(DIL_loginpage.java:42) at com.steps.commonSteps.enterUsernameAndPassword(commonSteps.java:38) at ?.enter username and password(file:///home/pihu/dil_automation/src/test/resources/features/projects/ProjectsApiCalls.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And clicks on createProject tab	SKIPPED	0.001 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	SKIPPED	0.001 s
5	Then user should be able to use "projectName" to validate project on "/projects"	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.143 s
	this is my failure message user_is_able_to_create_a_Project_and_is_able_to_validate_it_in_backend_Api		
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.083 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.  
afterScenario(io.cucumber.java.Scenario)

(S) user is able to create a Project and is  
able to validate it in backend Api

(F) To validate Project in backend API

**T** ■ ■ LIFE IS FOR SHARING. Data Integration Layer

Welcome to DIL  
The Data Automation Tool

User name

Password

**T** ■ ■ LIFE IS FOR SHARING. © Deutsche Telekom AG [Contact](#) [Terms and conditions](#) [Imprint](#) [Data privacy](#)