

Cucumber Report

13-Jun-2021, 6:59:01 PM

Start : Jun 13, 6:57:55.235 PM

End : Jun 13, 6:59:01.249 PM

Duration : 1 m 6.014 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1


SKIPPED - 0

PASSED - 2


FAILED - 1

SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>Creation and Field level validation of pipelines</u>	1	0	1	0	1 m 6.014 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Creation and Field level validation of pipelines	user is able to validate pipeline listing page when there is no pipeline created	6	2	1	3	1 m 6.011 s

(F)- Creation and Field level validation of pipelines

FAILED	DURATION - 1 m 6.014 s	Scenarios		Steps	
/ 6:57:55.235 PM // 6:59:01.249 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	


(S)- user is able to validate pipeline listing page when there is no pipeline created

<div>FAILED</div> <div>DURATION - 1 m 6.011 s</div>			Steps	
/ 6:57:55.238 PM // 6:59:01.249 PM /				
Creation and Field level validation of pipelines				
@Smoke @Reg @CreatePipeLine @Positive @CP-Test1				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.461 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	1.034 s
2	When enter username and password	PASSED	0.910 s
3	And clicks on createProject tab	FAILED	1 m 2.337 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@id="create-project-btn"]' (tried for 50 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:120) at com.steps.createProjectSteps.clicksOnCreateProjectTab(createProjectSteps.java:34) at ?.clicks on createProject tab(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreatePipeLine.feature:10) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="create-project-btn"]} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-55-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.		

#	Step / Hook Details	Status	Duration
	<p>Xu8X4x}, goog:chromeOptions: {debuggerAddress: localhost:39713}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0a902c55a0ffeb7be2aef5eeac89992d *** Element info: {Using=xpath, value=//*[@id="create-project-btn"]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:120) at com.steps.createProjectSteps.clicksOnCreateProjectTab(createProjectSteps.java:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.testng.junit.JUnit4TestRunner.start(JUnit4TestRunner.java:74) at org.testng.junit.JUnit4TestRunner.run(JUnit4TestRunner.java:65) at org.testng.TestRunner\$1.run(TestRunner.java:652) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.runJUnitWorkers(TestRunner.java:843) at org.testng.TestRunner.privateRunJUnit(TestRunner.java:681) at org.testng.TestRunner.run(TestRunner.java:585) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:135) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:112) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:99) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:377)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:138) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:465) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:451) * Not displayable characters are replaced by '?'.		
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	SKIPPED	0.002 s
5	And switches to "Overview"	SKIPPED	0.001 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project."	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.166 s
	this is my failure message		
	user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created		
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.089 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate pipeline listing
page when there is no pipeline created

(F) Creation and Field level validation of
pipelines

