Cucumber Report

| Start : Aug 10, 5:53:16.412 PM	End : Aug 10, 6:07:29.153 PM	Duration : 14 m 12.741 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 17 FAILED - 3 SKIPPED - 0	PASSED - 120 FAILED - 3 SKIPPED - 5

4

20

128

Pass % 25 %

Pass % 85 %

Pass % 93 %

#	Feature Name	T	P	F	S	Duration
1	Creation and Field level validation of pipelines	3	2	1	0	1 m 11.582 s
2	Creation of Projects and validation of Project Setting Pop Up	10	9	1	0	3 m 38.681 s
3	Creation of Sources and Destination	6	5	1	0	8 m 59.247 s
4	To validate created Project with backend API	1	1	0	0	23.125 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Creation and Field level validation of pipelines	user is able to validate pipeline listing page when there is no pipeline created	6	5	1	0	20.335 s
2	Creation and Field level validation of pipelines	user is able to create pipeline and validate the same in Pipeline Listing page	6	6	0	0	28.694 s
3	Creation and Field level validation of pipelines	user is able to delete pipeline and validate the same in Pipeline Listing page	7	7	0	0	22.494 s
4	Creation of Projects and validation of Project Setting Pop Up	user is able to get Create Project Tab on Project Listing page	3	3	0	0	15.552 s
5	Creation of Projects and validation of Project Setting Pop Up	user is able to get Project Setting pop up while selects Create Project Tab	4	4	0	0	19.575 s
6	Creation of Projects and validation of Project Setting Pop Up	user is able to validate Project Setting PopUp	4	4	0	0	15.457 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
7	Creation of Projects and validation of Project Setting Pop Up	user is able to create a Project and is able to validate it in ProjectListing Page	5	5	0	0	21.488 s
8	Creation of Projects and validation of Project Setting Pop Up	user is able to validate details for project on project listing page	4	4	0	0	20.044 s
9	Creation of Projects and validation of Project Setting Pop Up	user is able to Search Project on Project Listing by the use of Search Functionality	3	3	0	0	6.762 s
10	Creation of Projects and validation of Project Setting Pop Up	user is able to validate updated project on Project Listing page	6	5	1	0	32.940 s
11	Creation of Projects and validation of Project Setting Pop Up	user is not able to create Project when left mandatory field blank	5	5	0	0	7.681 s
12	Creation of Projects and validation of Project Setting Pop Up	user should not be able to validate cancelled project in ProjectListing Page	5	5	0	0	33.773 s
13	Creation of Projects and validation of Project Setting Pop Up	user is not able to find deleted project on ProjectListing Page	7	7	0	0	45.281 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
14	Creation of Sources and Destination	user is able to create file type source for NoSchema	8	2	1	5	5 m 31.953 s
15	Creation of Sources and Destination	user is able to create file type source for ManualSchema	8	8	0	0	1 m 16.946 s
16	Creation of Sources and Destination	user is able to delete created source	10	10	0	0	40.565 s
17	Creation of Sources and Destination	user is able to create Transformation	10	10	0	0	33.876 s
18	Creation of Sources and Destination	user is able to create File System type Destination	10	10	0	0	24.855 s
19	Creation of Sources and Destination	user is able to create Kafka type Destination	10	10	0	0	30.998 s
20	To validate created Project with backend API	user is able to create a Project and is able to validate it in backend Api	7	7	0	0	23.125 s

(F)- Creation and Field level validation of pipelines

FAILED	DURATION - 1 m 11.582 s	Scenarios		Steps	
		Total - 3		Total - 19	
/ 5:53:16.412 PM // 5:54:27.994 PM /		Pass - 2	3	Pass - 18	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- user is able to validate pipeline listing page when there is no pipeline created

FAILED	DURATION - 20.335 s		Steps	
/ 5:53:16.417 PM // 5:53:36.752 PM /			Total - 6	
Creation and Field level validation of pipelines			Pass - 5	6
@Smoke @Reg @TC1 @CreatePipeLine @Positive @CP-Test1			Fail - 1	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.566 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.847 s
2	When enter username and password	PASSED	0.463 s
3	And clicks on createProject tab	PASSED	1.435 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.765 s
5	And switches to "Overview"	PASSED	0.481 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"	FAILED	10.578 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=" There is no pipelines in this project "]"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.vetaxb}, goog:chromeOptions: {debuggerAddress: localhost:38109}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e5e24d38e1966d592a72d5e0ed9a7bec *** Element info: {Using=xpath, value=//*[text()=" There is no pipelines in this project "]}		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:187) at com.pagesPF.PipeLIne_ListingPage.validateDetailsOnProjectListingPageWithNORecords(PipeLIne_ListingPage.java:64) at com.steps.createPipeLineSteps.pipelineListingPageIsValidatedForAnd(createPipeLineSteps.java:42) at ?.PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"(file:///home/pihu/dil_automation/ src/test/resources/features/projects/CreatePipeLine.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created +	PASSED	0.110 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.073 s

(S)- user is able to create pipeline and validate the same in Pipeline Listing page

PASSED	DURATION - 28.694 s
/ 5:53:36.781 PM // 5:54:05.475 PM /	
Creation and Field level validation of pipelines	
@TC2 @Smoke @Reg @CreatePipeLine @Positive @CP-Test2	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.153 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	17.629 s
2	When enter username and password	PASSED	0.405 s
3	And clicks on createProject tab	PASSED	1.299 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.696 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.984 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.445 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to delete pipeline and validate the same in Pipeline Listing page

PASSED	DURATION - 22.494 s
/ 5:54:05.500 PM // 5:54:27.994 PM /	
Creation and Field level validation of pipelines	
@Smoke @Reg @TC3 @CP-Test3 @CreatePipeLine @Positive	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.073 s
	--Starting the Execution--		

| #	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	11.861 s
2	When enter username and password	PASSED	0.417 s
3	And clicks on createProject tab	PASSED	1.435 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.647 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.979 s
6	When deletes pipeline	PASSED	0.001 s
7	Then "PipeLIne" should get disappeared	PASSED	0.000 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(F)- Creation of Projects and validation of Project Setting Pop Up

FAILED	DURATION - 3 m 38.681 s	Scenarios		Steps	
/ 5:54:28.054 PM // 5:58:06.735 PM /		Total - 10 Pass - 9 Fail - 1 Skip - 0	10	Total - 46 Pass - 45 Fail - 1 Skip - 0	46

(S)- user is able to get Create Project Tab on Project Listing page

PASSED	DURATION - 15.552 s		Steps	
/ 5:54:28.054 PM // 5:54:43.606 PM /			Total - 3	
Creation of Projects and validation of Project Setting Pop Up			Pass - 3	3
@CreateProject @Smoke @Reg @Positive @TC4 @CRP-Test1			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.067 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.092 s
2	When enter username and password	PASSED	0.410 s
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.905 s

#	Step / Hook Details	Status	Duration
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to get Project Setting pop up while selects Create Project Tab

| PASSED	DURATION - 19.575 s		Steps
/ 5:54:43.615 PM // 5:55:03.190 PM /			Total - 4
Creation of Projects and validation of Project Setting Pop Up			Pass - 4
			Fail - 0
@CreateProject @Reg @Positive @CRP-Test2 @TC5			Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.069 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	16.358 s
2	When enter username and password	PASSED	0.438 s
3	And clicks on createProject tab	PASSED	1.531 s
4	Then user is able to get Project Setting PopUp	PASSED	0.102 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to validate Project Setting PopUp

PASSED	DURATION - 15.457 s		Steps
/ 5:55:03.195 PM // 5:55:18.652 PM /			Total - 4
Creation of Projects and validation of Project Setting Pop Up			Pass - 4
			Fail - 0
@CreateProject @Smoke @Reg @CRP-Test3 @Positive @TC6			Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.131 s

#	Step / Hook Details	Status	Duration
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.070 s
2	When enter username and password	PASSED	0.463 s
3	And clicks on createProject tab	PASSED	1.417 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.300 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page

PASSED	DURATION - 21.488 s

/ 5:55:18.661 PM // 5:55:40.149 PM /

Creation of Projects and validation of Project Setting Pop Up

@CRP-Test4 @CreateProject @Smoke @Reg @Positive @TC7

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.116 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.688 s
2	When enter username and password	PASSED	0.425 s
3	And clicks on createProject tab	PASSED	1.572 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.650 s
5	Then created "Auto_Pro" with "Test"is validated in project listing page	PASSED	10.959 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(S)- user is able to validate details for project on project listing page

PASSED	DURATION - 20.044 s
/ 5:55:40.181 PM // 5:56:00.225 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @CRP-Test5 @TC8 @Positive	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.069 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.170 s
2	When enter username and password	PASSED	0.468 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.647 s
4	Then created "Auto-Test"is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.608 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	---Closing the Browser---		

(S)- user is able to Search Project on Project Listing by the use of Search Functionality

PASSED	DURATION - 6.762 s
/ 5:56:00.233 PM // 5:56:06.995 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @CRP-Test6 @TC9 @Positive	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.091 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	3.668 s
2	When enter username and password	PASSED	0.491 s

#	Step / Hook Details	Status	Duration
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.436 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

## (S)- user is able to validate updated project on Project Listing page

FAILED	DURATION - 32.940 s
/ 5:56:07.011 PM // 5:56:39.951 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @TC10 @CRP-Test7 @Positive	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.408 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	3.602 s
2	When enter username and password	PASSED	0.548 s
3	And clicks on createProject tab	PASSED	1.458 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.645 s
5	And created "Auto-Pro_Test" with "Test"is validated in project listing page	PASSED	10.873 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.180 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda$null$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda$null$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)		
	at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152)		
	at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42)		
	at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)		
	at ?."TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:69)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.		

#	Step / Hook Details	Status	Duration

	startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner$Repeater. startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:566)
	   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)
	   at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:155)
	   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	   at org.openqa.selenium.json.JsonOutput.lambda$null$21(JsonOutput.java:168)
	   at java.base/java.util.LinkedHashMap$LinkedValues.forEach(LinkedHashMap.java:608)
	   at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:168)
	   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	   at org.openqa.selenium.json.JsonOutput.lambda$null$23(JsonOutput.java:177)
	   at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)
	   at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:176)
	   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)
	   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)
	   at org.openqa.selenium.json.Json.toJson(Json.java:42)
	   at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)
	   at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	   at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)
	   at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)
	   at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)
	   at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152)
	   at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42)
	   at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:566)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:27)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)
	   at io.cucumber.core.runner.TestStep.run(TestStep.java:49)
	   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)
	   at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="app"]//scale-icon-action-edit"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome. 6RSr5u}, goog:chromeOptions: {debuggerAddress: localhost:46837}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 145b661d04284aca79050c464f576b2b *** Element info: {Using=xpath, value=//*[@id="app"]//scale-icon-action-edit}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) * Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.146 s
	this is my failure message user_is_able_to_validate_updated_project_on_Project_Listing_page +		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(S)- user is not able to create Project when left mandatory field blank

PASSED	DURATION - 7.681 s		Steps	
/ 5:56:39.966 PM // 5:56:47.647 PM /			Total - 5	
Creation of Projects and validation of Project Setting Pop Up			Pass - 5 Fail - 0	
@CreateProject @Smoke @Reg @CRP-Test8 @TC11 @Negative			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.087 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.024 s
2	When enter username and password	PASSED	0.495 s
3	And clicks on createProject tab	PASSED	1.351 s
4	When creates project with "Auto-DemoProject","","Test" and engine	PASSED	0.619 s
5	Then submit button is displaying disable	PASSED	0.022 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.083 s
	---Closing the Browser---		

(S)- user should not be able to validate cancelled project in ProjectListing Page

PASSED	DURATION - 33.773 s			
/ 5:56:47.672 PM // 5:57:21.445 PM /		Steps		
Creation of Projects and validation of Project Setting Pop Up		Total - 5		
		Pass - 5		
@CreateProject @Smoke @Reg @TC12 @CRP-Test9 @Negative		Fail - 0	5	
		Skip - 0		

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.168 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	14.799 s
2	When enter username and password	PASSED	0.424 s
3	And clicks on createProject tab	PASSED	1.454 s
4	When enters "Auto-DemoProject","CreatingPipeLine","Test" and select engine and Cancel	PASSED	0.550 s
5	Then cancelled "Auto-DemoProject"is not validated in project listing page	PASSED	15.297 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	---Closing the Browser---		

## (S)- user is not able to find deleted project on ProjectListing Page

PASSED	DURATION - 45.281 s
/ 5:57:21.454 PM // 5:58:06.735 PM /	
Creation of Projects and validation of Project Setting Pop Up	
@CreateProject @Smoke @Reg @TC13 @CRP-Test10 @Negative	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.102 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.849 s
2	When enter username and password	PASSED	0.431 s
3	And clicks on createProject tab	PASSED	1.436 s
4	When creates project with "Auto-DemoTestProject","CreatingPipeLine","Test" and engine	PASSED	0.646 s
5	Then created "Auto-DemoTestProject" with "Test"is validated in project listing page	PASSED	11.071 s
6	When deletes the project	PASSED	10.410 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.200 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.132 s
	---Closing the Browser---		

(F)- Creation of Sources and Destination

FAILED	DURATION - 8 m 59.247 s
/ 5:58:06.768 PM // 6:07:06.015 PM /	

Scenarios
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

Steps
Total - 56
Pass - 50
Fail - 1
Skip - 5

56

(S)- user is able to create file type source for NoSchema

FAILED	DURATION - 5 m 31.953 s
	/ 5:58:06.768 PM // 6:03:38.721 PM /
	Creation of Sources and Destination
	@Smoke @Reg @TC15 @CSource-Test1 @Positive @CreateSourceAndDestination

Steps
Total - 8
Pass - 2
Fail - 1
Skip - 5

8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.056 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	15.310 s
2	When enter username and password	PASSED	0.741 s
3	And clicks on createProject tab	FAILED	5 m 14.787 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.vSbL4J}, goog:chromeOptions: {debuggerAddress: localhost:35717}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: da788773a0e87c9c486c3de0dbc56b15 *** Element info: {Using=xpath, value=//*[text()=' Create project ']}
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy23.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.managersUtilities.CommonFunction.waitForElementToAppear(CommonFunction.java:136) at com.steps.createProjectSteps.clicksOnCreateProjectTab(createProjectSteps.java:39) at ?.clicks on createProject tab(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateSourceDestAndTransformation.feature:9) * Not displayable characters are replaced by '?'.		
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	SKIPPED	0.002 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	SKIPPED	0.000 s
6	And clicks on "Add a Source"	SKIPPED	0.001 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",",",","No Schema","<SchemaValue>"	SKIPPED	0.000 s
8	Then Source should get created with "DemoSource"	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message	PASSED	0.010 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.038 s

## (S)- user is able to create file type source for ManualSchema

PASSED	DURATION - 1 m 16.946 s
/ 6:03:38.729 PM // 6:04:55.675 PM /	
Creation of Sources and Destination	
@CSource-Test2 @Smoke @Reg @TC16 @Positive @CreateSourceAndDestination	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) --Starting the Execution--	PASSED	1.093 s
1	Given user is on DIL login page	PASSED	1 m 3.319 s

| #	Step / Hook Details	Status	Duration
2	When enter username and password	PASSED	0.448 s
3	And clicks on createProject tab	PASSED	1.518 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.560 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	1.014 s
6	And clicks on "Add a Source"	PASSED	1.094 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",";","Manual Schema","H_JSON"	PASSED	7.214 s
8	Then Source should get created with "DemoSource"	PASSED	0.598 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.081 s
	---Closing the Browser---		

(S)- user is able to delete created source

PASSED	DURATION - 40.565 s
/ 6:04:55.688 PM // 6:05:36.253 PM /	
Creation of Sources and Destination	
@Smoke @Reg @CSource-Test3 @Positive @TC17 @CreateSourceAndDestination	

Steps

Total - 10
Pass - 10
Fail - 0
Skip - 0

10

| #	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.069 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.988 s
2	When enter username and password	PASSED	0.459 s
3	And clicks on createProject tab	PASSED	1.351 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.554 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.932 s
6	And clicks on "Add a Source"	PASSED	1.015 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",";","No Schema","<SchemaValue>"	PASSED	6.850 s
8	Then Source should get created with "DemoSource"	PASSED	0.596 s
9	And click on "Delete Source" to delete	PASSED	5.643 s
10	Then source "DemoSource" should get deleted	PASSED	10.022 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s

#	Step / Hook Details	Status	Duration
	---Closing the Browser---		

(S)- user is able to create Transformation

PASSED	DURATION - 33.876 s

| / 6:05:36.267 PM // 6:06:10.143 PM / |

| Creation of Sources and Destination |

| @Smoke @Reg @CTransformation-Test1
@Positive @TC18 @CreateSourceAndDestination |

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.072 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.769 s
2	When enter username and password	PASSED	0.460 s
3	And clicks on createProject tab	PASSED	1.564 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.568 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.917 s
6	And clicks on "Add a Source"	PASSED	1.224 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",",",","Manual Schema","H_JSON"	PASSED	7.380 s
8	Then Source should get created with "DemoSource"	PASSED	0.543 s
9	When enters "TestTrans","Column","GroupBy","age" and click add	PASSED	7.023 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.275 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(S)- user is able to create File System type Destination

PASSED	DURATION - 24.855 s
/ 6:06:10.152 PM // 6:06:35.007 PM /	
Creation of Sources and Destination	
@Smoke @Reg @CDestination-Test1 @Positive @CreateSourceAndDestination @TC19	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.068 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	9.602 s
2	When enter username and password	PASSED	0.402 s
3	And clicks on createProject tab	PASSED	1.356 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.597 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.981 s
6	And clicks on "Add a Source"	PASSED	1.031 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",",","Manual Schema","H_JSON"	PASSED	7.447 s
8	Then Source should get created with "DemoSource"	PASSED	0.602 s
9	When enters "DemoDestination","File System","AUTOMATION_DONOTDELETE","CSV" ,".csv","CDR" and click add	PASSED	1.688 s
10	Then Destination with "DemoDestination" should get created	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is able to create Kafka type Destination

PASSED	DURATION - 30.998 s
/ 6:06:35.017 PM // 6:07:06.015 PM /	
Creation of Sources and Destination	
@Smoke @Reg @TC20 @CDestination-Test1 @Positive @CreateSourceAndDestination	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.072 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.636 s
2	When enter username and password	PASSED	0.488 s
3	And clicks on createProject tab	PASSED	1.365 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.576 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.889 s
6	And clicks on "Add a Source"	PASSED	1.088 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",",","Manual Schema","H_JSON"	PASSED	7.384 s
8	Then Source should get created with "DemoSource"	PASSED	0.559 s
9	When enters "DemoDestination","KAFKA","Kafka_plain","CSV" ,".csv","testkafkacmp" and click add	PASSED	11.860 s
10	Then Destination with "DemoDestination" should get created	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(F)- To validate created Project with backend API

PASSED	DURATION - 23.125 s		Scenarios			Steps	
/ 6:07:06.028 PM // 6:07:29.153 PM /			Total - 1	1		Total - 7	7
			Pass - 1			Pass - 7	
			Fail - 0			Fail - 0	
			Skip - 0			Skip - 0	

(S)- user is able to create a Project and is able to validate it in backend Api

PASSED	DURATION - 23.125 s		Steps	
/ 6:07:06.028 PM // 6:07:29.153 PM /			Total - 7	7
To validate created Project with backend API			Pass - 7	
@Smoke @Reg @PBE-API-Test1 @TC21 @Positive			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.057 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	16.111 s
2	When enter username and password	PASSED	0.418 s
3	And clicks on createProject tab	PASSED	1.561 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.591 s
5	When authenticated for backend api with "dil-ui","ovrzCm54Zu+q2SuJIhaOnA==","Lp4,mLd:","parihars" and "/authservice/login"	PASSED	2.031 s
6	And fetches the response with "tokenDetails" to get "access_token"	PASSED	0.218 s
7	Then user should be able to use "projectName" to validate project on "/projects"	PASSED	1.058 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	
(S) user is able to validate pipeline listing page when there is no pipeline created	
(F) Creation and Field level validation of pipelines	

T · · ·   LIFE IS FOR SHARING.   **Data Integration Layer**   Logout

Projects   Connections   Support   ○ Shailendra Parihar

UMcVrAutoDIL10-24   [Overview] Builder Team

Pipelines

There is no pipelines in this project.
Go to Builder to create one.

Project Title
UMcVrAutoDIL10-24

Description
ProjectForAutomation

Tags
[Test_Pipeline]

Project engine
Spark

Project actions

[Test run]

(Step) AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	
(S) user is able to validate updated project on Project Listing page	
(F) Creation of Projects and validation of Project Setting Pop Up	

T · · ·   LIFE IS FOR SHARING.   **Data Integration Layer**   Logout

Projects   Connections   Support   ○ Shailendra Parihar

Jb4k3Auto-Pro_Test10-13   [Overview] Builder Team

Pipelines

There is no pipelines in this project.
Go to Builder to create one.

Project Title
jb4k3Auto-Pro_Test10-13

Description
CreatingPipeLine

Tags
[Test]

Project engine
Spark

Project actions

[Test run]