



FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	2	2	0	0	1 m 2.100 s
2	Creation and Field level validation of pipelines	5	4	1	0	1 m 51.696 s
3	Creation of Projects and validation of Project Setting Pop Up	10	9	1	0	3 m 8.389 s
4	Creation of Sources and Destination	4	3	1	0	1 m 35.402 s
5	Creation of a End to End scenarios	4	4	0	0	3 m 18.577 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	user is able to create Kerberos connection	7	7	0	0	<i>34.113</i> s
2	User should be able to Create, Validate Connections on Connections Page	user is able to create SSL connection	8	8	0	0	27.963 s
3	Creation and Field level validation of pipelines	user is able to validate pipeline listing page when there is no pipeline created	6	5	1	0	19.568 s
4	Creation and Field level validation of pipelines	user is able validate pipeline properties	6	6	0	0	15.872 s
5	Creation and Field level validation of pipelines	user is able to create pipeline and validate the same in Pipeline Listing page	6	6	0	0	27.258 s
6	Creation and Field level validation of pipelines	user is able to delete pipeline and validate the same in Pipeline Listing page	7	7	0	0	23.683 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	Creation and Field level validation of pipelines	user is able to edit the pipeline and validate the same	7	7	0	0	25.237 s
8	Creation of Projects and validation of Project Setting Pop Up	user is able to get Create Project Tab on Project Listing page	3	3	0	0	24.704 s
9	Creation of Projects and validation of Project Setting Pop Up	user is able to get Project Setting pop up while selects Create Project Tab	4	4	0	0	6.392 s
10	Creation of Projects and validation of Project Setting Pop Up	user is able to validate Project Setting PopUp	4	4	0	0	5.440 s
11	Creation of Projects and validation of Project Setting Pop Up	user is able to create a Project and is able to validate it in ProjectListing Page	5	5	0	0	16.750 s
12	Creation of Projects and validation of Project Setting Pop Up	user is able to validate details for project on project listing page	4	4	0	0	17.085 s
13	Creation of Projects and validation of Project Setting Pop Up	user is able to Search Project on Project Listing by the use of Search Functionality	3	3	0	0	6.585 s

SCENARIOS SUMMARY -- 5 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
14	Creation of Projects and validation of Project Setting Pop Up	user is able to validate updated project on Project Listing page	6	5	1	0	36.234 s
15	Creation of Projects and validation of Project Setting Pop Up	user is not able to create Project when left mandatory field blank	5	5	0	0	7.525 s
16	Creation of Projects and validation of Project Setting Pop Up	user should not be able to validate cancelled project in ProjectListing Page	5	5	0	0	23.161 s
17	Creation of Projects and validation of Project Setting Pop Up	user is not able to find deleted project on ProjectListing Page	7	7	0	0	44.427 s
18	Creation of Sources and Destination	user is able to create file type source for ManualSchema	8	8	0	0	21.658 s
19	Creation of Sources and Destination	user is able to delete created source	10	9	1	0	22.307 s
20	Creation of Sources and Destination	user is able to create Transformation	10	10	0	0	28.758 s
21	Creation of Sources and Destination	user is able to create File System type Destination	10	10	0	0	22.654 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem	12	12	0	0	46.109 s
23	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem	12	12	0	0	43.891 s
24	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka	12	12	0	0	55.115 s
25	Creation of a End to End scenarios	user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka	12	12	0	0	53.427 s

DETAILED SECTION

(F)- User should be able to Create, Validate Connections on Connections Page


PASSED	DURATION - 1 m 2.100 s	Scenarios		Steps	
		Total - 2		Total - 15	
/ 11:12:58.874	AM // 11:14:00.974 AM /	Pass - 2	2	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create Kerberos connection




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.479 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	4.451 s
2	When enter username and password	PASSED	0.450 s
3	And navigates to the "Create a connection" tab	PASSED	5.826 s
4	When enters "AutomationKerberos", "Creating Connection", "KERBEROS", principal and fileType	PASSED	0.724 s
5	Then connection should be tested successfully	PASSED	12.656 s
6	When creates the connection	PASSED	0.106 s
7	Then connection with "AutomationKerberos" should be validated on Connection listing page	PASSED	8.328 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

(S)- user is able to create SSL connection




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.058 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	4.820 s
2	When enter username and password	PASSED	0.374 s
3	And navigates to the "Create a connection" tab	PASSED	5.926 s
4	When enters "AutomationSSL", "Creating Connection", "SSL"	PASSED	0.598 s
5	And enters "kafka-keystore.jks", "kafka-truststore.jks", "confluent", "TLS"	PASSED	5.649 s
6	Then connection should be tested successfully	PASSED	0.836 s
7	When creates the connection	PASSED	0.098 s
8	Then connection with "AutomationSSL" should be validated on Connection listing page	PASSED	8.514 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	Closing the Browser		

(F)- Creation and Field level validation of pipelines



DETAILED SECTION -- 9 --

(S)- user is able to validate pipeline listing page when there is no pipeline created




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.062 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	4.871 s
2	When enter username and password	PASSED	0.377 s
3	And clicks on createProject tab	PASSED	1.371 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.572 s
5	And switches to "Overview"	PASSED	0.520 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"	FAILED	10.629 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"path","selector":"/*[text()=" There is no pipelines in this project "]"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic', java.version: '11.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850687da, userDataDir: /tmp/.com.google.Chrome.KPm7oH}, goog:chromeOptions: {debuggerAddress: localhost:39597}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7e29ed2a2489ed9b472d23ae45fe9571 *** Element info: {Using=xpath, value=//*[text()=" There is no pipelines in this project "]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:129) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:158) at org.openqa.selenium.remote.httpCommandExecutor.execute(PriverCommandExecutor.java:32) at org.ope		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:198)		
	at com.pagesPF.PipeLIne_ListingPage.validateDetailsOnProjectListingPageWithNORecords(PipeLIne_ListingPage.java:89)		
	at com.steps.createPipeLineSteps.pipelineListingPageIsValidatedForAnd(createPipeLineSteps.java:44)		
	at ?.PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"(file:///home/pihu/dil_automation/		
	src/test/resources/features/projects/CreatePipeLine.feature:15) * Not displayable characters are replaced by '?'.		
		D. 4.00ED	0.004
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.091 s
	this is my failure message		
	user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created		
	T intermedia. Security Secur		
	BZ00_JAutoDIL03-08 Imm have been considered to the constant of		
	National Species Regards National Species Rega		
	year selection to the selection of the s		
	ACTED, som stone Hooks quitBrowsor(is quoumber ious Scenario)	DACCED	0.072.6
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		


(S)- user is able validate pipeline properties



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.064 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	4.700 s
2	When enter username and password	PASSED	0.384 s
3	And clicks on createProject tab	PASSED	1.311 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.527 s


#	Step / Hook Details	Status	Duration
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.684 s
6	Then PipeLine properties is validated for "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	1.100 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.097 s
	Closing the Browser		

(S)- user is able to create pipeline and validate the same in Pipeline Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.071 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.154 s
2	When enter username and password	PASSED	0.358 s
3	And clicks on createProject tab	PASSED	1.995 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.546 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.608 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.446 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to delete pipeline and validate the same in Pipeline Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.055 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.684 s
2	When enter username and password	PASSED	0.360 s
3	And clicks on createProject tab	PASSED	1.247 s
4	When creates project with "AutoDIL", "ProjectForAutomation", "Test_Pipeline" and engine	PASSED	0.569 s
5	And creates a "PipeLIne" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.671 s
6	When deletes pipeline	PASSED	0.000 s
7	Then "PipeLIne" should get disappeared	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.093 s
	Closing the Browser		

(S)- user is able to edit the pipeline and validate the same

PASSED DURATION - 25.237 s	10-	
/ 11:15:27.457 AM // 11:15:52.694 AM /	8	
Creation and Field level validation of pipelines	4	7
@Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC5	2	
@ 01 103f1 @ 100	1 2 3 4 5 6 7	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.047 s

#	Step / Hook Details	Status	Duration
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.207 s
2	When enter username and password	PASSED	0.356 s
3	And clicks on createProject tab	PASSED	1.250 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.532 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.485 s
6	When changes the "BATCH","Edit Pipeline"	PASSED	10.862 s
7	Then PipeLine properties is validated for "ProjectForAutomation","Edit Pipeline","BATCH","k1","v1","s1" and "v2"	PASSED	1.405 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.087 s
	Closing the Browser		

(F)- Creation of Projects and validation of Project Setting Pop Up

FAILED	DURATION - 3 m 8.389 s	Scenarios		Steps	
		Total - 10		Total - 46	
/ 11:15:52.717	7 AM // 11:19:01.106 AM /	Pass - 9	10	Pass - 45	46
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


(S)- user is able to get Create Project Tab on Project Listing page

PASSED DURATION - 24.704 s	20-	Steps
/ 11:15:52.717 AM // 11:16:17.421 AM /	15-	Total - 3
Creation of Projects and validation of Project Setting Pop Up	10-	Pass - 3 Fail - 0
@CreateProject @Smoke @Reg @Positive @TC6 @CRP-Test1	0 1 2 3	Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.076 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	21.204 s
2	When enter username and password	PASSED	0.445 s


#	Step / Hook Details	Status	Duration
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.901 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to get Project Setting pop up while selects Create Project Tab



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.073 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.509 s
2	When enter username and password	PASSED	0.345 s
3	And clicks on createProject tab	PASSED	1.342 s
4	Then user is able to get Project Setting PopUp	PASSED	0.048 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		


(S)- user is able to validate Project Setting PopUp



DETAILED SECTION -- 15 --


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.298 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.254 s
2	When enter username and password	PASSED	0.366 s
3	And clicks on createProject tab	PASSED	1.244 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.188 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.087 s
	Closing the Browser		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.245 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.550 s
2	When enter username and password	PASSED	0.439 s
3	And clicks on createProject tab	PASSED	1.202 s
4	When creates project with "Auto_Pro", "CreatingPipeLine", "Test" and engine	PASSED	0.450 s
5	Then created "Auto_Pro" with "Test"is validated in project listing page	PASSED	10.788 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user is able to validate details for project on project listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.073 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.583 s
2	When enter username and password	PASSED	0.412 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.374 s
4	Then created "Auto-Test"is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.563 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	Closing the Browser		


(S)- user is able to Search Project on Project Listing by the use of Search Functionality



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.047 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.724 s
2	When enter username and password	PASSED	0.364 s

#	Step / Hook Details	Status	Duration
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.376 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user is able to validate updated project on Project Listing page



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.249 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	7.570 s
2	When enter username and password	PASSED	0.323 s
3	And clicks on createProject tab	PASSED	1.406 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.496 s
5	And created "Auto-Pro_Test" with "Test"is validated in project listing page	PASSED	10.863 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.154 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$null\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:264)		

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)		
	at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163)		
	at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36)		
	at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)		
	at ?."TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/		
	CreateProject.feature:67)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision:		
	'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:		
	'5.11.0-27-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.		
	close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.		
	AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java.227) at org.openqa.selenium.remote.httpCommandExecutor.		
	execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.		
	execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.		
	Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.		
	managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163) at com.pagesPF.Project_BuilderPage.		
	editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36) at com.steps.createProjectSteps.		
	andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk. internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.		
	invoke(Method.java:566) at io.cucumber.java.lnvoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.		
	execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.java:49) at io.		
	cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.		
	java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.		
	runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.		
	ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.gava:06) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner.gava:2030 at org.junit.runners.parentRunner.gava:2030 at org.junit.runners.gava:2030 at org.junit.gava:2030 at org.junit.runners.gava:2030 at org.junit.runners.gava:2030 at org.junit.gava:2030 at org.junit		
	runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at		
	io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.java:183)		
	runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.		
	junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.		
	java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.		
	java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.		


#	Step / Hook Details	Status	Duration
	startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.		
	startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java.02) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:320)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.lambda\$null\$21(JsonOutput.java:168)		
	at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)		
	at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163)		
	at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36)		
	at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:27)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		

	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4ldeaTestRunner.startRunnerWithArgs(JUnit4ldeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: org.openga.selenium.NoSuchElementException: no such element: Unable to locate element:		
{	"method":"xpath","selector":"//*[@id="app"]//scale-icon-action-edit"} (Session info: chrome=90.0.4430.212) For documentation on this error,		
	please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time:		
	2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic',		
	ava.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	prowserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da, userDataDir: /tmp/.com.google.Chrome.		
	ujLQ3m}, goog:chromeOptions: {debuggerAddress: localhost:36817}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false,		
	imeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true,		
	webauthn:virtualAuthenticators: true} Session ID: 810c30ee51fc12a8ae2b851305ce8543 *** Element info: {Using=xpath,		
	/alue=//*[@id="app"]//scale-icon-action-edit}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		

DETAILED SECTION -- 21 --

Step / Hook Details	Status	Duration
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
at com.sun.proxy.\$Proxy23.getWrappedElement(Unknown Source)		
at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204)		
at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155)		
at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75)		
at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84)		
* Not displayable characters are replaced by '?'.		
AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.095 s
this is my failure message		
user_is_able_to_validate_updated_project_on_Project_Listing_page		
The statement sourcestance		
Front Country Superior Country Special Country		
Fundame Secretaria Secre		
Topol region Next Control of the Co		
y registron Total		
AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
Closing the Browser		

(S)- user is not able to create Project when left mandatory field blank




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.082 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.888 s
2	When enter username and password	PASSED	0.374 s
3	And clicks on createProject tab	PASSED	1.597 s
4	When creates project with "Auto-DemoProject","","Test" and engine	PASSED	0.485 s
5	Then submit button is displaying disable	PASSED	0.017 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	Closing the Browser		

(S)- user should not be able to validate cancelled project in ProjectListing Page

PASSED DURATION - 23.161 s		Steps
/ 11:17:53.510 AM // 11:18:16.671 AM /		Total - 5
Creation of Projects and validation of Project		Pass - 5
Setting Pop Up		Fail - 0
@TC14 @CreateProject @Smoke @Reg @CRP-		Skip - 0
Test9 @Negative	1 2 3 4 5	


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.069 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.867 s
2	When enter username and password	PASSED	0.355 s
3	And clicks on createProject tab	PASSED	2.070 s
4	When enters "Auto-DemoProject", "CreatingPipeLine", "Test" and select engine and Cancel	PASSED	0.547 s
5	Then cancelled "Auto-DemoProject"is not validated in project listing page	PASSED	15.175 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	Closing the Browser		

(S)- user is not able to find deleted project on ProjectListing Page




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.057 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	4.325 s
2	When enter username and password	PASSED	0.313 s
3	And clicks on createProject tab	PASSED	1.667 s
4	When creates project with "Auto-DemoTestProject", "CreatingPipeLine", "Test" and engine	PASSED	0.475 s
5	Then created "Auto-DemoTestProject" with "Test"is validated in project listing page	PASSED	10.870 s
6	When deletes the project	PASSED	10.409 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.214 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.091 s
	Closing the Browser		

(F)- Creation of Sources and Destination




(S)- user is able to create file type source for ManualSchema



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.059 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.648 s
2	When enter username and password	PASSED	0.350 s
3	And clicks on createProject tab	PASSED	1.492 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.486 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.846 s
6	And clicks on "Add a Source"	PASSED	0.768 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "Auto_ManualSchema"	PASSED	7.302 s
8	Then Source should get created with "DemoSource"	PASSED	0.602 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.099 s
	Closing the Browser		


(S)- user is able to delete created source



DETAILED SECTION -- 25 --


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.055 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.902 s
2	When enter username and password	PASSED	0.412 s
3	And clicks on createProject tab	PASSED	1.635 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.468 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.806 s
6	And clicks on "Add a Source"	PASSED	0.782 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "No Schema", " <schemavalue>"</schemavalue>	PASSED	6.831 s
8	Then Source should get created with "DemoSource"	PASSED	0.567 s
9	And click on "Delete Source" to delete	PASSED	0.616 s
10	Then source "DemoSource" should get deleted	FAILED	0.010 s
	java.lang.AssertionError: Record is present at org.junit.Assert.fail(Assert.java:89) at com.pagesPF.Functions_LeanPageObject.validatePresenceOfRecord(Functions_LeanPageObject.java:44) at com.steps.createSourceDestAndTransform.sourceShouldGetDeleted(createSourceDestAndTransform.java:77) at ?.source "DemoSource" should get deleted(file:///home/pihu/dil_automation/src/test/resources/features/projects/ CreateSourceDestAndTransformation.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.143 s
	this is my failure message user_is_able_to_delete_created_source **The man and the control of		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

(S)- user is able to create Transformation




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.056 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.746 s
2	When enter username and password	PASSED	0.351 s
3	And clicks on createProject tab	PASSED	1.282 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.462 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.829 s
6	And clicks on "Add a Source"	PASSED	0.782 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "Auto_ManualSchema"	PASSED	7.127 s
8	Then Source should get created with "DemoSource"	PASSED	0.574 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.937 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.533 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	Closing the Browser		

(S)- user is able to create File System type Destination




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.043 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.497 s
2	When enter username and password	PASSED	0.333 s
3	And clicks on createProject tab	PASSED	1.262 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.474 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.861 s
6	And clicks on "Add a Source"	PASSED	0.823 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "Auto_ManualSchema"	PASSED	7.120 s
8	Then Source should get created with "DemoSource"	PASSED	0.610 s
9	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", ".csv", "CDR" and click add	PASSED	1.554 s
10	Then Destination with "DemoDestination" should get created	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	Closing the Browser		

(F)- Creation of a End to End scenarios




(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as FileSystem



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.045 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.310 s
2	When enter username and password	PASSED	0.570 s
3	And clicks on createProject tab	PASSED	1.391 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.485 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.775 s
6	And clicks on "Add a Source"	PASSED	0.824 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "Auto_ManualSchema"	PASSED	7.234 s
8	Then Source should get created with "DemoSource"	PASSED	0.526 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.960 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.600 s
11	When enters "DemoDestination", "File System", "Auto_Kerb_DND", "CSV", ".csv", "CDR" and click add	PASSED	1.417 s
12	Then PipeLine with status "READY" is validated	PASSED	11.884 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.080 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as FileSystem




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.063 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.857 s
2	When enter username and password	PASSED	0.378 s
3	And clicks on createProject tab	PASSED	1.256 s

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.556 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.447 s
6	And clicks on "Add a Source"	PASSED	0.805 s
7	When Enters "DemoSource","KAFKA","Auto_KAFKA_DND","CDR","Manual","Auto_ManualSchema","Earlier","k1","v1" and	PASSED	7.852 s
	clicks on add		
8	Then Source should get created with "DemoSource"	PASSED	0.577 s
9	When enters "TestTrans","Column","GroupBy","m_boolean" and click add	PASSED	6.976 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.557 s
11	When enters "DemoDestination","File System","Auto_Kerb_DND","CSV" ,".csv","CDR" and click add	PASSED	1.518 s
12	Then PipeLine with status "READY" is validated	PASSED	11.920 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.120 s
	Closing the Browser		


(S)- user is able to create a project with a pipeline in ready status with FileSystem as source and Destination as Kafka



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.113 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	5.163 s
2	When enter username and password	PASSED	0.458 s
3	And clicks on createProject tab	PASSED	1.262 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.461 s
5	And creates a "PipeLIne" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.477 s
6	And clicks on "Add a Source"	PASSED	0.752 s
7	When Enters "DemoSource", "File System", "Auto_Kerb_DND", "CSV", ".csv", ", ", "Manual Schema", "Auto_ManualSchema"	PASSED	7.072 s

#	Step / Hook Details	Status	Duration
8	Then Source should get created with "DemoSource"	PASSED	0.565 s
9	When enters "TestTransFileToKafka","Column","GroupBy","m_boolean" and click add	PASSED	7.602 s
10	Then Transformation with "TestTransFileToKafka" should get created	PASSED	0.567 s
11	When enters "DemoDestination","KAFKA","Auto_KAFKA_DND","CSV" ,".csv","CDR" and click add	PASSED	11.618 s
12	Then PipeLine with status "READY" is validated	PASSED	11.920 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	Closing the Browser		

(S)- user is able to create a project with a pipeline in ready status with Kafka as source and Destination as kafka




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.065 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.390 s
2	When enter username and password	PASSED	0.372 s
3	And clicks on createProject tab	PASSED	1.292 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.524 s
5	And creates a "PipeLIne" with "ProjectForAutomation", "Test_Pipeline", "STREAMING", "k1", "v1", "s1" and "v2"	PASSED	6.469 s
6	And clicks on "Add a Source"	PASSED	0.789 s
7	When Enters "DemoSource", "KAFKA", "Auto_KAFKA_DND", "CDR", "Manual", "Auto_ManualSchema", "Earlier", "k1", "v1" and	PASSED	7.805 s
	clicks on add		
8	Then Source should get created with "DemoSource"	PASSED	0.612 s
9	When enters "TestTrans","Column","GroupBy","m_id" and click add	PASSED	6.971 s
10	Then Transformation with "TestTrans" should get created	PASSED	0.599 s
11	When enters "DemoDestination","KAFKA","Auto_KAFKA_DND","CSV" ,".csv","CDR" and click add	PASSED	11.672 s
12	Then PipeLine with status "READY" is validated	PASSED	11.785 s

DETAILED SECTION -- 31 --

#	Step / Hook Details	Status	Duration
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	Closing the Browser		

EXPANDED SECTION -- 32 --



EXPANDED SECTION -- 33 --

