

Cucumber Report

10-Nov-2021, 9:05:08 AM

Start : Nov 10, 9:02:05.634 AM

End : Nov 10, 9:05:07.042 AM

Duration : 3 m 1.408 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 4


FAILED - 2

SKIPPED - 0

PASSED - 39


FAILED - 2

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Creation and Field level validation of pipelines	4	2	2	0	2 m 0.790 s
2	Creation of Sources and Destination	2	2	0	0	1 m 0.570 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Creation and Field level validation of pipelines</u>	<u>user is able to validate pipeline listing page when there is no pipeline created</u>	6	5	1	0	35.963 s
2	<u>Creation and Field level validation of pipelines</u>	<u>user is able validate pipeline properties</u>	6	6	0	0	18.128 s
3	<u>Creation and Field level validation of pipelines</u>	<u>user is able to create pipeline and validate the same in Pipeline Listing page</u>	6	5	1	0	37.205 s
4	<u>Creation and Field level validation of pipelines</u>	<u>user is able to edit the pipeline and validate the same</u>	7	7	0	0	29.418 s
5	<u>Creation of Sources and Destination</u>	<u>user is able to create file type source for ManualSchema</u>	8	8	0	0	27.303 s
6	<u>Creation of Sources and Destination</u>	<u>user is able to create FileSystem source with No schema</u>	8	8	0	0	33.250 s

(F)- Creation and Field level validation of pipelines

FAILED	DURATION - 2 m 0.790 s	Scenarios		Steps	
/ 9:02:05.634 AM // 9:04:06.424 AM /		Total - 4		Total - 25	
		Pass - 2		Pass - 23	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

(S)- user is able to validate pipeline listing page when there is no pipeline created

<div>FAILED</div> <div>DURATION - 35.963 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:02:05.638 AM // 9:02:41.601 AM /				
Creation and Field level validation of pipelines				
@Smoke @Reg @TC1 @CreatePipeLine @Positive @CP-Test1				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.622 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	20.361 s
2	When enter username and password	PASSED	0.429 s
3	And clicks on createProject tab	PASSED	1.514 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.619 s
5	And switches to "Overview"	PASSED	0.487 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"	FAILED	10.653 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=' There is no pipelines in this project ']"}		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:199) at com.pagesPF.PipeLIne_ListingPage.validateDetailsOnProjectListingPageWithNORecords(PipeLIne_ListingPage.java:89) at com.steps.createPipeLineSteps.pipelineListingPageIsValidatedForAnd(createPipeLineSteps.java:44) at ?.PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"(file:///home/pihu/dil_automation/ src/test/resources/features/projects/CreatePipeLine.feature:15) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message</p> <p>user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created</p> 	PASSED	0.177 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.083 s

(S)- user is able validate pipeline properties

PASSED	DURATION - 18.128 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 9:02:41.630 AM // 9:02:59.758 AM /				
Creation and Field level validation of pipelines				
@TC2 @Smoke @Reg @CreatePipeLine @Positive @CP-Test1				


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.145 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.604 s
2	When enter username and password	PASSED	0.470 s
3	And clicks on createProject tab	PASSED	1.437 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.600 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.637 s
6	Then PipeLine properties is validated for "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	1.152 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to create pipeline and validate the same in Pipeline Listing page



FAILED	DURATION - 37.205 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 9:02:59.780 AM // 9:03:36.985 AM /				
Creation and Field level validation of pipelines				
@Smoke @Reg @TC3 @CreatePipeLine @Positive @CP-Test2				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.125 s
	--Starting the Execution--		

#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	5.833 s
2	When enter username and password	PASSED	0.930 s
3	And clicks on createProject tab	PASSED	1.299 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.538 s
5	And creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	16.989 s
6	Then PipeLine listing page is validated for created Pipeline	FAILED	10.284 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='nxaOCPipeLine10-10 ']"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-40-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.6Hs2zS), goog:chromeOptions: {debuggerAddress: localhost:38737}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 849761d1daf08e9b32571c97afd2c762 *** Element info: {Using=xpath, value=//*[text()='nxaOCPipeLine10-10 ']}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:199) at com.pagesPF.PipeLine_ListingPage.validatePipeLineRecord(PipeLine_ListingPage.java:150) at com.steps.createPipeLineSteps.pipelineListingPageIsValidatedForCreatedPipeline(createPipeLineSteps.java:51) at ?.PipeLine listing page is validated for created Pipeline(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreatePipeLine.feature:41) * Not displayable characters are replaced by '?'. </p>		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.127 s
	<p>this is my failure message</p> <p>user_is_able_to_create_pipeline_and_validate_the_same_in_Pipeline_Listing_page</p>		



#	Step / Hook Details	Status	Duration
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(S)- user is able to edit the pipeline and validate the same



PASSED DURATION - 29.418 s / 9:03:37.006 AM // 9:04:06.424 AM / Creation and Field level validation of pipelines @Smoke @Reg @CreatePipeLine @Positive @CP-Test1 @TC5			Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
--	--	--	--	---

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.135 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.792 s
2	When enter username and password	PASSED	0.667 s
3	And clicks on createProject tab	PASSED	1.330 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.606 s
5	And creates a "PipeLine" with "ProjectForAutomation","Test_Pipeline","STREAMING","k1","v1","s1" and "v2"	PASSED	6.535 s
6	When changes the "BATCH","Edit Pipeline"	PASSED	10.964 s
7	Then PipeLine properties is validated for "ProjectForAutomation","Edit Pipeline","BATCH","k1","v1","s1" and "v2"	PASSED	1.310 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(F)- Creation of Sources and Destination

PASSED	DURATION - 1 m 0.570 s	Scenarios		Steps	
/ 9:04:06.472 AM // 9:05:07.042 AM /		Total - 2		Total - 16	
		Pass - 2		Pass - 16	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create file type source for ManualSchema

<div>PASSED</div> <div>DURATION - 27.303 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:06.472 AM // 9:04:33.775 AM /</div>				
<div>Creation of Sources and Destination</div>				
<div>@Smoke @Reg @CSource-Test @Positive</div> <div>@TC18 @CreateSourceAndDestination</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.121 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	9.143 s
2	When enter username and password	PASSED	0.390 s
3	And clicks on createProject tab	PASSED	1.373 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.543 s
5	And creates a "PipeLIne" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.887 s
6	And clicks on "Add a Source"	PASSED	0.819 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv",",","Manual Schema","AutoManualSchemaDND"	PASSED	7.337 s
8	Then Source should get created with "DemoSource"	PASSED	0.609 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to create FileSystem source with No schema

PASSED	DURATION - 33.250 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 9:04:33.792 AM // 9:05:07.042 AM /				
Creation of Sources and Destination				
@Smoke @Reg @CSource-Test @Positive @CreateSourceAndDestination @TC19				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.124 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	15.357 s
2	When enter username and password	PASSED	0.505 s
3	And clicks on createProject tab	PASSED	1.314 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.625 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	5.891 s
6	And clicks on "Add a Source"	PASSED	0.833 s
7	When Enters "DemoSource","File System","Auto_Kerb_DND","CSV",".csv","",,"No Schema","<SchemaValue>"	PASSED	6.902 s
8	Then Source should get created with "DemoSource"	PASSED	0.617 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate pipeline listing
page when there is no pipeline created

(F) Creation and Field level validation of
pipelines

Data Integration Layer

Projects Connections Logs Support

3tTOEAutoDIL10-29

Overview Builder Logs Team

Pipelines

There is no pipelines in this project.
Go to Builder to create one.

Project Title
3tTOEAutoDIL10-29

Description
ProjectForAutomation

Tags
Test_Pipeline

Project engine
Spark

Project actions
Test run

Shailendra Parihar

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to create pipeline and
validate the same in Pipeline Listing page

(F) Creation and Field level validation of
pipelines

Data Integration Layer

Projects Connections Logs Support

H4bzkAutoDIL10-09

Overview Builder Logs Team

Pipelines

NAME	CONNECTION STATUS	HEALTH	LAST LAUNCH	RUNTIME
NxaOCPipeLine10-10	-	DRAFT	-	-

Project Title
h4bzkAutoDIL10-09

Description
ProjectForAutomation

Tags
Test_Pipeline

Project engine
Spark

Project actions
Test run

Shailendra Parihar