


#	Feature Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	2	2	0	0	58.369 s
2	To validate created Project with backend API	1	0	1	0	10.361 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to Create, Validate Connections on Connections Page	user is able to create Kerberos connection	7	7	0	0	29.509 s
2	User should be able to Create, Validate Connections on Connections Page	user is able to create SSL connection	8	8	0	0	28.829 s
3	To validate created Project with backend API	user is able to create a Project and is able to validate it in backend Api	7	6	1	0	10.361 s

DETAILED SECTION

(F)- User should be able to Create, Validate Connections on Connections Page


PASSED	DURATION - 58.369 s	Scenarios		Steps	
		Total - 2		Total - 15	
/ 12:59:25.978 PI	M // 1:00:24.347 PM /	Pass - 2	2	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- user is able to create Kerberos connection

PASSED DURATION - 29.509 s	8 7								Steps	
/ 12:59:25.981 PM // 12:59:55.490 PM /	6 -	 		- 4					Total - 7	
User should be able to Create, Validate Connections on Connections Page	4 -	 	-	-					Pass - 7 Fail - 0	7
@Smoke @Reg @PBE-API-Test1 @CreateConnection @TC30 @Positive	0 -	 1	2	3	4	5	6	7	Skip - 0	


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.451 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.488 s
2	When enter username and password	PASSED	0.321 s
3	And navigates to the "Create a connection" tab	PASSED	5.803 s
4	When enters "AutomationKerberos", "Creating Connection", "KERBEROS", principal and fileType	PASSED	0.812 s
5	Then connection should be tested successfully	PASSED	6.688 s
6	When creates the connection	PASSED	0.082 s
7	Then connection with "AutomationKerberos" should be validated on Connection listing page	PASSED	7.720 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.126 s
	Closing the Browser		

(S)- user is able to create SSL connection




#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.042 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	6.673 s
2	When enter username and password	PASSED	0.335 s
3	And navigates to the "Create a connection" tab	PASSED	5.814 s
4	When enters "AutomationSSL", "Creating Connection", "SSL"	PASSED	0.602 s
5	And enters "kafka-keystore.jks", "kafka-truststore.jks", "confluent", "TLS"	PASSED	5.691 s
6	Then connection should be tested successfully	PASSED	0.641 s
7	When creates the connection	PASSED	0.082 s
8	Then connection with "AutomationSSL" should be validated on Connection listing page	PASSED	7.865 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	Closing the Browser		

(F)- To validate created Project with backend API



DETAILED SECTION -- 6 --

(S)- user is able to create a Project and is able to validate it in backend Api



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.063 s
	Starting the Execution		
1	Given user is on DIL login page	PASSED	3.433 s
2	When enter username and password	PASSED	0.336 s
3	And clicks on createProject tab	PASSED	1.402 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.483 s
5	When authenticated for backend api with "dil-ui","ovrzCm54Zu+q2SuJlhaOnA==","Lp4,mLd:","parihars" and "/authservice/login"	PASSED	2.140 s
6	And fetches the response with "tokenDetails" to get "access_token"	PASSED	0.203 s
7	Then user should be able to use "projectName" to validate project on "/projects"	FAILED	1.119 s
	java.lang.AssertionError: expected:<200> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at com.callsapi.RestFunctions.authenticateProject(RestFunctions.java:56) at com.pagesPF.ProjectsPage.validateProjectWithBackendApi(ProjectsPage.java:178) at com.steps.apiSteps.userShouldBeAbleToUseToValidateProjectOn(apiSteps.java:72) at ?.user should be able to use "projectName" to validate project on "/projects"(file:///home/pihu/dil_automation/src/test/resources/features/projects/ProjectsApiCalls.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_able_to_create_a_Project_and_is_able_to_validate_it_in_backend_Api	PASSED	0.107 s

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	Projects - Manual State		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	Closing the Browser		

EXPANDED SECTION -- 8 --

