

Cucumber Report

06-Aug-2021, 4:07:54 PM

Start : Aug 06, 4:02:57.570 PM

End : Aug 06, 4:07:53.509 PM

Duration : 4 m 55.939 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 2

SKIPPED - 0

PASSED - 12



FAILED - 5


SKIPPED - 0

PASSED - 90


FAILED - 5

SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>Creation and Field level validation of pipelines</u>	3	2	1	0	50.525 s
2	<u>Creation of Projects and validation of Project Setting Pop Up</u>	10	6	4	0	2 m 43.262 s
3	<u>Creation of Sources and Destination</u>	3	3	0	0	1 m 10.999 s
4	<u>To validate created Project with backend API</u>	1	1	0	0	11.060 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Creation and Field level validation of pipelines</u>	<u>user is able to validate pipeline listing page when there is no pipeline created</u>	6	5	1	0	20.811 s
2	<u>Creation and Field level validation of pipelines</u>	<u>user is able to create pipeline and validate the same in Pipeline Listing page</u>	6	6	0	0	14.780 s
3	<u>Creation and Field level validation of pipelines</u>	<u>user is able to delete pipeline and validate the same in Pipeline Listing page</u>	7	7	0	0	14.871 s
4	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Create Project Tab on Project Listing page</u>	3	3	0	0	8.272 s
5	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Project Setting pop up while selects Create Project Tab</u>	4	4	0	0	8.039 s
6	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate Project Setting PopUp</u>	4	3	1	0	7.613 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to create a Project and is able to validate it in ProjectListing Page</u>	5	5	0	0	18.545 s
8	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate details for project on project listing page</u>	4	4	0	0	17.861 s
9	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to Search Project on Project Listing by the use of Search Functionality</u>	3	3	0	0	7.783 s
10	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate updated project on Project Listing page</u>	6	5	1	0	33.716 s
11	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to create Project when left mandatory field blank</u>	5	5	0	0	13.408 s
12	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user should not be able to validate cancelled project in ProjectListing Page</u>	5	3	1	1	19.120 s
13	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to find deleted project on ProjectListing Page</u>	7	4	1	2	28.784 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>Creation of Sources and Destination</u>	<u>user is able to create source for NoSchema</u>	8	8	0	0	19.074 s
15	<u>Creation of Sources and Destination</u>	<u>user is able to create source for ManualSchema</u>	8	8	0	0	18.774 s
16	<u>Creation of Sources and Destination</u>	<u>user is able to delete created source</u>	10	10	0	0	33.131 s
17	<u>To validate created Project with backend API</u>	<u>user is able to create a Project and is able to validate it in backend Api</u>	7	7	0	0	11.060 s

(F)- Creation and Field level validation of pipelines

FAILED	DURATION - 50.525 s	Scenarios		Steps	
/ 4:02:57.570 PM // 4:03:48.095 PM /		Total - 3		Total - 19	
		Pass - 2		Pass - 18	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



(S)- user is able to validate pipeline listing page when there is no pipeline created

<div>FAILED</div> <div>DURATION - 20.811 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:02:57.573 PM // 4:03:18.384 PM /				
Creation and Field level validation of pipelines				
@Smoke @Reg @TC1 @CreatePipeLine @Positive @CP-Test1				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.510 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.786 s
2	When enter username and password	PASSED	0.418 s
3	And clicks on createProject tab	PASSED	1.410 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.454 s
5	And switches to "Overview"	PASSED	0.457 s
6	Then PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"	FAILED	10.610 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()=' There is no pipelines in this project ']" } (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.Ccj65g}, goog:chromeOptions: {debuggerAddress: localhost:41723}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b1ec2bf09a5368824105ee64809b9862 *** Element info: {Using=xpath, value=//*[text()='		



#	Step / Hook Details	Status	Duration
	<p>There is no pipelines in this project "]]</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:187) at com.pagesPF.PipeLine_ListingPage.validateDetailsOnProjectListingPageWithNORecords(PipeLine_ListingPage.java:64) at com.steps.createPipeLineSteps.pipelineListingPageIsValidatedForAnd(createPipeLineSteps.java:42) at ?.PipeLine listing page is validated for ProjectName,PipelineTag and "There is no pipelines in this project"(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreatePipeLine.feature:13) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message user_is_able_to_validate_pipeline_listing_page_when_there_is_no_pipeline_created</p> 	PASSED	0.064 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.089 s

(S)- user is able to create pipeline and validate the same in Pipeline Listing page

<div>PASSED</div> <div>DURATION - 14.780 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:03:18.421 PM // 4:03:33.201 PM /			
Creation and Field level validation of pipelines			
@TC2 @Smoke @Reg @CreatePipeLine @Positive @CP-Test2			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.113 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.312 s
2	When enter username and password	PASSED	0.341 s
3	And clicks on createProject tab	PASSED	1.218 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.502 s
5	And creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	6.783 s
6	Then PipeLine listing page is validated for created Pipeline	PASSED	0.416 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.091 s
	---Closing the Browser---		



(S)- user is able to delete pipeline and validate the same in Pipeline Listing page

<div>PASSED</div> <div>DURATION - 14.871 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:03:33.224 PM // 4:03:48.095 PM /</div>			
<div>Creation and Field level validation of pipelines</div>			
<div>@Smoke @Reg @CP-Test3 @CreatePipeLine</div> <div>@Positive @TC17</div>			


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.111 s
	--Starting the Execution--		

#	Step / Hook Details	Status	Duration
1	Given user is on DIL login page	PASSED	5.441 s
2	When enter username and password	PASSED	0.344 s
3	And clicks on createProject tab	PASSED	1.420 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.448 s
5	And creates a "PipeLine" with "ProjectForAutomation" and "Test_Pipeline"	PASSED	7.020 s
6	When deletes pipeline	PASSED	0.001 s
7	Then "PipeLine" should get disappeared	PASSED	0.001 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.081 s
	---Closing the Browser---		

(F)- Creation of Projects and validation of Project Setting Pop Up

FAILED	DURATION - 2 m 43.262 s	Scenarios		Steps	
/ 4:03:48.141 PM // 4:06:31.403 PM /		Total - 10		Total - 46	
		Pass - 6		Pass - 39	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 3	



(S)- user is able to get Create Project Tab on Project Listing page

PASSED	DURATION - 8.272 s		Steps	
/ 4:03:48.142 PM // 4:03:56.414 PM /			Total - 3	
Creation of Projects and validation of Project Setting Pop Up			Pass - 3	
@CreateProject @Smoke @Reg @TC3			Fail - 0	
@Positive @CRP-Test1			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.107 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.985 s
2	When enter username and password	PASSED	0.339 s
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.751 s



#	Step / Hook Details	Status	Duration
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.090 s
	---Closing the Browser---		

(S)- user is able to get Project Setting pop up while selects Create Project Tab


PASSED		DURATION - 8.039 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:03:56.429 PM // 4:04:04.468 PM /						
Creation of Projects and validation of Project Setting Pop Up						
@CreateProject @Reg @Positive @CRP-Test2 @TC4						

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.177 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.080 s
2	When enter username and password	PASSED	0.401 s
3	And clicks on createProject tab	PASSED	1.261 s
4	Then user is able to get Project Setting PopUp	PASSED	0.040 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	---Closing the Browser---		



(S)- user is able to validate Project Setting PopUp

<div>FAILED</div> <div>DURATION - 7.613 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:04:04.480 PM // 4:04:12.093 PM /</div>				
<div>Creation of Projects and validation of Project Setting Pop Up</div>				
<div>@CreateProject @Smoke @Reg @CRP-Test3 @Positive @TC5</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.175 s



#	Step / Hook Details	Status	Duration
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.117 s
2	When enter username and password	PASSED	0.411 s
3	And clicks on createProject tab	PASSED	1.532 s
4	Then all the fields on Project Setting up page are validated	FAILED	0.180 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.pagesPF.ProjectsPage.validateAllFieldsOnProjectSettingPopUp(ProjectsPage.java:132) at com.steps.createProjectSteps.allTheFieldsOnProjectSettingUpPageAreValidated(createProjectSteps.java:65) at ?.all the fields on Project Setting up page are validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:28) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.120 s
	this is my failure message user_is_able_to_validate_Project_Setting_PopUp		
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page

<div>PASSED</div> <div>DURATION - 18.545 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:04:12.105 PM // 4:04:30.650 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CRP-Test4 @CreateProject @Smoke @Reg @Positive @TC6</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.113 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.347 s
2	When enter username and password	PASSED	0.454 s
3	And clicks on createProject tab	PASSED	1.291 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.447 s
5	Then created "Auto_Pro" with "Test" is validated in project listing page	PASSED	10.809 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.081 s
	---Closing the Browser---		

(S)- user is able to validate details for project on project listing page

PASSED	DURATION - 17.861 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:04:30.668 PM // 4:04:48.529 PM /				
Creation of Projects and validation of Project Setting Pop Up				
@CreateProject @Smoke @Reg @CRP-Test5 @Positive @TC7				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.114 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.392 s
2	When enter username and password	PASSED	0.298 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.415 s
4	Then created "Auto-Test" is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.548 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.090 s
	---Closing the Browser---		

(S)- user is able to Search Project on Project Listing by the use of Search Functionality

<div>PASSED</div> <div>DURATION - 7.783 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:04:48.548 PM // 4:04:56.331 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test6 @TC8 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.140 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.910 s
2	When enter username and password	PASSED	0.291 s
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.367 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to validate updated project on Project Listing page

<div>FAILED</div> <div>DURATION - 33.716 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:04:56.343 PM // 4:05:30.059 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test7</div> <div>@TC9 @Positive</div>			


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.143 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.309 s
2	When enter username and password	PASSED	0.345 s
3	And clicks on createProject tab	PASSED	1.446 s

#	Step / Hook Details	Status	Duration
4	When creates project with "Auto-Pro_Test", "CreatingPipeLine", "Test" and engine	PASSED	0.398 s
5	And created "Auto-Pro_Test" with "Test" is validated in project listing page	PASSED	10.836 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.114 s
	<p>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at ?. "TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/ CreateProject.feature:69)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152) at com.pagesPF.Project_BuilderPage.</p>		



#	Step / Hook Details	Status	Duration
	<p>editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42) at com.steps.createProjectSteps. andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk. internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method. invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition. execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners. java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner. runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners. ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit. runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit. runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org. junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber. java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner. java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner. startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater. startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:152) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:42) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		

#	Step / Hook Details	Status	Duration
	<p>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="app"]/scale-icon-action-edit"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.RBME9q}, goog:chromeOptions: {debuggerAddress: localhost:40901}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 83ec478233ca20e24a7847389b0eef8d *** Element info: {Using=xpath, value=//*[@id="app"]/scale-icon-action-edit}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.053 s
	<p>this is my failure message user_is_able_to_validate_updated_project_on_Project_Listing_page</p>		



#	Step / Hook Details	Status	Duration
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.069 s
	---Closing the Browser---		

(S)- user is not able to create Project when left mandatory field blank


PASSED		DURATION - 13.408 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:05:30.067 PM // 4:05:43.475 PM /						
Creation of Projects and validation of Project Setting Pop Up						
@CreateProject @Smoke @Reg @CRP-Test8 @TC10 @Negative						

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.097 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.109 s
2	When enter username and password	PASSED	0.347 s
3	And clicks on createProject tab	PASSED	1.376 s
4	When creates project with "Auto-DemoProject", "", "Test" and engine	PASSED	0.384 s
5	Then submit button is displaying disable	PASSED	0.013 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	---Closing the Browser---		



(S)- user should not be able to validate cancelled project in ProjectListing Page

<div>FAILED</div> <div>DURATION - 19.120 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:05:43.485 PM // 4:06:02.605 PM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test9 @TC11 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.138 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.016 s
2	When enter username and password	PASSED	0.395 s
3	And clicks on createProject tab	PASSED	1.940 s
4	When enters "Auto-DemoProject", "CreatingPipeLine", "Test" and select engine and Cancel	FAILED	10.498 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: headless chrome=90.0.4430.212) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.UaVfMH}, goog:chromeOptions: {debuggerAddress: localhost:34589}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: db872c4a850f39f624b5c7cc05cfa5f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) atjdk.internal.reflect.GeneratedMethodAccessor11.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy23.click(Unknown Source) at com.managersUtilities.CommonFunction.submitDetails(CommonFunction.java:74) at com.steps.createProjectSteps.entersAndSelectEngineAndCancel(createProjectSteps.java:87) at ?.enters "Auto-DemoProject","CreatingPipeLine","Test" and select engine and Cancel(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:93) * Not displayable characters are replaced by '?'. </pre>		
5	Then cancelled "Auto-DemoProject" is not validated in project listing page	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_should_not_be_able_to_validate_cancelled_project_in_ProjectListing_Page	PASSED	0.056 s
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario) ---Closing the Browser---	PASSED	0.075 s

(S)- user is not able to find deleted project on ProjectListing Page



FAILED DURATION - 28.784 s / 4:06:02.619 PM // 4:06:31.403 PM / Creation of Projects and validation of Project Setting Pop Up @CreateProject @Smoke @Reg @TC12 @CRP-Test10 @Negative		Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
--	---	--	---

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario) --Starting the Execution--	PASSED	0.138 s
1	Given user is on DIL login page	PASSED	5.484 s
2	When enter username and password	PASSED	0.392 s



#	Step / Hook Details	Status	Duration
3	And clicks on createProject tab	PASSED	1.354 s
4	When creates project with "Auto-DemoTestProject", "CreatingPipeLine", "Test" and engine	PASSED	0.445 s
5	Then created "Auto-DemoTestProject" with "Test" is validated in project listing page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="projectTag"]"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.Vsmpjn}, goog:chromeOptions: {debuggerAddress: localhost:44037}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e7e0fc88beb8bfda7f145014faa8312 *** Element info: {Using=xpath, value=//*[@id="projectTag"]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.getText(Unknown Source) at com.pagesPF.ProjectsPage.validateProjectName(ProjectsPage.java:190) at com.steps.createProjectSteps.createdWithIsValidatedInProjectListingPage(createProjectSteps.java:142) at ?.created "Auto-DemoTestProject" with "Test" is validated in project listing page(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateProject.feature:105) * Not displayable characters are replaced by '?'.	FAILED	20.792 s
6	When deletes the project	SKIPPED	0.001 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	SKIPPED	0.000 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario) this is my failure message user_is_not_able_to_find_deleted_project_on_ProjectListing_Page	PASSED	0.100 s

#	Step / Hook Details	Status	Duration
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(F)- Creation of Sources and Destination

PASSED	DURATION - 1 m 10.999 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 26 Pass - 26 Fail - 0 Skip - 0	
/ 4:06:31.434 PM // 4:07:42.433 PM /					



(S)- user is able to create source for NoSchema

PASSED	DURATION - 19.074 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:06:31.434 PM // 4:06:50.508 PM /				
Creation of Sources and Destination				
@TC14 @Smoke @Reg @CSource-Test1 @Positive @CreateSourceAndDestination				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.225 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	7.419 s
2	When enter username and password	PASSED	0.391 s
3	And clicks on createProject tab	PASSED	1.306 s



#	Step / Hook Details	Status	Duration
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.464 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.934 s
6	And clicks on "Add a Source"	PASSED	1.056 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","",,"No Schema","<SchemaValue>"	PASSED	6.664 s
8	Then Source should get created with "DemoSource"	PASSED	0.533 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.078 s
	---Closing the Browser---		

(S)- user is able to create source for ManualSchema

<div>PASSED</div> <div>DURATION - 18.774 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:06:50.520 PM // 4:07:09.294 PM /</div>			
<div>Creation of Sources and Destination</div>			
<div>@CSource-Test2 @Smoke @Reg @TC15</div> <div>@Positive @CreateSourceAndDestination</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.106 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.846 s
2	When enter username and password	PASSED	0.295 s
3	And clicks on createProject tab	PASSED	1.510 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.396 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.749 s
6	And clicks on "Add a Source"	PASSED	1.114 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","",,"Manual Schema","H_JSON"	PASSED	7.202 s
8	Then Source should get created with "DemoSource"	PASSED	0.480 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to delete created source



<div>PASSED</div> <div>DURATION - 33.131 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:07:09.302 PM // 4:07:42.433 PM /</div>				
<div>Creation of Sources and Destination</div>				
<div>@Smoke @Reg @CSource-Test3 @TC16</div> <div>@Positive @CreateSourceAndDestination</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.157 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.853 s
2	When enter username and password	PASSED	0.405 s
3	And clicks on createProject tab	PASSED	1.413 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.457 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.756 s
6	And clicks on "Add a Source"	PASSED	1.097 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",",",",", "No Schema", "<SchemaValue>"	PASSED	6.629 s
8	Then Source should get created with "DemoSource"	PASSED	0.541 s
9	And click on "Delete Source" to delete	PASSED	5.687 s
10	Then source "DemoSource" should get deleted	PASSED	10.050 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.079 s
	---Closing the Browser---		

(F)- To validate created Project with backend API

<div>PASSED</div>	<div>DURATION - 11.060 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>7</div></div>
/ 4:07:42.449 PM // 4:07:53.509 PM /					

(S)- user is able to create a Project and is able to validate it in backend Api


PASSED	DURATION - 11.060 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 4:07:42.449 PM // 4:07:53.509 PM /				
To validate created Project with backend API				
@Smoke @Reg @PBE-API-Test1 @Positive @TC17				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.135 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.888 s
2	When enter username and password	PASSED	0.335 s
3	And clicks on createProject tab	PASSED	1.259 s
4	When creates project with "Auto_Pro","CreatingPipeLine","Test" and engine	PASSED	0.409 s
5	When authenticated for backend api with "dil-ui","ovrzCm54Zu+q2SuJIhaOnA==","Lp4,mLd:","parihars" and "/authservice/login"	PASSED	1.795 s
6	And fetches the response with "tokenDetails" to get "access_token"	PASSED	0.209 s
7	Then user should be able to use "projectName" to validate project on "/projects"	PASSED	0.956 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.069 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate pipeline listing
page when there is no pipeline created


(F) Creation and Field level validation of
pipelines



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate Project Setting
PopUp


(F) Creation of Projects and validation of
Project Setting Pop Up



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate updated
project on Project Listing page


(F) Creation of Projects and validation of
Project Setting Pop Up



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user should not be able to validate
cancelled project in ProjectListing Page

(F) Creation of Projects and validation of
Project Setting Pop Up



(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is not able to find deleted project
on ProjectListing Page

(F) Creation of Projects and validation of
Project Setting Pop Up

