

Cucumber Report

06-Aug-2021, 3:23:26 PM

Start : Aug 06, 3:22:24.657 PM

End : Aug 06, 3:23:25.732 PM

Duration : 1 m 1.075 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 3


SKIPPED - 0

PASSED - 18


FAILED - 3

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	Creation of Sources and Destination	3	0	3	0	1 m 1.075 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Creation of Sources and Destination</u>	<u>user is able to create source for NoSchema</u>	8	6	1	1	20.841 s
2	<u>Creation of Sources and Destination</u>	<u>user is able to create source for ManualSchema</u>	8	6	1	1	19.947 s
3	<u>Creation of Sources and Destination</u>	<u>user is able to delete created source</u>	10	6	1	3	20.248 s


(F)- Creation of Sources and Destination

FAILED	DURATION - 1 m 1.075 s	Scenarios		Steps	
/ 3:22:24.657 PM // 3:23:25.732 PM /		Total - 3		Total - 26	
		Pass - 0		Pass - 18	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 5	

(S)- user is able to create source for NoSchema

<div>FAILED</div> <div>DURATION - 20.841 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 3:22:24.660 PM // 3:22:45.501 PM /				
Creation of Sources and Destination				
@TC14 @Smoke @Reg @CSource-Test1 @Positive @CreateSourceAndDestination				


#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.475 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.606 s
2	When enter username and password	PASSED	0.281 s
3	And clicks on createProject tab	PASSED	1.270 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.493 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.765 s
6	And clicks on "Add a Source"	PASSED	1.053 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","","No Schema","<SchemaValue>"	FAILED	10.722 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='AUTOMATION_DONOTDELETE ']"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/ .com.google.Chrome.qjfcQh}, goog:chromeOptions: {debuggerAddress: localhost:37251}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false,		

#	Step / Hook Details	Status	Duration
	<p>timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4bf18a445bef5972a259f4eebb9fdcbc *** Element info: {Using=xpath, value=//*[@text()='AUTOMATION_DONOTDELETE ']}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:187) at com.pagesPF.PipeLine_BuilderPage.createSource(PipeLine_BuilderPage.java:66) at com.steps.createSourceAndDestination.enters(createSourceAndDestination.java:60) at ?.Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",";",";","No Schema","<SchemaValue>(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateSourceAndDestination.feature:13) * Not displayable characters are replaced by '?'. </p>		
8	Then Source should get created with "DemoSource"	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.068 s
	<p>this is my failure message user_is_able_to_create_source_for_NoSchema</p> 		
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.088 s
	---Closing the Browser---		



(S)- user is able to create source for ManualSchema

FAILED	DURATION - 19.947 s	<table border="1"> <caption>Step Durations (s)</caption> <thead> <tr> <th>Step</th> <th>Duration (s)</th> </tr> </thead> <tbody> <tr><td>1</td><td>5.211</td></tr> <tr><td>2</td><td>0.304</td></tr> <tr><td>3</td><td>1.260</td></tr> <tr><td>4</td><td>0.411</td></tr> <tr><td>5</td><td>0.870</td></tr> <tr><td>6</td><td>0.930</td></tr> <tr><td>7</td><td>10.676</td></tr> </tbody> </table>	Step	Duration (s)	1	5.211	2	0.304	3	1.260	4	0.411	5	0.870	6	0.930	7	10.676	Steps Total - 8 Pass - 6 Fail - 1 Skip - 1	
Step	Duration (s)																			
1	5.211																			
2	0.304																			
3	1.260																			
4	0.411																			
5	0.870																			
6	0.930																			
7	10.676																			
/ 3:22:45.526 PM // 3:23:05.473 PM /																				
Creation of Sources and Destination																				
@CSource-Test2 @Smoke @Reg @TC15 @Positive @CreateSourceAndDestination																				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.140 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.211 s
2	When enter username and password	PASSED	0.304 s
3	And clicks on createProject tab	PASSED	1.260 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.411 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.870 s
6	And clicks on "Add a Source"	PASSED	0.930 s
7	When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv",",",", "Manual Schema","H_JSON"	FAILED	10.676 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@text()='AUTOMATION_DONOTDELETE ']"} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/ .com.google.Chrome.p2rgcS)}, goog:chromeOptions: {debuggerAddress: localhost:38243}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 14c7ec5f7250f1aa2cd7cde5d3146aeb *** Element info: {Using=xpath, value=//*[@text()='AUTOMATION_DONOTDELETE ']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:187) at com.pagesPF.PipeLine_BuilderPage.createSource(PipeLine_BuilderPage.java:66) at com.steps.createSourceAndDestination.enters(createSourceAndDestination.java:60) at ?.Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","","Manual Schema","H_JSON"(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateSourceAndDestination.feature:27) * Not displayable characters are replaced by '?'. </pre>		
8	Then Source should get created with "DemoSource"	SKIPPED	0.001 s
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message user_is_able_to_create_source_for_ManualSchema</p> 	PASSED	0.067 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.069 s

(S)- user is able to delete created source

<div>FAILED</div> <div>DURATION - 20.248 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 3:23:05.484 PM // 3:23:25.732 PM /				
Creation of Sources and Destination				
@Smoke @Reg @CSource-Test3 @TC16 @Positive @CreateSourceAndDestination				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.098 s

#	Step / Hook Details	Status	Duration
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.470 s
2	When enter username and password	PASSED	0.396 s
3	And clicks on createProject tab	PASSED	1.082 s
4	When creates project with "AutoDIL","ProjectForAutomation","Test_Pipeline" and engine	PASSED	0.449 s
5	And creates a "PipeLine" having "ProjectForAutomation" and "Test_Pipeline"	PASSED	0.768 s
6	And clicks on "Add a Source"	PASSED	1.110 s
7	<p>When Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","","No Schema","<SchemaValue>"</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='AUTOMATION_DONOTDELETE ']} (Session info: headless chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.8.0-63-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome.nhixhm}, goog:chromeOptions: {debuggerAddress: localhost:37723}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cdb6be70c1898bfc984fbed8908bb62e *** Element info: {Using=xpath, value=//*[text()='AUTOMATION_DONOTDELETE ']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.managersUtilities.CommonFunction.getCustomisedWebElement(CommonFunction.java:187) at com.pagesPF.PipeLine_BuilderPage.createSource(PipeLine_BuilderPage.java:66) at com.steps.createSourceAndDestination.enters(createSourceAndDestination.java:60) at ?.Enters "DemoSource","File System","AUTOMATION_DONOTDELETE","CSV",".csv","","No Schema","<SchemaValue>"(file:///home/pihu/dil_automation/src/test/resources/features/projects/CreateSourceAndDestination.feature:41) * Not displayable characters are replaced by '?'. </p>	FAILED	10.689 s
8	Then Source should get created with "DemoSource"	SKIPPED	0.000 s
9	And click on "Delete Source" to delete	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	Then source "DemoSource" should get deleted	SKIPPED	0.001 s
	AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.087 s
	this is my failure message user_is_able_to_delete_created_source		
			
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.091 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to delete created source

(F) Creation of Sources and Destination

