

Cucumber Report

02-Sep-2021, 9:34:02 AM

Start : Sep 02, 9:29:53.807 AM

End : Sep 02, 9:34:01.435 AM

Duration : 4 m 7.628 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 10



FAILED - 1


SKIPPED - 0

PASSED - 48


FAILED - 1

SKIPPED - 0






#	Feature Name	T	P	F	S	Duration
1	Creation of Projects and validation of Project Setting Pop Up	11	10	1	0	4 m 7.628 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Create Project Tab on Project Listing page</u>	3	3	0	0	16.644 s
2	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to get Project Setting pop up while selects Create Project Tab</u>	4	4	0	0	8.934 s
3	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate Project Setting PopUp</u>	4	4	0	0	8.870 s
4	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to create a Project and is able to validate it in ProjectListing Page</u>	5	5	0	0	18.205 s
5	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate details for project on project listing page</u>	4	4	0	0	17.705 s
6	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to Search Project on Project Listing by the use of Search Functionality</u>	3	3	0	0	22.840 s
7	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to validate updated project on Project Listing page</u>	6	5	1	0	41.641 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to create Project when left mandatory field blank</u>	5	5	0	0	16.503 s
9	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user should not be able to validate cancelled project in ProjectListing Page</u>	5	5	0	0	34.464 s
10	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is not able to find deleted project on ProjectListing Page</u>	7	7	0	0	44.284 s
11	<u>Creation of Projects and validation of Project Setting Pop Up</u>	<u>user is able to delete all Projects from Project listing page</u>	3	3	0	0	17.393 s

(F)- Creation of Projects and validation of Project Setting Pop Up

FAILED	DURATION - 4 m 7.628 s	Scenarios		Steps	
/ 9:29:53.807 AM // 9:34:01.435 AM /		Total - 11		Total - 49	
		Pass - 10		Pass - 48	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- user is able to get Create Project Tab on Project Listing page

<div>PASSED</div> <div>DURATION - 16.644 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:29:53.811 AM // 9:30:10.455 AM /				
Creation of Projects and validation of Project Setting Pop Up				
@CreateProject @Smoke @Reg @Positive @TC6 @CRP-Test1				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.524 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	12.797 s
2	When enter username and password	PASSED	0.353 s
3	Then user is able to verify "Create Project" on Project Listing page	PASSED	1.885 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to get Project Setting pop up while selects Create Project Tab

<div><div>PASSED</div><div>DURATION - 8.934 s</div></div>	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>6.099</td></tr><tr><td>2</td><td>0.348</td></tr><tr><td>3</td><td>1.220</td></tr><tr><td>4</td><td>0.128</td></tr></tbody></table>	Step	Duration (s)	1	6.099	2	0.348	3	1.220	4	0.128	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
Step		Duration (s)											
1		6.099											
2		0.348											
3	1.220												
4	0.128												
<div>/ 9:30:10.470 AM // 9:30:19.404 AM /</div>													
<div>Creation of Projects and validation of Project Setting Pop Up</div>													
<div>@CreateProject @Reg @Positive @TC7 @CRP-Test2</div>													

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.059 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	6.099 s
2	When enter username and password	PASSED	0.348 s
3	And clicks on createProject tab	PASSED	1.220 s
4	Then user is able to get Project Setting PopUp	PASSED	0.128 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.077 s
	---Closing the Browser---		



(S)- user is able to validate Project Setting PopUp

<div><div>PASSED</div><div>DURATION - 8.870 s</div></div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>5.692</td></tr><tr><td>2</td><td>0.446</td></tr></tbody></table></div>	Step	Duration (s)	1	5.692	2	0.446	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div>4</div></div>
Step		Duration (s)						
1		5.692						
2		0.446						
<div>/ 9:30:19.427 AM // 9:30:28.297 AM /</div>								
<div>Creation of Projects and validation of Project Setting Pop Up</div>								
<div>@CreateProject @Smoke @Reg @CRP-Test3 @TC8 @Positive</div>								

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.074 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.692 s
2	When enter username and password	PASSED	0.446 s



#	Step / Hook Details	Status	Duration
3	And clicks on createProject tab	PASSED	1.348 s
4	Then all the fields on Project Setting up page are validated	PASSED	0.230 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to create a Project and is able to validate it in ProjectListing Page

<div>PASSED</div> <div>DURATION - 18.205 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:30:28.314 AM // 9:30:46.519 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CRP-Test4 @CreateProject @Smoke @Reg @TC9 @Positive</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.085 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	3.807 s
2	When enter username and password	PASSED	0.438 s
3	And clicks on createProject tab	PASSED	1.313 s
4	When creates project with "Auto_Pro", "CreatingPipeLine", "Test" and engine	PASSED	0.582 s
5	Then created "Auto_Pro" with "Test" is validated in project listing page	PASSED	10.898 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.073 s
	---Closing the Browser---		

(S)- user is able to validate details for project on project listing page

PASSED	DURATION - 17.705 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:30:46.529 AM // 9:31:04.234 AM /				
Creation of Projects and validation of Project Setting Pop Up				
@CreateProject @Smoke @Reg @CRP-Test5 @TC10 @Positive				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.081 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.237 s
2	When enter username and password	PASSED	0.367 s
3	And searches the "Auto-Test" with "CreatingPipeLine","Test"	PASSED	1.377 s
4	Then created "Auto-Test" is validated for details like status,tag,projectName,run button,run button,delete button etc.	PASSED	10.563 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		



(S)- user is able to Search Project on Project Listing by the use of Search Functionality

PASSED	DURATION - 22.840 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:31:04.243 AM // 9:31:27.083 AM /				
Creation of Projects and validation of Project Setting Pop Up				
@CreateProject @Smoke @Reg @CRP-Test6 @TC11 @Positive				

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.057 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	19.863 s
2	When enter username and password	PASSED	0.327 s

#	Step / Hook Details	Status	Duration
3	Then searches the "Auto-Pro" with "CreatingPipeLine","Test"	PASSED	1.517 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(S)- user is able to validate updated project on Project Listing page


<div>FAILED</div> <div>DURATION - 41.641 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:31:27.098 AM // 9:32:08.739 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @CRP-Test7 @TC12 @Positive</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.074 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	11.531 s
2	When enter username and password	PASSED	0.865 s
3	And clicks on createProject tab	PASSED	1.435 s
4	When creates project with "Auto-Pro_Test","CreatingPipeLine","Test" and engine	PASSED	0.536 s
5	And created "Auto-Pro_Test" with "Test" is validated in project listing page	PASSED	10.826 s
6	Then "TestTag" and "CreatingPipeLine" is updated and validated	FAILED	15.188 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		



#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at ?. "TestTag" and "CreatingPipeLine" is updated and validated(file:///home/pihu/dil_automation/src/test/resources/features/projects/ CreateProject.feature:67)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic', java.version: '11.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.</p>		

#	Step / Hook Details	Status	Duration
	<p>startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater. startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.managersUtilities.CommonFunction.clickByHoveringMouse(CommonFunction.java:163) at com.pagesPF.Project_BuilderPage.editProjectDetailsOnProjectBuilder(Project_BuilderPage.java:36) at com.steps.createProjectSteps.andIsUpdatedAndValidated(createProjectSteps.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='app']/scale-icon-action-edit"} (Session info: chrome=90.0.4430.212) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'pihu-Latitude-5400', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.11.0-27-generic', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 90.0.4430.212, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: /tmp/.com.google.Chrome. ScFySG}, goog:chromeOptions: {debuggerAddress: localhost:46301}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 44ea69c84409403ccb54d4e982fd6260 *** Element info: {Using=xpath, value=//*[@id='app']/scale-icon-action-edit} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>this is my failure message user_is_able_to_validate_updated_project_on_Project_Listing_page</p> 	PASSED	0.109 s
	<p>AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)</p> <p>---Closing the Browser---</p>	PASSED	0.073 s

(S)- user is not able to create Project when left mandatory field blank

PASSED	DURATION - 16.503 s		<p>Steps</p> <p>Total - 5</p> <p>Pass - 5</p> <p>Fail - 0</p> <p>Skip - 0</p>	
/ 9:32:08.767 AM // 9:32:25.270 AM /				
Creation of Projects and validation of Project Setting Pop Up				
@CreateProject @Smoke @Reg @TC13 @CRP-Test8 @Negative				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.080 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	13.098 s
2	When enter username and password	PASSED	0.435 s
3	And clicks on createProject tab	PASSED	1.249 s
4	When creates project with "Auto-DemoProject", "", "Test" and engine	PASSED	0.545 s
5	Then submit button is displaying disable	PASSED	0.018 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.072 s
	---Closing the Browser---		

(S)- user should not be able to validate cancelled project in ProjectListing Page

PASSED	DURATION - 34.464 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:32:25.279 AM // 9:32:59.743 AM /				
Creation of Projects and validation of Project Setting Pop Up				
@TC14 @CreateProject @Smoke @Reg @CRP-Test9 @Negative				



#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.073 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	15.831 s
2	When enter username and password	PASSED	0.363 s
3	And clicks on createProject tab	PASSED	1.545 s
4	When enters "Auto-DemoProject", "CreatingPipeLine", "Test" and select engine and Cancel	PASSED	0.434 s
5	Then cancelled "Auto-DemoProject" is not validated in project listing page	PASSED	15.135 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.076 s
	---Closing the Browser---		

(S)- user is not able to find deleted project on ProjectListing Page

<div>PASSED</div> <div>DURATION - 44.284 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:32:59.752 AM // 9:33:44.036 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @Smoke @Reg @TC15 @CRP-Test10 @Negative</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.064 s
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	4.324 s
2	When enter username and password	PASSED	0.392 s
3	And clicks on createProject tab	PASSED	1.342 s
4	When creates project with "Auto-DemoTestProject", "CreatingPipeLine", "Test" and engine	PASSED	0.664 s
5	Then created "Auto-DemoTestProject" with "Test" is validated in project listing page	PASSED	10.816 s
6	When deletes the project	PASSED	10.422 s
7	Then deleted "Auto-DemoTestProject" disappear from Project Listing Page	PASSED	15.178 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.074 s
	---Closing the Browser---		

(S)- user is able to delete all Projects from Project listing page

<div><div>PASSED</div><div>DURATION - 17.393 s</div></div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:33:44.042 AM // 9:34:01.435 AM /</div>			
<div>Creation of Projects and validation of Project Setting Pop Up</div>			
<div>@CreateProject @TC16 @Test11</div> <div>@SmokeInNotScope</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.steps.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.087 s

#	Step / Hook Details	Status	Duration
	--Starting the Execution--		
1	Given user is on DIL login page	PASSED	5.783 s
2	When enter username and password	PASSED	0.381 s
3	Then he should be able to delete all the Projects from Project Listing Page	PASSED	10.064 s
	AFTER - com.steps.Hooks.quitBrowser(io.cucumber.java.Scenario)	PASSED	0.075 s
	---Closing the Browser---		

(Step) AFTER - com.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) user is able to validate updated
project on Project Listing page

(F) Creation of Projects and validation of
Project Setting Pop Up

The screenshot shows the 'Data Integration Layer' interface. The top navigation bar is pink with the T logo, the tagline 'LIFE IS FOR SHARING.', the title 'Data Integration Layer', and a 'Logout' button. Below the navigation bar, there are tabs for 'Projects', 'Connections', and 'Support'. The main content area displays the project 'Cz3vAAuto-Pro_Test02-42' with sub-tabs for 'Overview' (selected), 'Builder', and 'Team'. Under the 'Overview' tab, there is a section for 'Pipelines' with a message: 'There is no pipelines in this project. Go to Builder to create one.' On the right side, there is a sidebar with project details: 'Project Title' (Cz3vAAuto-Pro_Test02-42), 'Description' (CreatingPipeLine), 'Tags' (Test), 'Project engine' (Spark), and 'Project actions' (Test run).

Data Integration Layer Logout

Projects Connections Support

Cz3vAAuto-Pro_Test02-42 Overview Builder Team

Pipelines

There is no pipelines in this project.
Go to Builder to create one.

Project Title
Cz3vAAuto-Pro_Test02-42

Description
CreatingPipeLine

Tags
Test

Project engine
Spark

Project actions
Test run